



# **100 LAMBDA CODE SNIPPETS**

**Java 8**

## 1. Simple Runnable Example

```
Runnable r = () -> System.out.println("Hello, Lambda!");
new Thread(r).start();
```

## 2. Iterating List using Lambda

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda");
list.forEach(item -> System.out.println(item));
```

## 3. Filtering a List with Lambda

```
List<String> list = Arrays.asList("Java", "JavaScript", "Python")
List<String> filteredList = list.stream()
    .filter(s -> s.startsWith("J"))
    .collect(Collectors.toList());
filteredList.forEach(System.out::println);
```

## 4. Sorting a List using Lambda

```
List<String> list = Arrays.asList("Java", "Lambda", "Kafka");
list.sort((s1, s2) -> s1.compareTo(s2));
list.forEach(System.out::println);
```

## 5. Using a Custom Functional Interface

```
@FunctionalInterface  
interface Calculator {  
    int calculate(int a, int b);  
}  
public static void main(String[] args) {  
    Calculator add = (a, b) -> a + b;  
    Calculator multiply = (a, b) -> a * b;  
    println("Addition: " + add.calculate(5, 3));  
    println("Multiplication: " + multiply.calculate(5, 3))  
}
```

## 6. Lambda with Map Iteration

```
Map<String, Integer> map = new HashMap<>();  
map.put("Java", 8);  
map.put("Spring", 5);  
map.put("Lambda", 1);  
map.forEach((key, value) -> println(key + ": " + value));
```

## 7. Creating a Thread with Lambda

```
new Thread(() -> System.out.println("Thread with Lambda!")).start()
```

## 8. Lambda in Comparator

```
List<String> list = Arrays.asList("Java", "Lambda", "Kafka")
list.sort(Comparator.comparingInt(String::length));
list.forEach(System.out::println);
```

## 9. Method Reference with Lambda

```
List<String> list = Arrays.asList("Java", "Lambda", "Kafka")
list.forEach(System.out::println);
```

## 10. Lambda with Optional

```
Optional<String> optional = Optional.of("Java");
optional.ifPresent(s -> System.out.println("Value is present: " + s));
```

## 11. Lambda with Predicate

```
Predicate<String> isEmpty = s -> s.isEmpty();
System.out.println(isEmpty.test("")); // true
System.out.println(isEmpty.test("Java")); // false
```

## 12. Lambda with BiFunction

```
BiFunction<Integer, Integer, Integer> add = (a, b) -> a + b;
System.out.println(add.apply(2, 3)); // 5
```

## 13. Lambda with Consumer

```
Consumer<String> print = s -> System.out.println(s)
print.accept("Hello, World!"); // Hello, World!
```

## 14. Lambda with Supplier

```
Supplier<String> supplier = () -> "Java";
System.out.println(supplier.get()); // Java
```

## 15. Lambda with Function

```
Function<String, Integer> length = s -> s.length();
System.out.println(length.apply("Lambda")); // 6
```

## 16. Lambda with UnaryOperator

```
UnaryOperator<Integer> square = x -> x * x;
System.out.println(square.apply(5)); // 25
```

## 17. Lambda with BinaryOperator

```
BinaryOperator<Integer> multiply = (a, b) -> a * b;
System.out.println(multiply.apply(2, 3)); // 6
```

## 18. Lambda for Checking Even Numbers

```
Predicate<Integer> isEven = x -> x % 2 == 0;
System.out.println(isEven.test(4)); // true
System.out.println(isEven.test(5)); // false
```

## 19. Lambda with Custom Sorting

```
List<String> list = Arrays.asList("Apple", "Pear", "Grapes");
list.sort((s1, s2) -> s2.compareTo(s1)); // Sort, reverse order
list.forEach(System.out::println);
```

## 20. Lambda for Uppercase Conversion

```
List<String> list = Arrays.asList("java", "spring", "lambda")
List<String> upperList = list.stream()
    .map(String::toUpperCase)
    .collect(Collectors.toList());
upperList.forEach(System.out::println);
```

## 21. Lambda with Stream Reduce

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5);
int sum = numbers.stream()
    .reduce(0, (a, b) -> a + b);
System.out.println("Sum: " + sum); // Sum: 15
```

## 22. Lambda with Stream Filter

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5, 6, 7, 8, 9, 10).  
List<Integer> evenNumbers = numbers.stream()  
                                .filter(n -> n % 2 == 0)  
                                .collect(Collectors.toList());  
evenNumbers.forEach(System.out::println); // 2, 4, 6, 8, 10
```

## 23. Lambda with Stream Map

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")  
list.stream()  
    .map(String::toLowerCase)  
    .forEach(System.out::println);
```

## 24. Lambda with Stream Distinct

```
List<Integer> numbers = Arrays.asList(1, 2, 2, 3, 4, 4, 5)  
numbers.stream()  
    .distinct()  
    .forEach(System.out::println); // 1, 2, 3, 4, 5
```

Comment "**code**" and I'll DM you  
this in PDF format

## 25. Lambda with Stream Sorted

```
List<String> list = Arrays.asList("Banana", "Pear", "Grapes")
list.stream()
    .sorted()
    .forEach(System.out::println);
```

## 26. Lambda with Stream Count

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5)
long count = numbers.stream()
    .count();
System.out.println("Count: " + count); // Count: 5
```

## 27. Lambda with Stream AnyMatch

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda");
boolean containsJava = list.stream()
    .anyMatch(s -> s.equals("Java"));
System.out.println("Contains 'Java': " + containsJava); // true
```

## 28. Lambda with Stream AllMatch

```
List<Integer> numbers = Arrays.asList(2, 4, 6, 8, 10)
boolean allEven = numbers.stream()
                        .allMatch(n -> n % 2 == 0);
System.out.println("All even: " + allEven); // true
```

## 29. Lambda with Stream NoneMatch

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda");
boolean nonePython = list.stream()
                        .noneMatch(s -> s.equals("Python"));
System.out.println("Contains no 'Python': "+nonePython); //true
```

## 30. Lambda with Stream FindFirst

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
Optional<String> first = list.stream()
                            .findFirst();
first.ifPresent(System.out::println); // Java
```

Comment "**code**" and I'll DM you  
this in PDF format

## 31. Lambda with Stream FindAny

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
Optional<String> any = list.stream()
    .findAny();
any.ifPresent(System.out::println);
```

## 32. Lambda for Summing Integers

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5)
int sum = numbers.stream()
    .mapToInt(Integer::intValue)
    .sum();

System.out.println("Sum: " + sum); // Sum: 15
```

## 34. Lambda for Max Integer

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5)
int max = numbers.stream()
    .mapToInt(Integer::intValue)
    .max()
    .orElse(Integer.MIN_VALUE);
System.out.println("Max: " + max); // Max: 5
```

## 35. Lambda for Min Integer

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5)
int min = numbers.stream()
    .mapToInt(Integer::intValue)
    .min()
    .orElse(Integer.MAX_VALUE);
System.out.println("Min: " + min); // Min: 1
```

## 36. Lambda for Joining Strings

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
String joined = list.stream()
    .collect(Collectors.joining(", "));
System.out.println(joined); // Java, Spring, Lambda
```

## 37. Lambda with Stream MapToInt

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
list.stream()
    .mapToInt(String::length)
    .forEach(System.out::println); // 4, 6, 6
```

## 38. Lambda with Stream Collect to Set

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda", "Spring")
Set<String> set = list.stream()
    .collect(Collectors.toSet());
set.forEach(System.out::println); // Java, Spring, Lambda
```

## 39. Lambda with Stream GroupingBy

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda", "Java");
Map<String, Long> frequency = list.stream()
    .collect(Collectors.groupingBy(s -> s, Collectors.counting()));
frequency.forEach((k, v) -> System.out.println(k + ": " + v));
// Java: 2, Spring: 1, Lambda: 1
```

## 40. Lambda with Stream PartitioningBy

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5, 6, 7, 8, 9, 10);
Map<Boolean, List<Integer>> partitioned = numbers.stream()
    .collect(Collectors.partitioningBy(n -> n % 2 == 0));
partitioned.forEach((k, v) -> System.out.println(k + ": " + v));
// true: [2, 4, 6, 8, 10], false: [1, 3, 5, 7, 9]
```

## 41. Lambda with Stream Counting

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
long count = list.stream()
    .collect(Collectors.counting());
System.out.println("Count: " + count); // Count: 3
```

## 42. Lambda with Stream SummarizingInt

```
List<Integer> numbers = Arrays.asList(1, 2, 3, 4, 5);
IntSummaryStatistics stats = numbers.stream()
    .collect(Collectors.summarizingInt(Integer::intValue))
System.out.println("Sum: " + stats.getSum());
System.out.println("Average: " + stats.getAverage());
System.out.println("Max: " + stats.getMax());
System.out.println("Min: " + stats.getMin());
```

## 43. Lambda with Stream Mapping

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
Map<Integer, List<String>> map = list.stream()
    .collect(Collectors.groupingBy(String::length));
map.forEach((k, v) -> System.out.println(k + ": " + v));
// 4: [Java], 6: [Spring, Lambda]
```

Comment "code" and I'll DM you  
this in PDF format

## 44. Lambda with Stream Joining Without Delimiter

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda")
String joined = list.stream()
    .collect(Collectors.joining());
System.out.println(joined); // JavaSpringLambda
```

## 45. Lambda with Stream ToMap

```
List<String> list = Arrays.asList("Java", "Spring", "Lambda");
Map<String, Integer> map = list.stream()
    .collect(Collectors.toMap(s -> s, String::length));
map.forEach((k, v) -> System.out.println(k + ": " + v));
// Java: 4, Spring: 6, Lambda: 6
```

## 46. Lambda for Creating a Stream

```
Stream<String> stream = Stream.of("Java", "Spring", "Lambda")
stream.forEach(System.out::println);
```

## 47. Lambda with Stream Limit

```
Stream<String> stream = Stream.of("Java", "Spring", "Lambda", "Kafka")
stream.limit(2)
    .forEach(System.out::println); // Java, Spring
```

## 48. Lambda with Stream Skip

```
Stream<String> stream = Stream.of("Java", "Spring", "Lambda", "Kafka")
stream.skip(2)
    .forEach(System.out::println); // Lambda, Kafka
```

## 49. Lambda with Stream Peek

```
Stream<String> stream = Stream.of("Java", "Spring", "Lambda", "Kafka")
stream.peek(System.out::println)
    .collect(Collectors.toList());
```

## 50. Lambda with Optional

```
Optional<String> optional = Optional.of("Java");
optional.ifPresent(System.out::println); // Java
```