

1 Example FoxH-2_9_4.wls

File content

```
(* (2.9.4) of Kilbas and Saigo 04 *)
{
  (* Upper List *) {
    (* Upper Front List *) {},
    (* Upper Rear List *) {}
  },
  (* Lower List *) {
    (* Lower Front List *) {{b, β}},
    (* Lower Rear List *) {}
  }
}
```

Fox H-function

$$H_{0,1}^{1,0} \left(. \left| \begin{array}{c} \\ (b, \beta) \end{array} \right. \right)$$

$$H_{0,1}^{1,0} \left(. \left| \begin{array}{c} \hline (b, \beta) \end{array} \right. \right)$$

Summary

$$\begin{aligned} a^* &= \beta \\ \Delta &= \beta \\ \delta &= \text{Indeterminate} \\ \mu &= b - \frac{1}{2} \\ a_1^* &= \beta \\ a_2^* &= 0 \\ \xi &= b \\ c^* &= \frac{1}{2} \end{aligned}$$

Poles 1. First ten poles from upper front list

$$a_{i,k} = \{ \}$$

2. First ten poles from lower front list

$$b_{j,\ell} = \left(\begin{array}{cccccccccc} -\frac{b}{\beta} & -\frac{b+1}{\beta} & -\frac{b+2}{\beta} & -\frac{b+3}{\beta} & -\frac{b+4}{\beta} & -\frac{b+5}{\beta} & -\frac{b+6}{\beta} & -\frac{b+7}{\beta} & -\frac{b+8}{\beta} & -\frac{b+9}{\beta} & -\frac{b+10}{\beta} \end{array} \right)$$