Lab Guide: Setting Up a Python Environment with NumPy, Pandas, and Scikit-learn

Table of Contents

- Description
- Problem Statement
- Prerequisites
 - Software Required
 - Hardware Requirements
- Setup Instructions
 - Setting Up a Python Environment with NumPy, Pandas, and Scikit-Learn
 - Step 1: Download the Python Installer
 - Step 2: Run the Installer
 - Step 3: Choose the Optional Installation Features
 - Step 4: Choosing Advanced Options
 - Step 5: Add Python to Path (Optional)
 - Step 6: Verify Python Was Installed on Windows
 - Step 7: Connect VS Code with Python
 - Step 8: Install Libraries
 - Step 9: Verify Library Installation
- Example Usage
 - NumPy Example
 - Pandas Example
 - Scikit-Learn Example
- Reference

Description

This lab guide provides step-by-step instructions to set up a Python environment equipped with essential libraries such as NumPy, Pandas, and Scikit-learn, which are vital for data manipulation, analysis, and machine learning tasks.

Problem-Statement

Setting up a Python environment with the right libraries is crucial for conducting data science and machine learning projects. This guide aims to simplify the process for beginners and provide a solid foundation for further exploration in AIML.

Prerequisites

Software Required

- **Python Installation:** Python version 3.11.9.
- Libraries: numpy, pandas, scikit-learn.
- **Visual Studio Code (VSCode)**: A lightweight code editor that provides powerful features for Python development, including extensions for linting, debugging, and version control.

Hardware Requirements

- Minimum System Requirements:
 - CPU: Intel Core i3 or equivalent
 - **RAM:** 4 GB (8 GB recommended for better performance)
 - o Disk Space: 1 GB free for Python and libraries installation


Setup-Instructions

Setting-Up-a-Python-Environment-with-NumPy-Pandas-and-Scikit-learn

Step 1: Download the Python Installer:



- Visit the official Python website.
- Locate a reliable version of Python 3, "Download Python 3.11.9".
- Choose the correct link for your device from the options provided: either Windows installer (64-bit) or Windows installer (32-bit) and proceed to download the executable file.



Python 3.11.9 - April 2, 2024

Note that Python 3.11.9 cannot be used on Windows 7 or earlier.



- Download Windows installer (64-bit)
- Download Windows installer (32-bit)
 - Download Windows installer (ARM64)
 - Download Windows embeddable package (64-bit)
 - Download Windows embeddable package (32-bit)
 - Download Windows embeddable package (ARM64)

- 1. Run the downloaded Python Installer.
- 2. The installation window shows two checkboxes:
 - **Admin privileges:** The parameter controls whether to install Python for the current or all system users. This option allows you to change the installation folder for Python.

• **Add Python to PATH:** The second option places the executable in the PATH variable after installation. You can also add Python to the PATH environment variable manually later.




- 3. Select the **Install Now** option for the recommended installation (in that case, skip the next two steps).
- 4. To adjust the default installation options, choose **Customize installation** instead and proceed to the following step.
- Installation Directory: C:\Users\[user]\AppData\Local\Programs\Python\Python[version]
- Included Components:
 - IDLE (the default Python Integrated Development and Learning Environment).
 - **PIP** (Python's package installer).
 - Additional Documentation.
- The installer also creates:
 - Required shortcuts.
 - File associations for .py files.

If you choose the "Customize Installation" option during setup, you can modify the default configurations, such as the installation location, optional features, and advanced settings. This flexibility allows you to tailor

the setup to your specific project requirements or environment.

Step 3: Choose the optional installation features


• Python works without these features, but adding them improves the program's usability.




• Click Next to proceed to the Advanced Options screen.

Step 4: Choosing advanced options

- Choose whether to install Python for all users. The option changes the install location to C:\Program Files\Python[version].
- If selecting the location manually, a common choice is C:\Python[version] because it avoids spaces in the path, and all users can access it.Due to administrative rights, both paths may cause issues during package installation.



After picking the appropriate options, click Install to start the installation.





Setup was successful

New to Python? Start with the <u>online tutorial</u> and <u>documentation</u>. At your terminal, type "py" to launch Python, or search for Python in your Start menu.

See <u>what's new</u> in this release, or find more info about <u>using</u> Python on Windows.



X


Select the option and close the setup.

Step 5: Add Python to Path (Optional)

If the Python installer does not include the Add Python to PATH checkbox or you have not selected that option, continue in this step. Otherwise, skip to the next step.

To add Python to PATH, do the following:


1. In the Start menu, search for Environment Variables and press Enter.




2. Click Environment Variables to open the overview screen.

Х

System Properties



3. Double-click Path on the list to edit it.



Alternatively, select the variable and click the Edit button.

4. Double-click the first empty field and paste the Python installation folder path for both system and user environmental variables for Administration

Edit environment variable X %USERPROFILE%\AppData\Local\Microsoft\WindowsApps New C:\Users\Administrator\AppData\Local\Programs\Python\Python311 ers\Administrator\AppData\Local\Programs\Python\Python311\Scripts\ Edit C:\Users\Administrator\AppData\Local\Progran \Microsoft VS Code\... Browse... Delete Move Up Move Down Edit text... 0K Cancel

Alternatively, click the **New button** instead and paste the path. Click **OK** to save the changes.

Step 7: Verify Python Was Installed on Windows

The first way to verify that Python was installed successfully is through the command line. Open the command prompt and run the following command:

python --version

C:\Users\Administrator>python --version Python 3.11.9

The output shows the installed Python version.

Verify PIP Was Installed

To verify whether PIP was installed, enter the following command in the command prompt:

```
pip --version
```

If it was installed successfully, you should see the PIP version number, the executable path, and the Python version:

```
C:\Users\Administrator>pip --version
pip 24.0 from C:\Program Files\Python311\Lib\site-packages\pip (python 3.11)
```

PIP has not been installed yet if you get the following output:

```
'pip' is not recognized as an internal or external command,
Operable program or batch file.
```


Step 8: Connect VScode with Python To set up Visual Studio Code (VS Code) with Python, follow these steps:

1. Install Visual Studio Code:

• Download and install the latest version of Visual Studio Code for your operating system.

2. Install the Python Extension for VS Code:


- Open VS Code.
- Go to the **Extensions** view by clicking on the square icon in the left sidebar or pressing Ctrl+Shift+X.



• Search for the **Python** extension by Microsoft.



- Click Install to add the extension to your VS Code.
- To select and set the Python interpreter in Visual Studio Code (VS Code), follow these steps:
 - **Open the Command Palette**: You can open the Command Palette by pressing Ctrl+Shift+P.
 - **Select Interpreter**: Type Python: Select Interpreter in the Command Palette and press Enter.



• **Choose an Interpreter**: VS Code will display a list of available Python interpreters. Select the one you want to use. If you have a virtual environment or a specific Python installation, ensure it's activated or listed here.

Selected Interpreter: C:\Program Files\Python311\python.exe

+ Create Virtual Environment...

Enter interpreter path...

Python 3.11.9 ('.venv') .\.venv\Scripts\python.exe

Recommended

Python 3.11.9 C:\Program Files\Python311\python.exe

Global

- **Verify the Interpreter**: You can verify the selected interpreter by checking the bottom-left corner of VS Code. It should display the selected Python version and the path to the interpreter.
- Set Interpreter Path Manually: If the desired interpreter is not listed, you can manually set the
 interpreter path in the settings.json file by adding or modifying the following line:

```
"python.pythonPath": "path/to/your/python"
```

Replace "path/to/your/python" with the actual path to the Python interpreter.

3. Create a Python File:

- Open a new file in your workspace.
- Save it with the .py extension (e.g., main.py).

4. Write and Run Python Code:

• Type a simple Python script, such as:

```
print("Hello, World!")
```

• Save the file.

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python main.py
```

```
PS C:\Users\Administrator\Desktop\AIML> python main.py Hello world
```

This is the terminal output (Hello World)

Step 9: Install Libraries

To install the essential libraries, open your command prompt and run the following command:

```
pip install numpy pandas scikit-learn
```

This command will install NumPy, Pandas, and Scikit-learn, which are essential for data manipulation, analysis, and machine learning tasks.

```
PS C:\Users\Administrator\Desktop\AIML>        <mark>pip</mark> install numpy pandas scikit-learn
Collecting numpy
  Downloading numpy-2.1.2-cp311-cp311-win_amd64.whl.metadata (59 kB)
Collecting pandas
  Downloading pandas-2.2.3-cp311-cp311-win_amd64.whl.metadata (19 kB)
Collecting scikit-learn
  Downloading scikit_learn-1.5.2-cp311-cp311-win_amd64.whl.metadata (13 kB)
Collecting python-dateutil>=2.8.2 (from pandas)
  Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl.metadata (8.4 kB)
Collecting pytz>=2020.1 (from pandas)
 Using cached pytz-2024.2-py2.py3-none-any.whl.metadata (22 kB)
Collecting tzdata>=2022.7 (from pandas)
  Using cached tzdata-2024.2-py2.py3-none-any.whl.metadata (1.4 kB)
Collecting scipy>=1.6.0 (from scikit-learn)
  Downloading scipy-1.14.1-cp311-cp311-win_amd64.whl.metadata (60 kB)
Collecting joblib>=1.2.0 (from scikit-learn)
 Downloading joblib-1.4.2-py3-none-any.whl.metadata (5.4 kB)
Collecting threadpoolctl>=3.1.0 (from scikit-learn)
  Downloading threadpoolctl-3.5.0-py3-none-any.whl.metadata (13 kB)
Collecting six>=1.5 (from python-dateutil>=2.8.2->pandas)
 Using cached six-1.16.0-py2.py3-none-any.whl.metadata (1.8 kB)
Downloading numpy-2.1.2-cp311-cp311-win_amd64.whl (12.9 MB)
                                             12.9/12.9 MB 16.0 MB/s eta 0:00:00
Downloading pandas-2.2.3-cp311-cp311-win_amd64.whl (11.6 MB)
                                            11.6/11.6 MB 12.6 MB/s eta 0:00:00
Downloading scikit_learn-1.5.2-cp311-cp311-win_amd64.whl (11.0 MB)
                                             11.0/11.0 MB 16.4 MB/s eta 0:00:00
Downloading joblib-1.4.2-py3-none-any.whl (301 kB)
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Using cached pytz-2024.2-py2.py3-none-any.whl (508 kB)
```

Step 9: Verify Library Installation

To verify the installation, you can run a simple script that imports the libraries and prints their versions. Follow these steps to create and run the script in Visual Studio Code (VS Code):

1. Open VS Code

• Launch Visual Studio Code from your Start menu or desktop shortcut.

2. Create a New Python File

Click on File > New File or press Ctrl+N to create a new file.

Save the file with a .py extension, e.g., verify_libraries.py, by clicking on File > Save As or pressing Ctrl+S.

3. Write the Verification Script

• In the new file, type the following Python script:

```
import numpy as np
import pandas as pd
import sklearn

print("NumPy version:", np.__version__)
print("Pandas version:", pd.__version__)
print("Scikit-learn version:", sklearn.__version__)
```

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python verify_libraries.py
```

Output

```
PS C:\Users\Administrator\Desktop\AIML> python verify_libraries.py
NumPy version: 2.1.2
Pandas version: 2.2.3
Scikit-learn version: 1.5.2
```

5. Example-Usage

NumPy-Example

- Create a new python file
 - Create a Python file named creating_array.py and write the following code in it.

NumPy is a powerful library for numerical computations. Here are two simple examples to demonstrate its capabilities:

Example 1: Creating and Manipulating Arrays

```
import numpy as np

# Create a 1D array
array = np.array([1, 2, 3, 4, 5])
print("1D Array:", array)
```

```
# Perform element-wise multiplication
result = array * 2
print("Element-wise Multiplication Result:", result)
```

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python creating_array.py
```

Output:

```
PS C:\Users\Administrator\Desktop\AIML> python creating_array.py
1D Array: [1 2 3 4 5]
Element-wise Multiplication Result: [ 2 4 6 8 10]
```

Example 2: Matrix

- Create a new python file
 - Create a Python file named matrix.py and write the following code in it.

```
import numpy as np
# Step 1: Create two small matrices
matrix_A = np.array([[1, 2],
                      [3, 4]])
matrix_B = np.array([[5, 6],
                      [7, 8]])
print("Matrix A:")
print(matrix_A)
print("\nMatrix B:")
print(matrix_B)
# Step 2: Perform basic operations
# Matrix addition
matrix sum = matrix A + matrix B
print("\nSum of Matrix A and B:")
print(matrix sum)
# Matrix subtraction
matrix_diff = matrix_A - matrix_B
print("\nDifference of Matrix A and B:")
print(matrix_diff)
```

```
# Element-wise multiplication
matrix_product = matrix_A * matrix_B
print("\nElement-wise Product of Matrix A and B:")
print(matrix product)
# Matrix multiplication
matrix_mul = np.dot(matrix_A, matrix_B)
print("\nMatrix A multiplied by Matrix B:")
print(matrix_mul)
# Step 3: Transpose of a matrix
matrix_A_T = matrix_A.T
print("\nTranspose of Matrix A:")
print(matrix_A_T)
# Step 4: Determinant of a square matrix
determinant A = np.linalg.det(matrix A)
print("\nDeterminant of Matrix A:", determinant_A)
# Step 5: Inverse of a matrix
matrix_A_inv = np.linalg.inv(matrix_A)
print("\nInverse of Matrix A:")
print(matrix_A_inv)
# Verification: Matrix A multiplied by its inverse
identity_matrix = np.dot(matrix_A, matrix_A_inv)
print("\nMatrix A multiplied by its Inverse (should be Identity Matrix):")
print(identity_matrix)
```

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python matrix.py
```

Output

```
PS C:\Users\Administrator\Desktop\AIML> python matrix.py
Matrix A:
[[1 2]
[3 4]]
Matrix B:
 [7 8]]
Sum of Matrix A and B:
[[6 8]
 [10 12]]
Difference of Matrix A and B:
[[-4 -4]
[-4 -4]]
Element-wise Product of Matrix A and B:
[[ 5 12]
 [21 32]]
Matrix A multiplied by Matrix B:
[[19 22]
 [43 50]]
Transpose of Matrix A:
 [2 4]]
Determinant of Matrix A: -2.000000000000000000
```

```
Inverse of Matrix A:
[[-2.     1. ]
     [ 1.5 -0.5]]

Matrix A multiplied by its Inverse (should be Identity Matrix):
[[1.0000000e+00 0.0000000e+00]
     [8.8817842e-16 1.0000000e+00]]
```

Pandas-Example

• Create a new python file

• Create a Python file named creating_dataframe.py and write the following code in it.

Pandas is used for data manipulation and analysis. Here are two examples of creating and manipulating DataFrames:

Example 1: Creating a DataFrame

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python creating_dataframe.py
```

Output:

```
PS C:\Users\Administrator\Desktop\AIML> python creating_dataframe.py
DataFrame:
Name Age City
Bob 30 Los Angeles
Charlie 35 Chicago
```

Example 2: Filtering a DataFrame

- Create a new python file
 - Create a Python file named filtering_dataframe.py and write the following code in it.

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python filtering_dataframe.py
```

Output:

```
PS C:\Users\Administrator\Desktop\AIML> python filtering_dataframe.py
Original DataFrame:
       Name Age
                          City
     Alice
             25
                    New York
0
             30 Los Angeles
       Bob
2
   Charlie
             35
                     Chicago
     David
             28
                       Boston
Filtered DataFrame:
                          City
       Name Age
       Bob
             30
                 Los Angeles
  Charlie
             35
                     Chicago
```


Example 3: Load the CSV into a DataFrame

Create a new python file

• Create a Python file named analysing_data.py and write the following code in it.

Downloading the Dataset

- Go to the **Kaggle website** and sign in to your account. If you don't have an account, create one.
- Navigate to the **House Prices: Advanced Regression Techniques** competition page.



- Click on the "Data" tab and download the train.csv file (the dataset used for training).
- Move the downloaded train.csv file into your project directory.

Analysing data

```
import pandas as pd
df = pd.read_csv('/train.csv')
print(df.head(10))
```

Run the Python file

Use the command below in your terminal to run the Python file:

```
python analysing_data.py
```

Output

```
PS C:\Users\Administrator\Desktop\AIML> python analysing_data.py
  Id MSSubClass MSZoning LotFrontage LotArea Street ... MiscVal MoSold YrSold SaleType SaleCondition SalePrice
                                                                2
                               65.0
                                       8450
                                                                      2008
                                                                                ₩D
                                                                                         Normal
                                                                                                   208500
                               80.0
                                       9600
                                             Pave
                                                                      2007
                                                                                         Normal
                                                                                                   181500
                                                          0 1 8 2007
                                    10084 Pave
                               75.0
                                                                                        Normal
             20
                                                                                ₩D
                                                                                                   307000
                     RL
                               NaN 10382 Pave ...
                                                                      2009
             60
                                                                                ₩D
                                                                                        Normal
                                                                                                   200000
                               51.0
                                       6120
                                                                      2008
                                                                                ₩D
                                                                                        Abnorml
                                                                                                   129900
                                                                                ₩D
  10
            190
                               50.0
                                       7420
                                             Pave
                                                                      2008
                                                                                         Normal
                                                                                                   118000
[10 rows x 81 columns]
```

Scikit-learn-Example

Scikit-learn is a library for machine learning. Here are two simple examples of using Scikit-learn for linear regression:

Example 1: Linear Regression

- Create a new python file
 - Create a Python file named scikit_learn.py and write the following code in it.

```
import numpy as np
from sklearn.linear_model import LinearRegression

# Sample data
X = np.array([[1, 1], [1, 2], [2, 2], [2, 3]])
y = np.dot(X, np.array([1, 2])) + 3

# Create a linear regression model
model = LinearRegression().fit(X, y)

# Predict using the model
predictions = model.predict(np.array([[3, 5]]))
print("Predictions:", predictions)
```

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python scikit_learn.py
```

Output:

PS C:\Users\Administrator\Desktop\AIML> python scikit_learn.py Predictions: [16.]

Example 2: Model Coefficients

- Create a new python file
 - Create a Python file named model_coefficient.py and write the following code in it.

```
import numpy as np
from sklearn.linear_model import LinearRegression

# Sample data
X = np.array([[1, 2], [2, 3], [3, 4], [4, 5]])
y = np.dot(X, np.array([2, 1])) + 4

# Create a linear regression model
model = LinearRegression().fit(X, y)

# Display model coefficients
print("Coefficients:", model.coef_)
print("Intercept:", model.intercept_)
```

Run the Python file

• Use the command below in your terminal to run the Python file:

```
python model_coeffient.py
```

Output:

Reference

- NumPy Documentation
- Pandas Documentation
- Scikit-learn Documentation