## Gunethra Bommineni\*

**10.15.1.12** A game of chance consists of spinning an arrow which comes to rest pointing at one of the numbers 1, 2, 3, 4, 5, 6, 7, 8 (see Fig. 4), and these are equally likely outcomes. What is the probability that it will point at:

- (i) 8?
- (ii) an odd number?
- (iii) a number greater than 2?
- (iv) a number less than 9?




Fig. 4. Spinner

**Solution:** Let X be a random variable defined as the value given by the pointer. The distribution is unform since all the outcomes are equally likely.


$$\therefore \Pr\left(X=i\right) = \frac{1}{8} \tag{1}$$

Let  $F_X(i)$  be the Cumulative distribution function(CDF) such that;

$$F_X(i) = P(X \le i)$$

$$= \begin{cases} 0, & i \le 0 \\ \frac{i}{8} & 1 \le i \le 8 \\ 1, & i \ge 9 \end{cases}$$
(2)

See python code for PMF and CDF plots: [1]



1

Fig. 4. Plot of Probability Mass Function




Fig. 4. Plot of Cumulative Distribution Function

(i) For i = 8, required probability is equivalent to;

$$\Pr(X = 8) = \frac{1}{8} \tag{4}$$

$$= 0.125$$
 (5)

(ii) For i being odd, required probability is equiv-

<sup>\*</sup>The student is with the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502285 India e-mail: ee22btech11205@iith.ac.in.

alent to;

$$\Pr\left(X = \{1, 3, 5, 7\}\right) = \frac{4}{8} \tag{6}$$

$$= 0.5$$
 (7)

(iii) For i greater than 2, required probability is equivalent to;

$$Pr(X > 2) = 1 - Pr(X \le 2)$$
 (8)

$$= 1 - (F_X(2) - F_X(0)) \qquad (9)$$

$$=\frac{6}{8}=0.75\tag{10}$$

(iv) For i less than 9, required probability is equivalent to;

$$\Pr(1 \le X < 9) = F_X(8) - F_X(0) \tag{11}$$

$$= \frac{8}{8} = 1 \tag{12}$$

See simulation using python: [2]

## REFERENCES

- [1] https://github.com/Gunethra/AI1110\_2023/tree/master/ Assignment\_2/code/pmf.py https://github.com/Gunethra/AI1110\_2023/tree/master/ Assignment\_2/code/cdf.py.
- [2] https://github.com/Gunethra/AI1110\_2023/tree/master/ Assignment\_2/code/code.py.