

## 2 It's a Snap

| •        | <i>I</i> | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> | <i>E</i> |
|----------|----------|----------|----------|----------|----------|----------|
| <i>I</i> |          |          |          |          |          |          |
| <i>A</i> |          |          | <i>E</i> |          |          |          |
| <i>B</i> |          |          |          |          |          |          |
| <i>C</i> |          |          |          |          |          |          |
| <i>D</i> |          |          |          |          |          |          |
| <i>E</i> |          |          |          |          |          |          |

Figure 1: Unfilled 3-post snap group table.



Figure 2:  $E \bullet E \bullet E = I$ ;  $E$  has period 3.



Figure 3: Some 4-post group elements.

1. Fill out a  $6 \times 6$  table like the one in Figure 1, showing the results of each of the 36 possible snaps, where  $X \bullet Y$  is in  $X$ 's row and  $Y$ 's column.  $A \bullet B = E$  is done for you.

| •        | <i>I</i> | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> | <i>E</i> |
|----------|----------|----------|----------|----------|----------|----------|
| <i>I</i> | <i>I</i> | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> | <i>E</i> |
| <i>A</i> | <i>A</i> | <i>I</i> | <i>E</i> | <i>D</i> | <i>C</i> | <i>B</i> |
| <i>B</i> | <i>B</i> | <i>D</i> | <i>I</i> | <i>E</i> | <i>A</i> | <i>C</i> |
| <i>C</i> | <i>C</i> | <i>E</i> | <i>D</i> | <i>I</i> | <i>B</i> | <i>A</i> |
| <i>D</i> | <i>D</i> | <i>B</i> | <i>C</i> | <i>A</i> | <i>E</i> | <i>I</i> |
| <i>E</i> | <i>E</i> | <i>C</i> | <i>A</i> | <i>B</i> | <i>I</i> | <i>D</i> |

2. Which of the elements is the identity element  $K$ , such that  $X \bullet K = K \bullet X = X$  for all  $X$ ?

The identity element is  $I$ , since  $I \bullet A = A \bullet I = A$ ,  $I \bullet B = B \bullet I = B$ , and so forth.

3. Does every element have an inverse? In other words, can you get to the identity element from every element using only one snap?

Yes you can. The inverses are shown below.

$$I \leftrightarrow I$$

$$A \leftrightarrow A$$

$$B \leftrightarrow B$$

$$C \leftrightarrow C$$

$$D \leftrightarrow E$$

Note that the inverse of an element  $X$  is denoted  $X^{-1}$ .

4. (a) Is the snap operation commutative (does  $X \bullet Y = Y \bullet X$  for all  $X, Y$ )?

No, the snap operation is not commutative. For example,  $A \bullet B = E$ , but  $B \bullet A = D$ .

- (b) Is the snap operation associative (does  $(X \bullet Y) \bullet Z = X \bullet (Y \bullet Z)$  for all  $X, Y, Z$ )?

Yes, the snap operation is associative. You can rationalize this as the fact that a  $4 \times 3$  grid of posts is snapped to a single configuration, regardless of which middle row you remove first. This is shown in Figure 4.

5. (a) For any elements  $X, Y$ , is there always an element  $Z$  so that  $X \bullet Z = Y$ ?



Figure 4: A  $4 \times 3$  grid of posts has a unique result after the snap operation.

Yes, there is always a way to get from one element to another in one snap. You can prove this by construction. If element  $X$  connects  $n_1$  to  $n'_1$ ,  $n_2$  to  $n'_2$ , and  $n_3$  to  $n'_3$ , and element  $Y$  connects  $m_1$  to  $m'_1$ ,  $m_2$  to  $m'_2$ , and  $m_3$  to  $m'_3$ , then the solution  $Z$  to  $X \bullet Z = Y$  connects  $m_1$  to  $n_{m'_1}$ ,  $m_2$  to  $n_{m'_2}$ , and  $m_3$  to  $n_{m'_3}$ .

That's probably a bit hard to understand, but a more clever solution uses inverses. We multiply  $X$  by  $X^{-1}$ , then by  $Y$ :

$$X \bullet X^{-1} \bullet Y = Y.$$

But since every element has an inverse, and the snap operation is associative, we have

$$\begin{aligned} X \bullet (X^{-1} \bullet Y) &= Y \\ \implies Z &= X^{-1} \bullet Y. \end{aligned}$$

In this way, we have constructed the element  $Z$ .

**(b) In (a), is  $Z$  always unique?**

Yes. To show this, we use a proof by contradiction. Suppose we have two solutions  $Z_1$  and  $Z_2$  so that  $Z_1 \neq Z_2$  and

$$\begin{aligned} X \bullet Z_1 &= Y \\ X \bullet Z_2 &= Y. \end{aligned}$$

We multiply to the left by  $Y^{-1}$ . Note that since the snap operation is not commutative, we need to multiply both sides on a specific side:

$$\begin{aligned} Y^{-1} \bullet X \bullet Z_1 &= Y^{-1} \bullet Y = I \\ Y^{-1} \bullet X \bullet Z_2 &= I. \end{aligned}$$

So  $Z_1, Z_2$  are the inverses of  $Y^{-1} \bullet X$ . But the inverse of an element is unique; we've showed this by listing them all out! Thus,  $Z_1 = Z_2$ , contradicting our assumption and proving that  $Z$  is unique in  $X \bullet Z = Y$ .

**6. If you constructed a  $5 \times 5$  table using only five of the snap elements, the table would not describe a group, because there would be entries in the table outside of those 5. Therefore, a group must be closed under its operation. Some subsets of our six elements, however, do happen to be closed. Write valid group tables using exactly one, two, and three elements from the snap group. These are known as subgroups.**

Here are tables with 1, 2, and 3 elements:

|           |     |
|-----------|-----|
| $\bullet$ | $I$ |
| $I$       | $I$ |

|           |     |     |
|-----------|-----|-----|
| $\bullet$ | $I$ | $A$ |
| $I$       | $I$ | $A$ |
| $A$       | $A$ | $I$ |

|           |     |     |     |
|-----------|-----|-----|-----|
| $\bullet$ | $I$ | $D$ | $E$ |
| $I$       | $I$ | $D$ | $E$ |
| $D$       | $D$ | $E$ | $I$ |
| $E$       | $E$ | $I$ | $D$ |

**7. What do you guess is a good definition of a mathematical group? (Hint: consider your answers to Problems 2–6.)**

(Answers may vary.)

Definition of **group**: A group  $G$  is a set of elements together with a **binary operation** that meets the following criteria:

- (a) Identity: There is an element  $I \in G$  such that for all  $X \in G$ ,  $X \cdot I = I \cdot X = X$ .
- (b) Closure: If  $X, Y$  are elements of the group, then  $X \cdot Y$  is also an element of the group.
- (c) Invertibility: Each element  $X$  has an inverse  $X^{-1}$  such that  $X \cdot X^{-1} = X^{-1} \cdot X = I$ .
- (d) Associativity: For all elements  $X, Y$ , and  $Z$ ,  $X \cdot (Y \cdot Z) = (X \cdot Y) \cdot Z$ .

**8. Notice that  $E \cdot E \cdot E = I$  (See Figure 2). We saw that  $E$  has a period of 3 when acting upon itself. Which elements have a period of**

**(a) 1?**

$I$  is the only element with a period of 1, since  $I = I$ .

**(b) 2?**

$A, B$ , and  $C$  have periods of 2, since for each  $X \in A, B, C$  we have  $X \cdot X = I$ .

**(c) 3?**

$D$  and  $E$  have periods of 3, since for each  $Y \in D, E$  we have  $Y \cdot Y \neq I$ , but  $Y \cdot Y \cdot Y = I$ .

**9. Answer the following with the one-, two-, and four-post snap groups  $S_1, S_2$  and  $S_4$ . These are just the analogous groups for connections between rows of one, two, and four posts.**

**(a) How many elements does the group have?**

$S_1$  has  $1! = 1$  elements.  $S_2$  has  $2! = 2$  elements.  $S_4$  has  $4! = 24$  elements.

**(b) Systematically draw and name the elements.**



Figure 5: Elements of  $S_1$ .



Figure 6: Elements of  $S_2$ .




Figure 7: Elements of  $S_4$ .

**(c) Make a group table of these elements. For four posts, instead of creating a table, give the number of entries that the table would have.**

Here are group tables for  $S_1$  and  $S_2$ .

There are 576 entries in the table for  $S_4$ , with the full table is given at the end of the section in Figure 12 for the curious.

|     |     |
|-----|-----|
| •   | $I$ |
| $I$ | $I$ |

Figure 8: Group table for  $S_1$ .

|     |     |     |
|-----|-----|-----|
| •   | $I$ | $A$ |
| $I$ | $I$ | $A$ |
| $A$ | $A$ | $I$ |

Figure 9: Group table for  $S_2$ .

**(d) What is the relationship of the  $S_3$  table to this new table?**

Both  $S_1$ 's and  $S_2$ 's tables can be found within the original table for  $S_3$ , because they are subgroups of the latter. In turn,  $S_3$  is a subgroup of  $S_4$ .

**10. What is a shortcut for generating all elements of a snap group without drawing out the possible configurations?**

(Answers may vary.)

One way to do it is to treat each element as a list of indices. For example,  $I$  is the ordered triple  $(1, 2, 3)$  because it takes column 1 to 1, 2 to 2, and 3 to 3.  $A$  is  $(1, 3, 2)$ , because it takes 1 to 1, 2 to 3, and 3 to 2.

This makes it a bit easier to calculate, because you can simply substitute indices for each configuration rather than make a drawing. It also makes it easy to write a program to calculate; this is actually how all the tables in this answer key were generated.

**11. (a) How many elements would there be in the five-post snap group?**

There would be  $5! = 120$  elements in  $S_5$ .

**(b) How many entries would its table have?**

There would be  $5!^2 = 14400$  entries in  $S_5$ 's table.

**(c) What possible periods would its elements have? Make sure you include a period of six!**

This is a more difficult question. We must ask what characteristics of an element determine its period.

If we observe the periodicity of an element with a pretty large period, say one from  $S_5$  with a period of 6, you can see how a large period can arise. This is shown in Figure 11.

We can split up this element into two components: a component with period 3 and one with period 2. Let's call these components  $C_3$  and  $C_2$ . After 2 steps, the  $C_3$  has not completed one period, even though  $C_2$ . After 3 steps,  $C_3$  has completed one period, but  $C_2$  has gone through  $\frac{3}{2}$ . It takes  $\text{lcm}(2, 3) = 6$  steps before both components "line up!"

All elements can be split up into some number of these cyclic components, even if it doesn't look like it at first glance. For example, the element from  $S_8$  shown in Figure 10 is actually two size 3 and size 2 components. It therefore has a period of  $\text{lcm}(2, 3, 3) = 6$ . Note that it does *not* have a period of  $2 \cdot 3 \cdot 3 = 18$ .



Figure 10: This element from  $S_8$  has components of size 2, 3, 3.

For  $S_5$ , we can split it up into components of size 1, 1, 1, 1, 1, giving period 1; components of size 1, 1, 1, 2, giving period 2; components of size 1, 1, 3, giving period 3; components of size 1, 4, giving period 4; a component of size 5, giving period 5; and component of size 1, 2, 3, giving period 6. Thus, periods 1, 2, 3, 4, 5, 6 are achievable.

**(d) Extend your answers for Problems a through c to  $M$  posts per row.**

This is rather straightforward. There are (a)  $M!$  elements in the  $M$ -post snap group, and thus (b)  $M!^2$  elements in the corresponding group table. The possible periods are harder to calculate, but they can be generated like so:



Figure 11: This element from  $S_5$  has a period of 6.

Let integers  $x_i > 0$  and  $\sum_i x_i = M$ . In other words, the sum of all  $x_i$  is  $M$ . Then  $\text{lcm}(x_1, x_2, \dots, x_n)$  is a valid period; the least common multiple of all  $x_i$  is a possible period.

For fun: in set builder notation, we have the set of possible periods  $P_n$  for the  $n$ -post snap group as

$$P_n = \left\{ \text{lcm}(x_1, x_2, \dots, x_n) \mid x_i \in \mathbb{Z}^+ \wedge \sum_i x_i = n \right\}.$$

The maximum such period (i.e.  $\max P_n$ ) is actually known as Landau's function,  $g(n)$ .

## 12. A permutation of a set of things is an order in which they can be arranged. What is the relationship between the set of permutations of $m$ things and the $m$ -post snap group?

We can make a pretty simple correspondence between a permutation of  $m$  things and an element of the  $m$ -post snap group. If we think back to the idea of treating each element of the group as a list of indices, the correspondence is obvious. For example,  $I$  is the ordered triple  $(1, 2, 3)$  because it takes column 1 to 1, 2 to 2, and 3 to 3.  $A$  is  $(1, 3, 2)$ , because it takes 1 to 1, 2 to 3, and 3 to 2. But each ordered triple is a permutation of 1, 2, 3! This extends to any  $m$ .

| • | I | A | B | C | D | E | F | G | H | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I | I | A | B | C | D | E | F | G | H | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X |
| A | A | I | D | E | B | C | G | F | K | L | H | J | S | T | U | V | W | X | M | N | O | P | Q | R |
| B | B | C | I | A | E | D | M | N | O | P | Q | R | F | G | H | J | K | L | T | S | W | X | U | V |
| C | C | B | E | D | I | A | N | M | Q | R | O | P | T | S | W | X | U | V | F | G | H | J | K | L |
| D | D | E | A | I | C | B | S | T | U | V | W | X | G | F | K | L | H | J | N | M | Q | R | O | P |
| E | E | D | C | B | A | I | T | S | W | X | U | V | N | M | Q | R | O | P | G | F | K | L | H | J |
| F | F | G | H | J | K | L | I | A | B | C | D | E | O | P | M | N | R | Q | U | V | S | T | X | W |
| G | G | F | K | L | H | J | A | I | D | E | B | C | U | V | S | T | X | W | O | P | M | N | R | Q |
| H | H | J | F | G | L | K | O | P | M | N | R | Q | I | A | B | C | D | E | V | U | X | W | S | T |
| J | J | H | L | K | F | G | P | O | R | Q | M | N | V | U | X | W | S | T | I | A | B | C | D | E |
| K | K | L | G | F | J | H | U | V | S | T | X | W | A | I | D | E | B | C | P | O | R | Q | M | N |
| L | L | K | J | H | G | F | V | U | X | W | S | T | P | O | R | Q | M | N | A | I | D | E | B | C |
| M | M | N | O | P | Q | R | B | C | I | A | E | D | H | J | F | G | L | K | W | X | T | S | V | U |
| N | N | M | Q | R | O | P | C | B | E | D | I | A | W | X | T | S | V | U | H | J | F | G | L | K |
| O | O | P | M | N | R | Q | H | J | F | G | L | K | B | C | I | A | E | D | X | W | V | U | T | S |
| P | P | O | R | Q | M | N | J | H | L | K | F | G | X | W | V | U | T | S | B | C | I | A | E | D |
| Q | Q | R | N | M | P | O | W | X | T | S | V | U | C | B | E | D | I | A | J | H | L | K | F | G |
| R | R | Q | P | O | N | M | X | W | V | U | T | S | J | H | L | K | F | G | C | B | E | D | I | A |
| S | S | T | U | V | W | X | D | E | A | I | C | B | K | L | G | F | J | H | Q | R | N | M | P | O |
| T | T | S | W | X | U | V | E | D | C | B | A | I | Q | R | N | M | P | O | K | L | G | F | J | H |
| U | U | V | S | T | X | W | K | L | G | F | J | H | D | E | A | I | C | B | R | Q | P | O | N | M |
| V | V | U | X | W | S | T | L | K | J | H | G | F | R | Q | P | O | N | M | D | E | A | I | C | B |
| W | W | X | T | S | V | U | Q | R | N | M | P | O | E | D | C | B | A | I | L | K | J | H | G | F |
| X | X | W | V | U | T | S | R | Q | P | O | N | M | L | K | J | H | G | F | E | D | C | B | A | I |

Figure 12: Group table for  $S_4$ .