

CSCI-476 Final Test

Gunnar Holwerda

May 6, 2015

Table of Contents

Executive Summary	2
1.1 Executive Summary	2
Round 1	3
2.1 DiscoveredIn1655	3
2.2 Th1sT1m3ItsAMoon	4
2.3 SocialContract	5
Round 2	7
3.1 TomcatIsAVulnerability	7
Round 3	8
4.1 nextlevel	8
Round 4	11
5.1 FSInc3ption	11
5.2 deaddrop	12
Round 5	14
6.1 haxtheplanet	14
Misc. Flags	15
7.1 mylittlepwnie	15
Summary	16
Bibliography	17

Executive Summary

1.1 Executive Summary

Round 1

2.1 DiscoveredIn1655

When starting out I was given the information that the members of mhk had been discussing RFC2100. This RFC mentions a few names, so I began using the names mentioned as subdomains of mthack.me and quickly found titan.mthack.me. I ran nmap on the host to see what ports were open.

```
$ nmap -sS -p1-65535 titan.mthack.me -v -T4
```

The nmap returned that port 22 and 23 were open. I attempted to ssh, but found that a public key was needed. Next I used telnet to connect to port 23 and was presented with my first flag “DiscoveredIn1655”.

```
root@kali: ~  
File Edit View Search Terminal Help  
23/tcp    open    telnet  
445/tcp   closed microsoft-ds  
33033/tcp closed unknown  
  
Read data files from: /usr/bin/../share/nmap  
Nmap done: 1 IP address (1 host up) scanned in 113.85 seconds  
Raw packets sent: 131157 (5.771MB) | Rcvd: 92 (3.688KB)  
root@kali:~# ssh titan.mthack.me  
The authenticity of host 'titan.mthack.me (52.11.126.114)' can't be established.  
ECDSA key fingerprint is 76:fa:68:39:5d:7f:49:bc:64:83:94:57:f1:4c:36:a0.  
Are you sure you want to continue connecting (yes/no)? yes  
Warning: Permanently added 'titan.mthack.me,52.11.126.114' (ECDSA) to the list of known hosts.  
Permission denied (publickey,gssapi-keyex,gssapi-with-mic).  
root@kali:~# telnet titan.mthack.me  
Trying 52.11.126.114...  
Connected to titan.mthack.me.  
Escape character is '^]'.  
  
Kernel 3.10.0-229.el7.x86_64 on an x86_64  
flag: DiscoveredIn1655  
  
flag: DiscoveredIn1655  
login: Connection closed by foreign host.  
root@kali:~#
```

2.2 Th1sT1m3ItsAMoon

In addition to titan.mthack.me, I was able to find the europa.mthack.me subdomain. After an nmap on europa I saw that port 7870 was open. There was no information about this port, so I used NetCat to connect to it, it returned “SSH-2.0-OpenSSH_6.6.1”. After seeing this I knew that I should use SSH to connect to europa.mthack.me on this port.

```
$ ssh europa.mthack.me -p 7870
```

After adding europa to my known_hosts I was presented with my second flag “Th1sT1m3ItsAMoon”.

```
root@kali: ~
File Edit View Search Terminal Help
Raw packets sent: 131152 (5.770MB) | Rcvd: 86 (3.444KB)
root@kali:~# nc europa.mthack.me 7870
SSH-2.0-OpenSSH_6.6.1
hi
Protocol mismatch.
root@kali:~# ssh --help
usage: ssh [-1246AaCfGKkMNnqsTtVvXxYy] [-b bind_address] [-c cipher_spec]
          [-D [bind_address:]port] [-e escape_char] [-F configfile]
          [-I pkcs11] [-i identity_file]
          [-L [bind_address:]port:host:hostport]
          [-l login_name] [-m mac_spec] [-O ctl_cmd] [-o option] [-p port]
          [-R [bind_address:]port:host:hostport] [-S ctl_path]
          [-W host:port] [-w local_tun[:remote_tun]]
          [user@]hostname [command]
root@kali:~# ssh europa.mthack.me -p 7870
The authenticity of host '[europa.mthack.me]:7870 ([52.11.77.215]:7870)' can't be established.
ECDSA key fingerprint is b8:f3:0d:d8:52:13:7d:6d:98:14:3a:8b:af:be:6f:c4.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '[europa.mthack.me]:7870,[52.11.77.215]:7870' (ECDSA) to the list of known hosts.
\S
Kernel \r on an \m
flag: ThisTIm3ItsAMoon
root@europa.mthack.me's password: 
```

2.3 SocialContract

Another subdomain that I found during my investigation was `hobbes.mthack.me`. When visiting the subdomain in a browser you are presented with a webpage that says “hi”. I decided to try to run dirbuster to see if there were any files that were accessible on the server through the browser. After many attempts with the built in directory wordlists in Kali, I downloaded a new set and ran the “Crazy” version of the wordlist. This returned that `/root/ssh` was accessible. There was a file in the directory leading me to the “.ssh” folder. I downloaded the private key from the server using:

```
$ wget hobbes.mthack.me/~root/.ssh/id_rsa
```

I then moved the key to my .ssh directory and ran:

```
$ ssh thomas@hobbes.mthack.me
```

There was a text file in the home directory, I opened it up, and found the final flag in Round 1 “SocialContract”.


```
thomas@ip-172-31-46-134:~  
File Edit View Search Terminal Help  
Permission denied (publickey,gssapi-keyex,gssapi-with-mic).  
root@kali:~/.ssh# chmod 0000 id_rsa  
root@kali:~/.ssh# ls  
authorized_keys id_rsa known_hosts  
root@kali:~/.ssh# ssh thomas@hobbes.mthack.me  
Last login: Mon May 4 19:09:35 2015 from 153.90.45.197  
[thomas@ip-172-31-46-134 ~]$ ls  
hi oh-hey-look-its.txt  
[thomas@ip-172-31-46-134 ~]$ cat hi  
[thomas@ip-172-31-46-134 ~]$ ls -la  
total 36  
drwx----- 3 thomas thomas 4096 May 4 19:27 .  
drwxr-xr-x. 4 root root 34 Apr 30 01:58 ..  
-rw----- 1 thomas thomas 723 May 4 18:55 .bash_history  
-rw-r--r-- 1 thomas thomas 18 Jan 11 05:06 .bash_logout  
-rw-r--r-- 1 thomas thomas 193 Jan 11 05:06 .bash_profile  
-rw-r--r-- 1 thomas thomas 231 Jan 11 05:06 .bashrc  
-rw-rw-r-- 1 thomas thomas 0 May 4 18:53 hi  
-rwxrwxrwx. 1 root root 21 Apr 30 02:06 oh-hey-look-its.txt  
-rw----- 1 thomas thomas 12288 May 4 18:55 .oh-hey-look-its.txt.swp  
drwx----- 2 thomas thomas 76 May 4 19:13 .ssh  
[thomas@ip-172-31-46-134 ~]$ cat oh-hey-look-its.txt  
flag: SocialContract  
[thomas@ip-172-31-46-134 ~]$
```

Round 2

3.1 TomcatIsAVulnerability

The information for Round 2 led me to mercury.mthack.me. I used nmap on the host and discovered that port 8089 was open, but was unknown. After using netcat to try to tell what the service was, I opened up mercury.mthack.me:8089 in my browser. I was then presented with the Tomcat homepage. I tried to login as the manager with “tomcat”, “tomcat” as my username and password and was successful in logging in.

After trying multiple exploits and payloads through metasploit, I eventually found a website that provided me with a payload that I could upload which gave me a shell through the browser. I uploaded that file and started navigating the filesystem looking for a file. After about 20 minutes of unsuccessful searches I decided to start listing everything ordered by time. I figured that the flag would be in a directory that had been modified most recently. This strategy led me to /opt/ where the flag.txt file was residing. I opened the file and was presented with the flag from round 2, “TomcatIsAVulnerability”.



Round 3

4.1 nextlevel

Given the binary for round three, I first ran strings on the file using grep to try to find “password” or something along those lines. These attempts were unsuccessful, so I moved onto editing the binary using radare2. I was able to find the location of a “jnz” instruction right after asking for the number. I edited that instruction to be a “jz” instead and was presented with “ciph3rfun.html”.

```
0x00400507 488d4580 lea rax, [rbp-0x80]
0x0040050b 4889d6 mov rsi, rdx
0x0040050e 48 invalid
0x0040050f 89 invalid
0x00400518] > q
root@kali:~/Downloads# ./g4t3k33p3r
enter a number between 1 and 10

wait....how did you get the right password?!
ciph3rfun.html
root@kali:~/Downloads# 2
bash: 2: command not found
root@kali:~/Downloads# 0xc6
```


I then visited www.mthack.me/ciph3rfun.html and was presented with some sort of encoded flag. It looked like ROT, so I went to a ROT decoder, entered the cipher text and was presented with the flag “nextlevel”.

ROT-0: gmbh:ofyumfwfm
ROT-1: hnci:pgzvngxgn
ROT-2: iodj:qhawohyho
ROT-3: jpek:ribxpizip
ROT-4: kqfl:sjcyqjajq
ROT-5: lrgm:tkdZRkbbkr
ROT-6: mshn:uleaslcls
ROT-7: ntio:vmfbtmdmt
ROT-8: oujp:wngcunenu
ROT-9: pvkq:xohdvofov
ROT-10: qwlr:ypiewpgpw
ROT-11: rxms:zqjfxqhqx
ROT-12: synt:arkgyriry
ROT-13: tzou:bslhzsjsz
ROT-14: uapv:ctmiatkta
ROT-15: vbqw:dunbulub
ROT-16: wcrx:evokcvmvc
ROT-17: xdsy:fwpldwnwd
ROT-18: yetz:gxqmexoxe
ROT-19: zfua:hyrnfypyf
ROT-20: agvb:izsogzqzg
ROT-21: bhwc:jatpharah
ROT-22: cixd:kbuqibsbi
ROT-23: djye:lcvrjctcj
ROT-24: ekzf:mdwskdudk
ROT-25: flag:nextlevel

Round 4

5.1 FSInc3ption

I downloaded mhk.exe from mthack.me/test, and ran file on it to see what sort of file it was. The output told me that it was a file system. I decided to use DFF GUI on it for my forensic tool and saw that in the file system there were two files: .mhk-warez-login-info.zip and m0ar-secrets.dd. I extracted the .dd file from mhk.exe and opened that in DFF GUI to find flag.txt. Giving me my first flag of round 4: “FSInc3ption”.



5.2 deaddrop

I switched my attention towards the .mhk-warez-login-info.zip file. When trying to unzip it, I was presented with a prompt to enter the password. I thought that the file may be encrypted using true encrypt, I ran truecrack on it but the password wasn't cracked. Eventually I found the fcrack tool which is used to brute force passworded zip files.

```
$ fcrack -v -D -p /usr/share/wordlists/metasploit-jtr/password.lst mhk-warez-login
```

After an hour of looking at the help text, and setting up the correct flags
It was able to find the correct password of “blessed”. After it unzipped I
had the flag.txt file and opened it up to find my second flag of Round 4:
“deaddrop”.

```
root@kali:~/Downloads# unzip mhk-warez-login-info.zip
Archive:  mhk-warez-login-info.zip
[mhk-warez-login-info.zip] flag.txt password:
replace flag.txt? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
extracting: flag.txt
root@kali:~/Downloads# ls
flag.txt  m0ar-secrets.dd  mhk-warez-login-info.zip  mhk.exe  wordlists
root@kali:~/Downloads# cat flag.txt
Flag: deaddrop
root@kali:~/Downloads#
```

Round 5

6.1 haxtheplanet


Given the pcap for Round 5, I ran strings on the file using grep to filter out for “flag:”, this gave me another flag: “haxtheplanet”.

```
root@kali:~/Downloads# strings internal-net.pcap | grep flag:  
PRIVMSG #secret :this is a secret, but flag: haxtheplanet  
PRIVMSG #secret :this is a secret, but flag: haxtheplanet  
root@kali:~/Downloads#
```

Misc. Flags

7.1 mylittlepwnie

On the second day of the test, the homepage for mthack.me was updated to include a username and password login form. I knew from before that the source of the webpage contained some comments so I decided to view the source of the page. I found the `<script>` tag linking the login form to `login.js`. In the javascript it was directly comparing if the login was “root:toor”. I used those credentials to login to the site and was presented with my 9th and final flag: “mylittlepwnie”.



Summary

Bibliography