

WarmUp Prog. Exercise for SE (March 8)

Solve the following 4 problems by programming. Test all your programs in your own environment. Put all your code with input data and output data in separate sub-folders for each problem, zip them in a package like [2345AdamSmith-WarmUpProg.zip](#) and send it to c.max@yeah.net with an email subject like: **SE-2345AdamSmith: WarmUp Prog. Exercise.** before (including) March 14.


P1 *Dragon curves*. Write a program to get an integer N from command-line arguments and print the instructions for drawing the dragon curve of order N. The instructions are strings of F, L, and R characters, where F means ~~draw~~ draw line while moving 1 unit forward, ~~L~~ L means ~~turn~~ turn left, ~~R~~ and R means ~~turn~~ turn right. ~~A~~ A dragon curve of order n is formed when you fold a strip of paper in half n times, then unfold to right angles. The key to solving this problem is to note that a curve of order n is a curve of order n-1 followed by an L followed by a curve of order n-1 traversed in reverse order, and then to figure out a similar description for the reverse curve.

(Tips: You may search ~~Dragon curves~~ or ~~online~~ online for help.
For example: <https://www.cnblogs.com/WhyEngine/p/4013245.html>)

P2 Write a program to output the following digit diamond in the console.


P3 Write 2 overloading static methods to construct a String that compose a diamond:

```
public static String di amond ();  
public static String di amond (int n, char c);  
System.out.print( di amond() ) will output as left below:
```



System.out.print(di amond(5)) will output as right above.

System.out.print(di amond(7, 'x')) will output as left below:



System.out.print(diamond(6, ~~0~~ ^{1/2} 1/2)) will output as right above.
(Tips: in diamond(int n, char ^{1/2}color) declaration, where declared a **variable-length argument** (**varargs**) color that works like a char[] in the method body and may have a color without any entry, i.e., color.length may be 0 and color = {} .

The Output may be changed to the following example.