

Important

important

$\frac{1}{2} \frac{1}{2}$ bottleneck $W(Q \sim \frac{1}{2})$

explain detailedly

$\bar{t}_L\gamma\bar{s}_L\gamma b_L\gamma X^0 Q_L\gamma s_L\gamma v_L\gamma S_L\gamma V_L\gamma\bar{s}_L\gamma^+ Q\text{--}\bar{t}_L\gamma[XW(g\text{--}Y)\bar{l}_L\gamma\bar{s}_L\gamma\bar{s}_L\gamma\text{capacit}]$

$\bar{t}_L\gamma\bar{s}_L\gamma m_L\gamma^+ o_L\gamma^+ R N_L\gamma u^+ \bar{t}_L\gamma\bar{s}_L\gamma\bar{t}_L\gamma N_L\gamma S_L\gamma N^+ S[\bar{l}_L\gamma\bar{s}_L\gamma\bar{s}_L\gamma\bar{t}_L\gamma O\bar{l}_L\gamma\bar{s}_L\gamma\bar{s}_L\gamma O\text{--}SS^+cn\text{--}Q\text{--}\bar{t}_L\gamma\bar{t}_L\gamma$

$\frac{1}{2}c$ bottleneck $W(\text{receiver}) \frac{1}{2}c$

