
## 02045500 vs. MN3 7930 8010

Daniel Hildebrand, Hailey Alspaugh, and Kelsey Reitz July 11, 2018



This river segment follows part of the flow of the Nottoway River, a tributary of the Meherrin River. The gage is located in Sussex County, VA (Lat 3654'00", Long 7724'00") approximately 16 miles northeast of Emporia, VA. Drainage area is 577 sq. miles. This gage started taking data in 1930 and it is still taking data. In the summer months there are occasional diversions of unknown amounts that are used to irrigate local farms. The average daily discharge error between the model and gage data for the 20 year timespan was 2.88%, with 39.2% of its rolling three month time spans above 20% error.

Table 1: Monthly Low Flows

	USGS Gage	Model	Pct. Error
Jan. Low Flow	39	29.3	24.9
Feb. Low Flow	109	110	-0.92
Mar. Low Flow	160	151	5.62
Apr. Low Flow	245	246	-0.41
May Low Flow	383	393	-2.61
Jun. Low Flow	411	301	26.8
Jul. Low Flow	284	224	21.1
Aug. Low Flow	160	115	28.1
Sep. Low Flow	99	80.7	18.5
Oct. Low Flow	50	36.8	26.4
Nov. Low Flow	41	41	0
Dec. Low Flow	31	32.7	-5.48

Table 2: Monthly Average Flows

	USGS Gage	Model	Pct. Error
Overall Mean Flow	555	539	2.88
Jan. Mean Flow	758	737	2.77
Feb. Mean Flow	853	918	-7.62
Mar. Mean Flow	1080	1140	-5.56
Apr. Mean Flow	872	798	8.49
May Mean Flow	556	459	17.4
Jun. Mean Flow	356	272	23.6
Jul. Mean Flow	225	186	17.3
Aug. Mean Flow	264	285	-7.95
Sep. Mean Flow	482	532	-10.4
Oct. Mean Flow	240	259	-7.92
Nov. Mean Flow	457	413	9.63
Dec. Mean Flow	537	502	6.52

Table 3: Monthly High Flows

	USGS Gage	Model	Pct. Error
Jan. High Flow	376	220	41.5
Feb. High Flow	957	766	20
Mar. High Flow	1390	867	37.6
Apr. High Flow	2090	1960	6.22
May High Flow	1770	1990	-12.4
Jun. High Flow	2910	3040	-4.47
Jul. High Flow	2560	2190	14.5
Aug. High Flow	1310	981	25.1
Sep. High Flow	875	315	64
Oct. High Flow	680	279	59
Nov. High Flow	535	515	3.74
Dec. High Flow	315	297	5.71

Table 4: Period Low Flows

	USGS Gage	Model	Pct. Error
Min. 1 Day Min	1.48	0.67	54.7
Med. 1 Day Min	20	18.8	6
Min. 3 Day Min	1.73	0.75	56.6
Med. 3 Day Min	20.7	19.5	5.8
Min. 7 Day Min	3.17	1.18	62.8
Med. 7 Day Min	24.3	23	5.35
Min. 30 Day Min	11.2	4.84	56.8
Med. 30 Day Min	41.7	39.9	4.32
Min. 90 Day Min	21.4	23.8	-11.2
Med. 90 Day Min	130	98.1	24.5
7Q10	8.68	4.68	46.1
Year of 90-Day Min. Flow	2002	2002	0
Drought Year Mean	134	157	-17.2
Mean Baseflow	233	236	-1.29

Table 5: Period High Flows

	USGS Gage	Model	Pct. Error
Max. 1 Day Max	14300	24800	-73.4
Med. 1 Day Max	5860	6270	-7
Max. 3 Day Max	12200	18600	-52.5
Med. 3 Day Max	5340	5630	-5.43
Max. 7 Day Max	7870	11000	-39.8
Med. 7 Day Max	3410	3650	-7.04
Max. 30 Day Max	3070	3050	0.65
Med. 30 Day Max	1590	1570	1.26
Max. 90 Day Max	2240	2210	1.34
Med. 90 Day Max	1070	1080	-0.94

Table 6: Non-Exceedance Flows

	USGS Gage	Model	Pct. Error
1% Non-Exceedance	13	11.1	14.6
5% Non-Exceedance	31	23.3	24.8
50% Non-Exceedance	282	257	8.87
95% Non-Exceedance	1970	1910	3.05
99% Non-Exceedance	4860	4880	-0.41
Sept. $10\%$ Non-Exceedance	23.2	18.3	21.1

Fig. 1: Hydrograph




Fig. 2: Zoomed Hydrograph




Fig. 3: Flow Exceedance




Fig. 4: Baseflow




Fig. 5: Combined Baseflow




Fig. 6: Largest Error Segment






Fig. 7: Second Largest Error Segment




Fig. 8: Third Largest Error Segment




Fig. 9: Residuals Plot

