


## Appendix C.5: USGS Gage 02072000 vs. OD2\_8560\_8630



This river segment follows part of the flow of the Smith River, a tributary of the Dan River. The gage is located in Franklin County, VA (Lat 36°46'50", Long 80°01'30") approximately 10 miles northwest of Martinsville, VA. Drainage area is 215 sq. miles. This gage started taking data in 1946 and is still taking data. The Philpott Dam and Reservoir is located 900 ft upstream. The average daily discharge error between the model and gage data for the 20 year timespan was -5.71%, with 38.8% of its rolling three month time spans above 20% error.

**Table 1: Monthly Low Flows**

	USGS Gage	Model	Pct. Error
Jan. Low Flow	50	47.6	4.8
Feb. Low Flow	51	47.7	6.47
Mar. Low Flow	50	47.7	4.6
Apr. Low Flow	49	49.2	-0.41
May Low Flow	51	51.5	-0.98
Jun. Low Flow	49	51.9	-5.92
Jul. Low Flow	50	49.9	0.2
Aug. Low Flow	50	50.1	-0.2
Sep. Low Flow	50	49.6	0.8
Oct. Low Flow	51	49.3	3.33
Nov. Low Flow	50	48	4
Dec. Low Flow	49	47.6	2.86

**Table 2: Monthly Average Flows**

	USGS Gage	Model	Pct. Error
Overall Mean Flow	280	296	-5.71
Jan. Mean Flow	292	267	8.56
Feb. Mean Flow	270	330	-22.2
Mar. Mean Flow	340	433	-27.4
Apr. Mean Flow	391	446	-14.1
May Mean Flow	301	340	-13
Jun. Mean Flow	305	311	-1.97
Jul. Mean Flow	259	244	5.79
Aug. Mean Flow	273	228	16.5
Sep. Mean Flow	269	239	11.2
Oct. Mean Flow	216	245	-13.4
Nov. Mean Flow	221	232	-4.98
Dec. Mean Flow	228	246	-7.89

**Table 3: Monthly High Flows**

	USGS Gage	Model	Pct. Error
Jan. High Flow	248	214	13.7
Feb. High Flow	238	221	7.14
Mar. High Flow	263	267	-1.52
Apr. High Flow	612	466	23.9
May High Flow	468	530	-13.2
Jun. High Flow	632	687	-8.7
Jul. High Flow	673	686	-1.93
Aug. High Flow	728	559	23.2
Sep. High Flow	562	447	20.5
Oct. High Flow	417	296	29
Nov. High Flow	419	285	32
Dec. High Flow	412	261	36.7

**Table 4: Period Low Flows**

	USGS Gage	Model	Pct. Error
Min. 1 Day Min	38	45.2	-18.9
Med. 1 Day Min	46	45.8	0.44
Min. 3 Day Min	44	68.1	-54.8
Med. 3 Day Min	62	84.2	-35.8
Min. 7 Day Min	60.6	93.6	-54.5
Med. 7 Day Min	93.3	129	-38.3
Min. 30 Day Min	69.8	93.4	-33.8
Med. 30 Day Min	128	126	1.56
Min. 90 Day Min	72.5	102	-40.7
Med. 90 Day Min	143	155	-8.39
7Q10	67.7	102	-50.7
Year of 90-Day Min. Flow	2003	1985	100
Drought Year Mean	409	296	27.6
Mean Baseflow	57.5	54.4	5.39

**Table 5: Period High Flows**

	USGS Gage	Model	Pct. Error
Max. 1 Day Max	5710	2620	54.1
Med. 1 Day Max	1370	1300	5.11
Max. 3 Day Max	4300	2010	53.3
Med. 3 Day Max	1270	1130	11
Max. 7 Day Max	2380	1650	30.7
Med. 7 Day Max	1100	752	31.6
Max. 30 Day Max	1200	1320	-10
Med. 30 Day Max	628	564	10.2
Max. 90 Day Max	839	908	-8.22
Med. 90 Day Max	438	492	-12.3

Table 6: Non-Exceedance Flows

	USGS Gage	Model	Pct. Error
1% Non-Exceedance	44	45.7	-3.86
5% Non-Exceedance	47	48.4	-2.98
50% Non-Exceedance	202	217	-7.43
95% Non-Exceedance	760	742	2.37
99% Non-Exceedance	1350	1310	2.96
Sept. 10% Non-Exceedance	49.9	49.7	0.4

Fig. 1: Hydrograph




Fig. 2: Zoomed Hydrograph




Fig. 3: Flow Exceedance




Fig. 4: Baseflow




Fig. 5: Combined Baseflow






Fig. 6: Largest Error Segment




Fig. 7: Second Largest Error Segment




Fig. 8: Third Largest Error Segment




Fig. 9: Residuals Plot

