

---

# **decisionengine**

***Release 1.1.1***

**Fermi Research Alliance, LLC.**

**Jul 15, 2021**



## CONTENTS

<b>1</b>	<b>Release Notes</b>	<b>3</b>
<b>2</b>	<b>Developer Documentation</b>	<b>11</b>
<b>3</b>	<b>Jenkins CI pipeline</b>	<b>13</b>
<b>4</b>	<b>Source code</b>	<b>19</b>
<b>5</b>	<b>Indices and tables</b>	<b>21</b>



The decisionengine\_modules package contains provider specific implementations of base classes provided by the decision engine framework.



## RELEASE NOTES

### 1.1 Release 1.6.2

Patch level (bug fix) release.

Correction map for GlideinWMS Factory Entries added. (#323, PR#324) Fixed imports and a typo.

#### 1.1.1 Full list of commits since version 1.6.1

4f6e313: Correction map implemented too

bdf4324: releasing 1.6.2-0.1.rc1

53c7d6c: getting ready to release 1.6.2

9a9f99d: Fix import (#321)

d502bf1: fix typo

### 1.2 Release 1.6.0

In this release:

- Adapt to decisionengine framework migration to setuptools.
- Drop cmake step before running unit tests.
- Enhanced logging.
- Bug fixes.

#### 1.2.1 Issues fixed in this release

275 : (b639a74)

## 1.2.2 Full list of commits since version 1.5.0

[f93831c](#) : enhanced logging and error handling in util directory (#320)  
[798972f](#) : replaced method\_whitelist with allowed\_methods (as former os deprecated) (#319)  
[b8af4b3](#) : Update Jenkins pipeline configuration (#318)  
[b639a74](#) : Handle KeyError exception (#317)  
[4c9e25e](#) : Add about.py for useful names (#310)  
[48e725f](#) : update unittest document  
[36b799e](#) : Configure DE Modules to use DE Framework with setuptools (#316)  
[45fc425](#) : Move to raw flake8 test action (#315)  
[478b0a5](#) : Update gh-actions to best practices (#311)  
[6285f49](#) : Drop obsolete github action (#309)  
[911fef7](#) : Do a limited pin on dependencies (#308)  
[ab096a8](#) : Sync-up .gitignore (#304)  
[cd7e668](#) : Move to raw github actions (and codecov.io) (#298)  
[4a997d4](#) : Remove building of C++ Logic Engine from unit tests

## 1.3 Release 1.5.0

In this release:

- New AWS bill calculator
- Bug fixes

### 1.3.1 Issues fixed in this release

- [271](#) : Change configuration so the bill-calculator-hep-mapsacosta library doesn't write stuff to stdout ([5410c46](#))
- [283](#) : Change DEAccountConstants.py to allow more variables through ([7a65032](#))
- [293](#) : Unit test tests/test\_job\_q.py is failing ([f5006fb](#))
- [263](#) : Python3 encodes hex strings differently, resulting in malformed htcondor classads ([c16f0](#))
- [289](#) : Travis CI fails after decisionengine transitioned to pybind11 ([2bec1da](#))
- [281](#) : New exception in NERSC newt get\_usage ([398dc42](#))



### 1.3.2 Full list of commits since version 1.4.2

5410c46 : new bill calculator package (#303)  
7a65032 : Resolving issue 283 (#301)  
1a2c3e4 : Fix syntax errors and pylint bits (#300)  
976c4a4 : Minor linting of actions (#297)  
c43f311 : Drop redundant action, pep8speaks is already doing this (#296)  
10691e4 : Add support to use custom docker layer as base of the docker image (#295)  
f5006fb : fix for unit test test\_job\_q issue 293 (#294)  
0b588ef : Update workflow per changes at github (#292)  
7841d19 : Updated Jenkins configuration documentation (#291)  
c08ffce : edited release notes  
c16f0ac : Another fix to malformed strings (#288)  
2bec1da : Fix #289 where TravisCI is missing changes from <https://github.com/HEPCloud/decisionengine/commit/ea7ade57ca825afb0afbfa5ebd49820b16786d8b> (#290)  
8647bb2 : Update to current python test matrix (#287)  
234a78e : update release notes  
398dc42 : decisionengine\_modules/NERSC/util: Added more 5xx codes to retry (#285)  
d2df861 : force docker pull when building the docker container to make sure to use an updated base layer (#280)  
9a78d22 : added 1.4.0 release notes  
5d3b7ec : Updating Dockerfile for unittest (#279)  
e16531e : Provide default for util function. (#278)  
02f1738 : set RPM version number to 1.5.0rc and drop py3 suffix (#277)  
664b9fe : Add timeout support for unit test on Jenkins for DE modules repo (#274)  
e392a3c : Added initial unit test for glide\_frontend\_element.py (#269)  
2f0069f : Updated DE modules Jenkins documentation

## 1.4 Release 1.4.2

In this release:

- Bug fixes to 1.4.1 release

### 1.4.1 Issues fixed in this release

- [282](#) : Decision Engine classad encoding problems make multiple exceptions in the factory ([c16f0ac](#))

### 1.4.2 Full list of commits since version 1.4.1

[c16f0ac](#) : Another fix to malformed strings (#288)

## 1.5 Release 1.4.1

In this release:

- Bug fixes to 1.4.0 release

### 1.5.1 Issues fixed in this release

- [281](#) : New exception in NERSC newt get\_usage ([4d1301e](#))

### 1.5.2 Full list of commits since version 1.4.0

[4d1301e](#) : decisionengine\_modules/NERSC/util: Added more 5xx codes to retry (#285)

## 1.6 Release 1.4.0

In this release:

- Works with python3 glideinWMS package
- Uses new AWS bill calculator
- Improved Jenkins CI pipeline

### 1.6.1 Issues fixes in this release

- [59](#) : Replace AWS Billing and GCE Billing modules with revamped bill Calculator code ([71f25ea](#))
- [246](#) : Modify NERSCAllocation main() so that it can be run standalone ([11ce772](#))
- [263](#) : Python3 encodes hex strings differently, resulting in malformed htcondor classads ([13a24e4](#))
- [255](#) : Add option to config of condor/sources/job\_q.py and slots.py ([6f65af4](#))

## 1.6.2 Full list of commits since version 1.3.0

42f62d3 : remove py3 from package name  
6e56c4d : bump version number  
6433dba : Add support to test any branch in Jenkins for DE modules repo (#276)  
60db1b3 : Accommodate breaking changes to framework's configuration system. (#273)  
13a24e4 : Fix263 (#272)  
a866e47 : Correct 'file\_cache is unavailable when using oauth2client >= 4.0.0' (#267)  
2c82064 : Fix requirements.txt for #266 (#268)  
6f65af4 : A more generic solution for the issue 255 (#265)  
df08cb4 : Speed up tests. (#264)  
057e578 : Update Jenkins pipeline to properly test closing PR (#262)  
a28f272 : Adding Jenkins pipeline documentation (#261)  
71f25ea : T59 (#258)  
90b6580 : Updating Jenkins pipeline configuration (#260)  
b4bd759 : dealing with 2 columnsindividually (#257)  
11ce772 : decisionengine\_modules/NERSC: Can run NerscAllocationInfo.py without (#256)  
4a70465 : doc: add release notes

## 1.7 Release 1.3.0

In this release:

- Introduced Jsonnet based configuration system
- Improved error handling

### 1.7.1 Full list of commits since version 1.2.0

e8c8e24 : Update to split a tuple key into two separate keys, this allows python config file to be JSON compliant config file (#254)  
fbb5d28 : add jsonnet dependency in build/scripts/utlis.sh for unit tests (#252)  
95a0a32 : decisionengine\_modules/glideinwms: Added retry to factory queries (#250)  
77f894a : Aws (#249)  
3be5be1 : Set theme jekyll-theme-slate  
a73e7f8 : Doc (#247)  
f8aa96d : Adding editor config file, see <https://editorconfig.org/> (#248)  
1ab1720 : Issue no. 237 (#245)  
5edc8f9 : Issue 227 (#243)  
e6047f2 : GCE channel goes OFFLINE on a timeout (#242)

63e3627 : Aws billing (#241)  
c3626b9 : 1.1.3/fix (#239)  
ae7c5a6 : Jenkins pipeline improvements (#236)  
310befd : T198 (#235)  
a65886d : Fix import as reported in : <https://github.com/HEPCloud/decisionengin...> (#232)  
93711cc : Run coveralls even if tests fail (#229)  
03d763a : Jenkins pipeline improvements (#230)  
f48d30f : Fix/223 (#228)  
c8aa262 : github ticket 199 (#222)  
0323bda : Address : [https://github.com/HEPCloud/decisionengine\\_modules/issues/224](https://github.com/HEPCloud/decisionengine_modules/issues/224) (#226)  
62e4df6 : Add support to run CI on Jenkins (#221)  
5ab1541 : bump master version to 1.2.0 (for now) (#219)  
bc19c65 : decisionengine\_modules/NERSC: Added retry loop for NERSC API Calls (#220)  
41a50de : Sync up pep8speaks and run\_pylint.sh with decisionengine settings (#218)  
db4634f : silence pylint error (#217)  
1b95141 : Fix whitespace around operator error  
746ea38 : ignore W503  
8a8b5f4 : remove unused variable  
a6668bf : fix PEP8 warnings  
13773ee : address pep8 warnings  
6bea4ca : silence pylint error  
f589895 : Pass sort=True parameter to fix future warning (#215)  
a1d0507 : fixing pep8 warning  
a10bd17 : debugging one import error  
ec501ad : make coveralls.io links work  
deab1a7 : T201 (#204)  
69f2645 : Add coveragerc  
6d8a5f5 : decisionengine\_modules/NERSC: Make Nersc API call backward-compatible with old config (#196)  
a7e0af9 : Only run Github Actions for python3.6 (#24)

## 1.8 Release 1.2.0

In this release:

- Switched to python3
- NERSC newt interface adapted to changed NERSC RESTful API
- Improved unit tests
- Added Jenkins CI pipeline

## 1.9 Patches:

30d928b : clone version 1.2.0 of decisionengine

ae7c5a6 : Jenkins pipeline improvements (#236)

310befd : T198 (#235)

a65886d : Fix import as reported in : <https://github.com/HEPCloud/decisionengine...> (#232)

93711cc : Run coveralls even if tests fail (#229)

03d763a : Jenkins pipeline improvements (#230)

f48d30f : Fix/223 (#228)

c8aa262 : github ticket 199 (#222)

0323bda : Address : [https://github.com/HEPCloud/decisionengine\\_modules/issues/224](https://github.com/HEPCloud/decisionengine_modules/issues/224) (#226)

62e4df6 : Add support to run CI on Jenkins (#221)

5ab1541 : bump master version to 1.2.0 (for now) (#219)

bc19c65 : decisionengine\_modules/NERSC: Added retry loop for NERSC API Calls (#220)

41a50de : Sync up pep8speaks and run\_pylint.sh with decisionengine settings (#218)

db4634f : silence pylint error (#217)

1b95141 : Fix whitespace around operator error

746ea38 : ignore W503

8a8b5f4 : remove unused variable

a6668bf : fix PEP8 warnings

13773ee : address pep8 warnings

6bea4ca : silence pylint error

f589895 : Pass sort=True parameter to fix future warning (#215)

a1d0507 : fixing pep8 warning

a10bd17 : debugging one import error

ec501ad : make coveralls.io links work

deab1a7 : T201 (#204)

69f2645 : Add coveragerc

6d8a5f5 : decisionengine\_modules/NERSC: Make Nersc API call backward-compatible with old config (#196)

[a7e0af9](#) : Only run Github Actions for python3.6 (#24)

## DEVELOPER DOCUMENTATION

### 2.1 Decisionengine\_modules

#### 2.1.1 Prerequisites:

```
yum install postgresql11 postgresql11-server  
sudo localedef -v -c -i en_US -f UTF-8 C.UTF-8 # (needed for tests)
```

#### 2.1.2 Test

```
git clone https://github.com/HEPCloud/decisionengine_modules  
./decisionengine_modules/.github/actions/unittest-in-sl7-docker/entrypoint.sh
```





## JENKINS CI PIPELINE

### 3.1 Decisionengine modules CI with Jenkins pipeline

Jenkins dashboard with Decisionengine modules CI results is available [here](#).

A CI build is triggered any time a PR is created/closed or a commit is made to an existing PR. There are also *nightly CI builds* to test a list of predefined branches.

The Jenkins pipeline runs *pep8*, *pylint* and *unit\_tests* test suites alongside the *rpmbuild* stage. The Jenkins dashboard looks like this:

On the bottom right side the dashboard shows for each CI build detailed status for each test suite.

Next to the build number the symbol  gives access to a menu with the list of artifacts stored for that build. Those artifacts include logs and the tarball with RPMs.

On occasion it could be useful to trigger a manual CI build to test a branch on the official DE GitHub repository or on

# Pipeline decisionengine\_modules\_pipeline

This build requires parameters:

DOCKER_IMAGE	<input type="text" value="vitodb/decision-engine-modules-ci;jenkins"/> Docker image name to use. Default is: vitodb/decision-engine-modules-ci;jenkins
DE_MOD_REPO	<input type="text" value="https://github.com/HEPCloud/decisionengine_modules/"/> Decisionengine modules repo. Default is: https://github.com/HEPCloud/decisionengine_modules/
BRANCH	<input type="text" value="master"/> Branch to test. Default is: master
PYTEST_TIMEOUT	<input type="text" value="300"/> Timeout in seconds for unit_tests (it applies to individual unit test) Default is: 300

Build

the user can modify these parameters to customize what code to test with the CI build.

The *DE\_MOD\_REPO* parameter can point to the user fork or to the main repository.

The *BRANCH* parameter can point to the desired branch to test.

The *PYTEST\_TIMEOUT* parameter is the timeout in seconds for *unit\_tests*.

When ready, by clicking on the *Build* button, the CI build will start.

The [pipeline configuration](#) is part of the decisionengine\_modules repo.

## 3.1.1 Nightly CI build configuration

The nightly CI build for Decisionengine framework uses this [Jenkins project](#) that triggers a CI build using the Jenkins pipeline described above to test a list of predefined branches.

**Jenkins**

Jenkins > CI > decisionengine\_ci

[Back to Dashboard](#)

[Status](#)

[Changes](#)

[Workspace](#)

[Build Now](#)

[Configure](#)

[Delete Multi-configuration project](#)

[Rebuild Last](#)

[Job Config History](#)

[Rename](#)

[Set Next Build Number](#)

## Project decisionengine\_ci

Decision Engine CI running inside dedicated docker container

### Configurations

[BRANCH=master](#) [BRANCH=1.4](#)

### Subprojects

#### Static

- [decisionengine\\_modules\\_pipeline\(non-blocking\)](#)
- [decisionengine\\_pipeline\(non-blocking\)](#)

### Permalinks

- [Last build \(#295\), 7 hr 6 min ago](#)
- [Last stable build \(#295\), 7 hr 6 min ago](#)
- [Last successful build \(#295\), 7 hr 6 min ago](#)
- [Last completed build \(#295\), 7 hr 6 min ago](#)

#### Build History

[trend](#) ^

find

<a href="#">#295</a>	<a href="#">Nov 19, 2020 2:23 AM</a>
<a href="#">#294</a>	<a href="#">Nov 18, 2020 2:23 AM</a>
<a href="#">#293</a>	<a href="#">Nov 17, 2020 2:23 AM</a>

Branches to test are defined using the project matrix as shown in the picture below. Each branch in the list (here *master* and *1.4*) spawns an independent CI build.

The screenshot shows the Jenkins Configuration Matrix configuration page. The 'Configuration Matrix' tab is selected. Under the 'User-defined Axis' section, the 'Name' field is set to 'BRANCH' and the 'Values' field is set to 'master 1.4'. There is a red 'X' icon in the top right corner of the axis configuration area and a blue question mark icon next to the values field.

In the *Build* section of the configuration it is set the list of Jenkins subprojects to be triggered, in this case we have *decisionengine\_pipeline* and *decisionengine\_modules\_pipeline*.

The *Parameters* text box is used to override parameters of each Jenkins subproject with a custom value.

In total this Jenkins project triggers 4 CI builds, i.e. 2 branches X 2 Jenkins subprojects.

The screenshot shows the Jenkins Build configuration page. The 'Build' tab is selected. Under the 'Trigger/call builds on other projects' section, the 'Projects to build' field is set to 'decisionengine\_pipeline,decisionengine\_modules\_pipeline'. The 'Block until the triggered projects finish their builds' checkbox is unchecked. Under the 'Predefined parameters' section, the 'Parameters' field is set to 'BRANCH=\${BRANCH}'. There are red 'X' icons in the top right corner of the 'Trigger/call builds on other projects' and 'Predefined parameters' sections, and blue question mark icons next to the 'Projects to build' and 'Parameters' fields.

Finally the *Build Triggers* section is used to setup the schedule for the periodic build, in this case it is scheduled to run at about 2 AM.

Jenkins will choose the actual time depending on the actual load on the system.

General

Advanced Project Options

Source Code Management

Build Triggers

Configuration Matrix

Build Environment

Build

Post-build Actions

### Build Triggers

☐ Trigger builds remotely (e.g., from scripts)

☐ Build after other projects are built

☒ Build periodically

Schedule

H 2 \* \* \*

Would last have run at Wednesday, November 4, 2020 2:23:53 AM CST;  
would next run at Thursday, November 5, 2020 2:23:53 AM CST.

## SOURCE CODE

### 4.1 Welcome to decisionengine\_modules's documentation!

#### 4.1.1 setup module

### 4.2 Indices and tables

- [genindex](#)
- [modindex](#)
- [search](#)





## INDICES AND TABLES

- `genindex`
- `modindex`
- `search`