

## Learner Assignment Submission Format

### Learner Details

- **Name:**H O Akash
  - **Enrollment Number:**SU625MR015
  - **Batch / Class:**MERN Stack
  - **Assignment:**JavaScript
  - **Date of Submission:**16/07/2025
- 

### Problem Solving Activity 1.1

#### 1. Student Marks Card Calculator using Javascript

---

#### 4. Program Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Marks Card</title>
  <link rel="shortcut icon" href="/reading.png" type="image/x-icon">
  <style>
    body{
      background-color: black;
    }
    table{

      text-align: center;
```



```
background-color: silver;  
position: relative;  
left: 230px;  
padding: 30px;
```

```
}
```

```
.a{
```

```
background-color: blanchedalmond;  
height: 500px;  
width: 100%;
```

```
}
```

```
fieldset{
```

```
position: relative;  
top: 100px;  
align-items: center;  
padding: 20px;
```

```
}
```

```
h1{
```

```
background-color: antiquewhite;  
  
font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode',  
Geneva, Verdana, sans-serif;  
  
text-align: center;  
}
```



</style>

</head>

<body>

<h1>Student Marks Table with Total Calculation</h1>

<div class="a">

<table border="2px" >

<tr>

<th>Name</th>

<th>Maths</th>

<th>Science</th>

<th>Social</th>

<th>English</th>

<th>Kannada</th>

<th>Hindi</th>

<th>Total</th>

<th>Click Check for Total</th>

</tr>

<tr>

<td>Sariya</td>

<td>99</td>

<td>98</td>

<td>98</td>

<td>99</td>



Stemup  
A Unit of Pragnova Pvt Ltd

<td>100</td>

<td>95</td>

<td id="result1"></td>

<td><button type="submit" onclick="Sariya(99,98,98,99,100,95)">Check</button></td>

</tr>

<tr>

<td>Afreen</td>

<td>100</td>

<td>98</td>

<td>98</td>

<td>99</td>

<td>98</td>

<td>93</td>

<td id="result2"></td>

<td><button type="submit" onclick="Afreen(100,98,98,99,98,93)">Check</button></td>

</tr>

<tr>

<td>Nikil</td>

<td>100</td>

<td>100</td>

<td>98</td>

<td>99</td>

<td>98</td>

<td>96</td>

<td id="result3"></td>

<td><button type="submit" onclick="Nikil(100,100,98,99,98,96)">Check</button></td>

</tr>

<tr>

<td>Rakshith</td>

<td>100</td>

<td>99</td>

<td>98</td>

<td>90</td>

<td>88</td>

<td>96</td>

<td id="result4"></td>

<td><button type="submit" onclick="Rakshith(100,99,98,90,88,96)">Check</button></td>

</tr>

<tr>

<td>Akash</td>

<td>93</td>

<td>96</td>

<td>98</td>

<td>99</td>

<td>98</td>

<td>86</td>

<td id="result5"></td>

<td><button type="submit" onclick="Akash(93,96,98,99,98,86)">Check</button></td>



```
</tr>  
</table>
```

```
<script>
```

```
function Sariya(a,b,c,d,e,f){  
    let total=a+b+c+d+e+f;  
    document.getElementById('result1').innerText="Total:"+total;
```


```
}  
function Afreen(a,b,c,d,e,f){  
    let total=a+b+c+d+e+f;  
    document.getElementById('result2').innerText="Total:"+total;
```

```
}  
function Nikil(a,b,c,d,e,f){  
    let total=a+b+c+d+e+f;  
    document.getElementById('result3').innerText="Total:"+total;
```

```
}  
function Akash(a,b,c,d,e,f){  
    let total=a+b+c+d+e+f;  
    document.getElementById('result5').innerText="Total:"+total;
```

```
}  
function Rakshith(a,b,c,d,e,f){  
    let total=a+b+c+d+e+f;  
    document.getElementById('result4').innerText="Total:"+total;
```

```
}  
</script></div>
```



</body>

</html>

---

## 6. Screenshots of Output

Student obtain Marks Table								
Name	Maths	Science	Social	English	Kannada	Hindi	Total	Click for total
Nikil	98	98	99	99	100	97		<input type="button" value="Check"/>
Rakshith	95	98	99	100	98	96		<input type="button" value="Check"/>
Akash	99	100	98	99	96	96		<input type="button" value="Check"/>
Rakesh	95	99	97	90	98	96		<input type="button" value="Check"/>
Sameer	93	100	98	99	98	96		<input type="button" value="Check"/>

---