

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

Lab Number:	6
Student Name:	Rishi Rameshkumar Dubey
Roll No :	3

Title:

1. To perform Multiple Inheritance in C++. Create a student class representing student roll number, name and branch and an exam class (derived class of student) representing the scores of the student in various subjects (maths, physics and chemistry) and sports class representing the score in sports. The sports and exam class is inherited by a result class which adds the exam marks and sports score to generate the final result.
2. To perform Hierarchical Inheritance in C++. Create an Employee class with attributes EmpID and EmpSalary. Also create necessary methods/constructors to accept these values from the user. Create classes permanentEmployee and TemporaryEmployee which will be derived classes of Employee. Mention hike attribute in these derived classes and calculate the total salary using generate_salary() method for respective types of employees. Objects of the derived classes should be created and salaries for the permanent and temporary employees should be calculated and displayed on the screen.

Learning Objective:

- Students will be able to perform multiple inheritance using C++.

Learning Outcome:

- Understanding the inheritance concept and reusability of the code.

Course Outcome:

ECL304.2	Comprehend building blocks of OOPs language, inheritance, package and interfaces
-----------------	--

Theory:

- Explain in details about inheritance, its types, syntaxes and block diagrams.

Solution:- **Inheritance is a mechanism of acquiring the features and behaviors of a class by another class. The class whose members are inherited is called the base class, and the class that inherits those members is called the derived class. Inheritance implements the IS-A relationship. For example, mammal animal, dog animal as well.**


Faculty: Ms. Deepali Kayande

OOPs support the six different types of inheritance as given below :

- 1. Single inheritance**
- 2. Multi-level inheritance**
- 3. Multiple inheritance**
- 4. Multipath inheritance**
- 5. Hierarchical Inheritance**
- 6. Hybrid Inheritance**

1. Single inheritance

In this inheritance, a derived class is created from a single base class. In the given example, Class A is the parent class and Class B is the child class since Class B inherits the features and behavior of the parent class A.



Syntax for Single Inheritance


```
//Base Class  
  
class A  
{  
    public void  
    fooA()  
  
    {  
  
        //TO DO:  
  
    }  
}
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
//Derived Class  
  
class B : A {  
  
public voidfooB()  
  
{  
  
//TO DO:  
  
}  
  
}
```

2. Multi-level inheritance

In this inheritance, a derived class is created from another derived class. In the given example, class c inherits the properties and behavior of class B and class B inherits the properties and behavior of class A. So, here A is the parent class of B and class B is the parent class of C. So, here class C implicitly inherits the properties and behavior of class A along with Class B. i.e there is a multilevel of inheritance.



Syntax for Multi-level Inheritance

```
//Base Class  
  
class A {  
  
  
  
public void fooA()  
  
{  
  
}
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
//TO DO:

}

}

//Derived Class
class B : A {
public void fooB()

{

//TO DO:

}

}

//Derived Class
class C : B
{ public void
fooC()

{


//TO DO:

}

}
```

3. Multiple inheritance

In this inheritance, a derived class is created from more than one base class. This inheritance is not supported by .NET Languages like C#, F# etc. and Java Language. In the given example, class c inherits the properties and behavior of class B and class A at same level. So, here A and Class B both are the parent classes for Class C.



Syntax for Multiple Inheritance

```
//Base Class class
A { public void
fooA()
{
//TO DO:
}
}


//Base Class
class B {
public void fooB()
{
//TO DO:
}
}
```

```
//Derived Class  
  
class C : A, B  
{  
    public void  
    fooC()  
  
    {  
  
        //TO DO:  
  
    }  
  
}
```

4. Multipath inheritance

In this inheritance, a derived class is created from another derived classes and the same base class of another derived classes. This inheritance is not supported by .NET Languages like C#, F# etc.

In the given example, class D inherits the properties and behavior of class C and class B as well as Class A. Both class C and class B inherits the Class A. So, Class A is the parent for Class B and Class C as well as Class D. So it's making it Multipath inheritance.



Syntax for Multipath Inheritance

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
//Base Class class
A { public void
fooA()
{
//TO DO:
}
}

//Derived Class
class B : A {
public void fooB()
{
//TO DO:
} }

//Derived Class
class C : A
{ public void
fooC()
{
//TO DO:
}
}
```


Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
//Derived Class  
  
class D : B, A, C  
{   public void  
fooD()  
  
    {  
  
        //TO DO:  
  
    }  
  
}
```

5. Hierarchical Inheritance

In this inheritance, more than one derived classes are created from a single base class and further child classes act as parent classes for more than one child classes. In the given example, class A has two children class B and class D. Further, class B and class C both are having two children - class D and E; class F and G respectively.

```
//Base Class class  
  
A {   public void  
fooA()  
  
    {  
  
        //TO DO:  
  
    }  
  
}
```



Syntax for Hierarchical Inheritance

```
}  
}  
  
//Derived Class  
class B : A  
  
{ public void  
fooB()
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
{  
  
//T0 D0:  
  
}  
  
}  
  
  
//Derived Class  
  
class C : A  
  
{   public void  
fooC()  
  
{  
  
//T0 D0:  
  
}  
  
}  
  
  
//Derived Class  
  
class D : C  
  
{   public void  
fooD()  
  
{  
  
//T0 D0:  
  
}  
  
}  
  
  
//Derived Class
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
class E : C
{
    public void
fooE()
{
    //TO DO:
}
}
```

//Derived Class

```
class F : B
{
    public void
fooF()
{
    //TO DO:
}
}
```

//Derived Class

```
class G :B
{
    public void
fooG()
{
    //TO DO:
}
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22


}

}

6. Hybrid inheritance

This is combination of more than one inheritance. Hence, it may be a combination of Multilevel and Multiple inheritance or Hierarchical and Multilevel inheritance or Hierarchical and Multipath inheritance or Hierarchical, Multilevel and Multiple inheritance.

Since .NET Languages like C#, F# etc. does not support multiple and multipath inheritance. Hence hybrid inheritance with a combination of multiple or multipath inheritances is not supported by .NET Languages.



Hybrid Inheritance – (a combination of Hierarchical and multiple)

Syntax for Hybrid Inheritance

```
//Base Class class
A { public void
fooA()
{
//TO DO:
}
}
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
//Base Class class
```

```
F { public void
```

```
fooF()
```

```
{
```

```
//T0 D0:
```

```
}
```

```
}
```

```
//Derived Class
```

```
class B : A, F
```

```
{ public void
```

```
fooB()
```

```
{
```

```
//T0 D0:
```

```
}
```

```
}
```

```
//Derived Class
```

```
class C : A
```

```
{ public void
```

```
fooC()
```

```
{
```

```
//T0 D0:
```


Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

```
}  
  
}  
  
//Derived Class  
class D : C {  
public void fooD()  
  
{  
    //TO DO:  
  
}  
}  
  
//Derived Class  
class E : C  
{    public void  
fooE()  
  
{  
    //TO DO:  
  
}  
}
```

6.0(Multiple) :- Input given a=3 b= 21 10

OUTPUT:

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22



The screenshot shows a terminal window titled 'input' with a dark background. The program is running a C++ code snippet. It prompts the user to enter a roll number, two marks, and a sports mark. The user has entered 3, 21, and 10 respectively. The program then calculates and displays the total and average marks. The output shows 'Roll No : 3', 'Total : 37', and 'Average : 12'. The program ends with a message indicating it finished with exit code 0 and prompts the user to press ENTER to exit the console.

```
42 | main() {  
    | ^  
sh: 1: cls: not found  
Enter the Roll no :3  
Enter the two marks :21 10  
Enter the sports mark :6  
  
Roll No : 3  
Total : 37  
Average : 12  
  
...Program finished with exit code 0  
Press ENTER to exit console.
```

Don Bosco Institute of Technology, Kurla(W)
Department of Electronics and Tele-Communication Engineering
ECL304 - Skill Lab: C++ and Java Programming
Sem III
2021-22

6.1(Hierarchical) : - Input given:- a= xyz b= 987 c= M

OUTPUT:

```
input
Enter employee's basic info:
Enter Name: xyz
Enter Emp. Id: 987
Enter Gender: M
Enter employee's department info:
Enter Department Name: Electronics
Enter assigned work: Managing
Enter time in hours to complete work: 77
Employee's Information is:
Basic Information...:
Name: xyz
Employee ID: 987
Gender: M

Department Information...:
Department Name: Electronics
Assigned Work: Managing
Time to complete work: 77

...Program finished with exit code 0
Press ENTER to exit console.
```