

# Facial Expression Recognition using Local Binary Patterns

with classification based on Support Vector Machines



**AALBORG UNIVERSITY**

Department of Electronic Systems

Vision, Graphics and Interactive Systems

9<sup>th</sup> Semester project

Autumn 2012

Maxime Coupez

Kim-Adeline Miguel

Julia Alexandra Vigo



**Title:**

Project Title

**Theme:**

Interactive Systems

**Project Period:**

Fall Semester 2012

**Project Group:**

12gr942

**Participant(s):**

Maxime Coupez

Kim-Adeline Miguel

Julia Alexandra Vigo

**Supervisor(s):**

Zheng-Hua Tan

**Copies:** 1

**Page Numbers:** 19

**Date of Completion:**

October 20, 2012

**Abstract:**

Since the last decade, a lot of researches have been carried out about emotion recognition. The number of projects conducted in this field demonstrates the interest and the importance of systems which can recognize human mood.

In this project, an emotion recognition system is developed, using a Microsoft Kinect. This recognition is achieved in 3 steps: Face detection, extraction and classification of facial features, this structure being the usual modus operandi in emotion recognition research.

Face detection is performed using Viola-Jones' algorithm, then Local Binary Patterns (LBP) are used to extract facial features. Finally, Support Vector Machines (SVM) classify these features into six predefined emotions.

The system is implemented to run on a computer using a Kinect and works for one person in front of it. The classifier is trained with the Cohn-Kanade database, which includes enough different faces to obtain a satisfying result.



# Preface

This report documents the semester project entitled *Facial expression recognition using Local Binary Patterns*. The project was carried out during the 9th semester of specialization *Vision, Graphics, and Interactive Systems* under the Department of Electronic Systems at Aalborg University in Autumn 2012.

The report is divided into four parts plus appendices: *Introduction*, *Feature Detection*, *Feature Classification*, *Implementation* and *Evaluation*. The first part review the general structure of a facial expression recognition system and its main issues, and concludes with a state of the art of existing systems. Analysis of possible solutions and design of our system are contained in the following two parts, and the fourth part describes our implementation. The last part evaluates the performance and accuracy of our system and concludes on the project as a whole.

References to secondary literature sources are made using the syntax [number]. The number refers to the alphabetically sorted bibliography found at the end of the report, just before the appendices.

We would like to thank our supervisor at Aalborg University Zheng-Hua Tan for supporting us in this challenging project.

A CD is attached to this report which includes:

- Source code of the developed program.
- PDF file of this report.

Aalborg University, October 20, 2012

---

Maxime Coupez  
<mcoupe12@es.aau.dk>

---

Kim-Adeline Miguel  
<kmigue12@es.aau.dk>

---

Julia Alexandra Vigo  
<jvigo12@es.aau.dk>



# Contents

<b>Preface</b>	<b>v</b>
<b>I Introduction</b>	<b>2</b>
1 Motivations	4
2 Facial expression recognition	6
2.1 General structure . . . . .	6
2.2 Existing systems . . . . .	7
2.3 Issues . . . . .	8
2.4 Requirements . . . . .	8
<b>II Feature detection</b>	<b>9</b>
<b>III Feature classification</b>	<b>11</b>
<b>IV Implementation</b>	<b>13</b>
<b>V Evaluation</b>	<b>15</b>
<b>Conclusion</b>	<b>17</b>
<b>Bibliography</b>	<b>18</b>
<b>A Appendix A name</b>	<b>19</b>

## Part I

# Introduction



# Contents

First, this project is motivated by analyzing the need of robust facial expression recognition systems for various applications. Then already existing algorithms will be studied to choose one that is basic but effective in order to improve it. In the last part, the problem will be formulated.

# Chapter 1

## Motivations

A facial expression is a visible manifestation of the effective state, cognitive activity, intent, personality, and psychopathology of a person [6]; facial expressions play a significant role in human dialogue and interaction. Indeed, facial expressions carry more informations than mere speech, informations on which humans can relay for interaction. Facial expressions have a considerable effect on a listening interlocutor; a speaker facial expressions accounts for about 55 percent of the effect, 38 percent of the latter is conveyed by voice intonation and 7 percent by the spoken words [8].

Since Antiquity, researchers have been interested in emotion and more particularly in emotion recognition. But one of the important studies on facial expression analysis impacting on the modern day science of automatic facial expression recognition was the work carried out by Charles Darwin [3]. In 1872, Darwin wrote a treatise that established general expression principles and expression means for both humans and animals [5]. He also classified various kinds of expressions. This can be considered as the beginning of facial expression recognition.

Now, with the emergence of new technologies and computers, research is now focused on computer-based automatic facial expression recognition. Because facial expressions are major factors in human interaction, this research field will broaden the domain of Human-Machine Interaction. Indeed, emotion recognition will enable computers to be more responsive to users' emotions, and allow interactions to become more and more realistic.

Another domain where facial expression recognition is an important issue is robotics. With the advances made in robotics, robots nowadays tend to mimic human emotion and react as human-like as possible, especially for humanoid robots. However, since robots are being more and more present in our daily lives, they need to understand and recognize human emotions.

There are also various other domains where emotion recognition can be used: Telecommunications, behavioral science, video games, animations, psychiatry, automobile safety, affect-sensitive music juke boxes and televisions, educational software, etc [3].

A lot of real time applications have already been created. For example, Bartlett et al. have successfully used their face expression recognition system to develop an

animated character that mirrors the expressions of the user (called CU Animate) [2]. They have also been successful in deploying the recognition system on Sony's Aibo Robot and ATR's RoboVie [2]. Another interesting application has been demonstrated by Anderson and McOwen, called "EmotiChat" [1]. It is a regular chatroom, except the fact that their facial expression recognition system is connected to the chat and convert the users' facial expressions into emoticons. Because facial expression recognition systems' robustness and reliability are constantly increasing, lots of innovative applications will appear.


## Chapter 2

# Facial expression recognition

### 2.1 General structure

Facial expression recognition is a system enabling an automatic recognition of emotions displayed by a human face. Facial expression recognition can be image or video-based; it can also be computed real-time. Most of the time, researchers try to recognize emotions out of images of human faces. This can also be achieved real-time on video streams : While the person displays his/her emotions, the facial expression recognition system analyzes the video, and detect in real-time the displayed emotion.

In both cases, facial expression recognition process is structured as follows:



First step of the process is "Image Acquisition". Images used for facial expression recognition can be static images or image sequences. Image sequences give more informations about the facial expression, as the steps in muscles movement. About static images, facial expression recognition systems usually need 2D greyscale images as inputs. We can however expect future systems to use colour images; first because of the increasing affordability of technologies and devices capable of capturing images or image sequences; then because colours can give more information on emotions, i.e blushing [4].

Second step is "Face Detection". Indeed, in a static image and even more in an images sequence, this is an obvious need. Once the face has been detected, all other non-

relevant information can be deleted, since only the face is needed. It could hence be included in the next step, which is "Pre-processing", but because of its importance it represents a step in itself. In a real-time facial expression recognition system working with image sequences, the face has to be detected, but also tracked. One of the most used and famous detection and tracking algorithm is the Viola-Jones Algorithm, which we will explain in detail later in this report. This algorithm can be trained to detect all kind of objects, but is mostly used for face detection.

Third step is "Pre-processing", which is about applying image processing algorithms to the image, in order to prepare it for the next step. Pre-processing is usually about noise removal, normalization against the variation of pixel position or brightness, segmentation, location, or tracking of parts of the face. Emotion recognition is also sensitive to transformation, scaling and rotation of the head in the image or image sequence. In order to solve this problem, the image can be geometrically standardized. References used for this standardization are usually the eyes [4].

Once the image has gone through the "Pre-processing" step, the next one is "Features Extraction". In this step, data is converted into a higher representation of shape, motion, colour, texture, and spatial configuration of the face or its components. One of the main goals of this step is to reduce the dimensionality of the input data. The reduction procedure should retain essential information possessing high discrimination power and high stability [4]. There are a lot of features extraction methods. The most famous are : Principal Component Analysis (PCA), Linear Discriminant Analysis (LDA), Problem Based Learning (PBL), Hidden Markov Model (HMM), Eigenfaces, Gabor Wavelets. The extracted data is then used in the "Classification" step.

## 2.2 Existing systems

Principal Component Analysis (PCA) : Principal Component Analysis is a statistical method; one of the most used in linear algebra. PCA is mainly used to reduce high dimensionality of data and to obtain the most important information from this data. Because Facial Expression Recognition needs to reduce the dimensionality of data during features extraction, PCA is commonly used. It helps transforming high dimensionality of data to a new coordinate system of lower dimensions while still preserving the most important information. PCA computes a covariance matrix and a set of values called the eigenvalues and eigenvectors from the original data [7].

Linear Discriminant Analysis (LDA) : Linear Discriminant Analysis is a statistical method as PCA, used to classify a set of objects into groups. It is done by observing a set of features that describe the objects. LDA as PCA are used to establish a linear relationship between the dimensions of the data. The main difference is that

LDA uses the linear relationship to model the differences into classes of objects and PCA does not take any differences into account in the linear relationship. The idea is to perform a linear transformation on the data to obtain a lower dimensional set of features [7].

Problem Based Learning (PBL) : Problem Based Learning is a features extraction method with an appearance based approach. It can be used to describe texture and shape. PBL extracts some informations from the neighborhood of a central pixel. It compares the intensity values of the neighborhood pixels with the intensity value of the central pixel [7].

Hidden Markov Model (HMM)

Eigenfaces

Gabor Wavelets

## 2.3 Issues

bla bla bla

## 2.4 Requirements

bla bla bla

Before developing a facial expression recognition project, it is important to know what already exist; the state of the art of facial expression recognition system. In this chapter, an overview will be given of the existing systems before to decide on a system for the project.

## Part II

# Feature detection

# Contents

Bla bla bla



## Part III

# Feature classification

# Contents

Bla bla bla

## Part IV

# Implementation

# Contents

Bla bla bla

**Part V**

**Evaluation**

# Contents

Bla bla bla

# Conclusion

In case you have questions, comments, suggestions or have found a bug, please do not hesitate to contact me. You can find my contact details below.

Jesper Kjær Nielsen  
jkn@es.aau.dk  
<http://kom.aau.dk/~jkn>  
Niels Jernes Vej 12, A6-302  
9220 Aalborg Ø

# Bibliography

- [1] Keith Anderson and Peter W. McOwan. A real-time automated system for recognition of human facial expressions. *IEEE Trans. Systems, Man, and Cybernetics Part B*, 36(1):96–105, 2006.
- [2] Marian Stewart Bartlett, Gwen Littlewort, Ian Fasel, and Javier R. Movellan. Real time face detection and facial expression recognition: Development and application to human computer interaction. *Proc. CVPR Workshop on Computer Vision and Pattern Recognition for Human-Computer Interaction*, 5:53, 2003.
- [3] Vinay Bettadapura. Face expression recognition and analysis: The state of the art. *Tech Report*, 2012.
- [4] Claude C. Chibelushi and Fabrice Bourel. Facial expression recognition: A brief tutorial overview, 2003.
- [5] Charles Darwin. *The Expression of the Emotions in Man and Animals*. John Murray, 2. ed. edition, 1904.
- [6] Gianluca Donato, Marian Stewart Bartlett, Joseh C. Hager, Paul Ekman, and Terrence J. Sejnowski. Classifying facial actions. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 21(10):974–989, 1999.
- [7] Abhiram Ganesh. Evaluation of appearance based methods for facial expression recognition, 2008.
- [8] Maja Pantic and Leon J.M. Rothkrantzi. Automatic analysis of facial expressions: the state of the art. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 22(12):1424–1445, 2000.



# Appendix A

## Appendix A name

Here is the first appendix