

```
In [1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
import re
from sklearn.datasets import load_digits
```

```
In [2]: a=pd.read_csv(r"C:\Users\user\Downloads\FP2_RainFall\rainfall in india 1901-2014.csv")
```

Out[2]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6
1	1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2
2	2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0
3	3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4
4	4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0
...
4111	4111	LAKSHADWEEP	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2
4112	4112	LAKSHADWEEP	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8
4113	4113	LAKSHADWEEP	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0
4114	4114	LAKSHADWEEP	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2
4115	4115	LAKSHADWEEP	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4

4116 rows × 20 columns

In [3]:

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4116 entries, 0 to 4115
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       4116 non-null    int64  
 1   SUBDIVISION 4116 non-null    object  
 2   YEAR        4116 non-null    int64  
 3   JAN         4112 non-null    float64 
 4   FEB         4113 non-null    float64 
 5   MAR         4110 non-null    float64 
 6   APR         4112 non-null    float64 
 7   MAY         4113 non-null    float64 
 8   JUN         4111 non-null    float64 
 9   JUL         4109 non-null    float64 
 10  AUG         4112 non-null    float64 
 11  SEP         4110 non-null    float64 
 12  OCT         4109 non-null    float64 
 13  NOV         4105 non-null    float64 
 14  DEC         4106 non-null    float64 
 15  ANNUAL      4090 non-null    float64 
 16  Jan-Feb     4110 non-null    float64 
 17  Mar-May     4107 non-null    float64 
 18  Jun-Sep     4106 non-null    float64 
 19  Oct-Dec     4103 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 643.2+ KB
```

In [4]:

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
   'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
   'Mar-May', 'Jun-Sep', 'Oct-Dec'],
  dtype='object')
```

MATATHWADA

In [342]: b=a.head(2852)

Out[342]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	30.3	1.1	1.1
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	1.1	1.1	1.1
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	1.1	1.1	1.1
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	1.1	1.1	1.1
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	1.1	1.1	1.1
...	
2847	2847	MATATHWADA	2011	0.0	3.8	0.7	3.5	3.1	79.2	230.1	228.5	90.0	1.1	1.1	1.1
2848	2848	MATATHWADA	2012	0.0	0.0	0.0	0.6	2.3	72.2	161.1	101.4	120.0	1.1	1.1	1.1
2849	2849	MATATHWADA	2013	1.5	9.4	2.6	7.9	6.4	160.9	293.4	136.9	154.1	1.1	1.1	1.1
2850	2850	MATATHWADA	2014	1.4	13.4	79.0	11.9	7.0	30.4	105.0	178.9	84.5	1.1	1.1	1.1
2851	2851	MATATHWADA	2015	10.1	1.6	32.0	39.6	12.3	118.3	27.4	112.2	154.3	1.1	1.1	1.1

2852 rows × 20 columns

In [343]: `c=b.tail(115)`

Out[343]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
2737	2737	MATATHWADA	1901	15.8	3.3	32.1	48.5	26.5	193.1	184.1	249.8	74.0	81
2738	2738	MATATHWADA	1902	1.3	0.0	0.4	7.2	0.8	52.4	120.9	85.2	273.3	61
2739	2739	MATATHWADA	1903	2.6	0.8	0.0	1.7	58.3	104.4	264.2	281.9	173.3	139
2740	2740	MATATHWADA	1904	0.0	0.9	12.1	0.3	7.2	79.2	118.4	57.3	339.0	76
2741	2741	MATATHWADA	1905	1.3	2.0	0.0	6.6	4.8	84.6	94.8	137.6	157.8	15
...
2847	2847	MATATHWADA	2011	0.0	3.8	0.7	3.5	3.1	79.2	230.1	228.5	90.0	24
2848	2848	MATATHWADA	2012	0.0	0.0	0.0	0.6	2.3	72.2	161.1	101.4	120.0	68
2849	2849	MATATHWADA	2013	1.5	9.4	2.6	7.9	6.4	160.9	293.4	136.9	154.1	94
2850	2850	MATATHWADA	2014	1.4	13.4	79.0	11.9	7.0	30.4	105.0	178.9	84.5	14
2851	2851	MATATHWADA	2015	10.1	1.6	32.0	39.6	12.3	118.3	27.4	112.2	154.3	19

115 rows × 20 columns

In [344]: `d=c[['YEAR', 'JAN', 'FEB', 'MAR']]`


Out[344]:

	YEAR	JAN	FEB	MAR
2737	1901	15.8	3.3	32.1
2738	1902	1.3	0.0	0.4
2739	1903	2.6	0.8	0.0
2740	1904	0.0	0.9	12.1
2741	1905	1.3	2.0	0.0
...
2847	2011	0.0	3.8	0.7
2848	2012	0.0	0.0	0.0
2849	2013	1.5	9.4	2.6
2850	2014	1.4	13.4	79.0
2851	2015	10.1	1.6	32.0

115 rows × 4 columns


In [345]:

Out[345]: <AxesSubplot:>



In [346]:

Out[346]: <seaborn.axisgrid.PairGrid at 0x2279141c790>




In [347]:

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```


```
    warnings.warn(msg, FutureWarning)
```

Out[347]: <AxesSubplot:xlabel='JAN', ylabel='Density'>




In [348]:

Out[348]: <AxesSubplot:>




In [349]:

Out[349]: <AxesSubplot:>



In [350]:

Out[350]: <AxesSubplot:ylabel='FEB'>



In [351]: `c=a.head(2967)`

Out[351]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	312.1	252.1	212.1
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	116.1	116.1	116.1
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	116.1	116.1	116.1
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	212.1	212.1	212.1
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	212.1	212.1	212.1
...
2962	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	116.1	116.1	116.1
2963	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	116.1	116.1	116.1
2964	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	116.1	116.1	116.1
2965	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	116.1	116.1	116.1
2966	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	116.1	116.1	116.1

2967 rows × 20 columns

In [352]: `d=c.tail(115)`

Out[352]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC
2852	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.
2853	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.
2854	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.
2855	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.
2856	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.
...
2962	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.
2963	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.
2964	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.
2965	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.
2966	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.

115 rows × 20 columns

In [353]: `e=d[['JAN', 'FEB', 'MAR']]`


Out[353]:

	JAN	FEB	MAR
2852	36.8	39.9	30.9
2853	1.6	0.1	0.0
2854	5.2	4.0	0.1
2855	4.3	2.4	12.9
2856	7.3	12.7	12.4
...
2962	0.0	1.2	0.1
2963	3.1	0.1	0.0
2964	6.6	13.0	3.8
2965	1.2	18.3	49.6
2966	26.3	4.7	66.3

115 rows × 3 columns


In [354]:

Out[354]: <AxesSubplot:>



In [355]:

Out[355]: <seaborn.axisgrid.PairGrid at 0x227936493a0>




In [356]:

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```


```
    warnings.warn(msg, FutureWarning)
```

Out[356]: <AxesSubplot:xlabel='FEB', ylabel='Density'>




In [357]:

Out[357]: <AxesSubplot:>




In [358]:

Out[358]: <AxesSubplot:>



In [359]:

Out[359]: <AxesSubplot:ylabel='MAR'>



In [360]: c=a.head(3082)

Out[360]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6
1	1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2
2	2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0
3	3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4
4	4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0
...
3077	3077	CHHATTISGARH	2011	0.3	11.5	2.6	35.0	16.8	183.5	272.6	379.8	382.2	
3078	3078	CHHATTISGARH	2012	36.6	4.8	1.1	14.9	9.4	147.3	430.6	442.2	245.3	
3079	3079	CHHATTISGARH	2013	2.8	19.7	4.9	45.8	5.7	263.6	418.8	336.6	140.9	
3080	3080	CHHATTISGARH	2014	2.3	29.0	21.4	17.3	25.0	104.9	416.7	327.7	252.7	
3081	3081	CHHATTISGARH	2015	15.8	1.2	21.2	37.0	13.0	257.6	248.6	286.6	216.9	

3082 rows × 20 columns

In [361]: `d=c.tail(115)`

Out[361]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
2967	2967	CHHATTISGARH	1901	48.9	116.5	27.8	5.5	18.4	101.6	381.0	476.7	182.8
2968	2968	CHHATTISGARH	1902	0.6	6.5	0.4	13.9	10.3	37.2	403.8	236.6	198.1
2969	2969	CHHATTISGARH	1903	6.2	13.9	0.4	6.8	51.1	110.7	365.9	396.0	212.0
2970	2970	CHHATTISGARH	1904	0.0	8.6	32.3	0.2	77.5	369.5	303.6	483.6	86.8
2971	2971	CHHATTISGARH	1905	50.3	22.6	19.0	24.6	31.8	40.4	443.7	270.8	338.8
...
3077	3077	CHHATTISGARH	2011	0.3	11.5	2.6	35.0	16.8	183.5	272.6	379.8	382.2
3078	3078	CHHATTISGARH	2012	36.6	4.8	1.1	14.9	9.4	147.3	430.6	442.2	245.3
3079	3079	CHHATTISGARH	2013	2.8	19.7	4.9	45.8	5.7	263.6	418.8	336.6	140.9
3080	3080	CHHATTISGARH	2014	2.3	29.0	21.4	17.3	25.0	104.9	416.7	327.7	252.7
3081	3081	CHHATTISGARH	2015	15.8	1.2	21.2	37.0	13.0	257.6	248.6	286.6	216.9

115 rows × 20 columns

In [362]: `e=d[['JAN', 'FEB', 'MAR', 'APR', 'MAY']]`


Out[362]:

	JAN	FEB	MAR	APR	MAY
2967	48.9	116.5	27.8	5.5	18.4
2968	0.6	6.5	0.4	13.9	10.3
2969	6.2	13.9	0.4	6.8	51.1
2970	0.0	8.6	32.3	0.2	77.5
2971	50.3	22.6	19.0	24.6	31.8
...
3077	0.3	11.5	2.6	35.0	16.8
3078	36.6	4.8	1.1	14.9	9.4
3079	2.8	19.7	4.9	45.8	5.7
3080	2.3	29.0	21.4	17.3	25.0
3081	15.8	1.2	21.2	37.0	13.0

115 rows × 5 columns


In [363]:

Out[363]: <AxesSubplot:>



In [364]:

Out[364]: <seaborn.axisgrid.PairGrid at 0x2279434ff70>




In [365]:

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```


```
    warnings.warn(msg, FutureWarning)
```

Out[365]: <AxesSubplot:xlabel='MAY', ylabel='Density'>




In [366]:

Out[366]: <AxesSubplot:>




In [367]:

Out[367]: <AxesSubplot:>



In [368]:

Out[368]: <AxesSubplot:ylabel='FEB'>



In [369]: c=a.head(3197)

Out[369]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Q1	Q2	Q3	Q4
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	312.1	292.1	272.1	1461.5	1461.5	1461.5	1461.5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	116.1	116.1	116.1	1461.5	1461.5	1461.5	1461.5
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	116.1	116.1	116.1	1461.5	1461.5	1461.5	1461.5
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	212.1	212.1	212.1	1461.5	1461.5	1461.5	1461.5
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	212.1	212.1	212.1	1461.5	1461.5	1461.5	1461.5
...
3192	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	116.1	116.1	116.1	1461.5	1461.5	1461.5	1461.5
3193	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	116.1	116.1	116.1	1461.5	1461.5	1461.5	1461.5
3194	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	4.4	4.4	4.4	1461.5	1461.5	1461.5	1461.5
3195	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	116.1	116.1	116.1	1461.5	1461.5	1461.5	1461.5
3196	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	116.1	116.1	116.1	1461.5	1461.5	1461.5	1461.5

3197 rows × 20 columns

In [370]: d=c.tail(115)

Out[370]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
3082	3082	COASTAL ANDHRA PRADESH	1901	18.8	80.9	7.2	28.7	68.7	77.7	113.0	133.7	125.3	173	130	110
3083	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262	160	140
3084	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159	120	100
3085	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240	180	160
3086	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66	140	120
...
3192	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74	50	30
3193	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140	120	100
3194	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411	280	260
3195	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195	170	150
3196	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59	35	25

115 rows × 20 columns

In [371]: `e=d[['JAN', 'FEB', 'MAR','APR','MAY']]`


Out[371]:

	JAN	FEB	MAR	APR	MAY
3082	18.8	80.9	7.2	28.7	68.7
3083	2.0	0.0	2.8	23.9	37.6
3084	0.8	13.3	0.2	6.2	73.4
3085	1.3	0.0	5.4	3.0	136.3
3086	1.1	16.7	68.0	37.0	68.8
...
3192	0.0	17.9	0.9	62.3	67.9
3193	37.6	0.0	2.7	24.0	39.3
3194	2.0	29.6	0.2	48.0	28.2
3195	0.4	1.2	9.1	6.0	112.9
3196	2.0	0.6	5.5	32.3	34.1

115 rows × 5 columns


In [372]:

Out[372]: <AxesSubplot:>



In [373]:

Out[373]: <seaborn.axisgrid.PairGrid at 0x22796f341f0>




In [374]:

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```


```
    warnings.warn(msg, FutureWarning)
```

Out[374]: <AxesSubplot:xlabel='MAY', ylabel='Density'>




In [375]:

Out[375]: <AxesSubplot:>




In [376]:

Out[376]: <AxesSubplot:>



In [377]:

Out[377]: <AxesSubplot:ylabel='FEB'>



TELANGANA

In [378]: c=a.head(3312)

Out[378]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	312.1	260.1	210.1
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	196.1	196.1	196.1
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	116.1	116.1	116.1
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	212.1	212.1	212.1
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	212.1	212.1	212.1
...
3307	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	107.6	107.6	107.6
3308	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	202.4	202.4	202.4
3309	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	202.4	202.4	202.4
3310	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	146.8	146.8	146.8
3311	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	158.3	158.3	158.3

3312 rows × 20 columns

In [379]: `d=c.tail(115)`

Out[379]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC
3197	3197	TELANGANA	1901	6.9	41.8	7.8	45.2	22.0	123.6	237.8	177.2	77.7	75.
3198	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.
3199	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.
3200	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.
3201	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.
...
3307	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.
3308	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.
3309	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.
3310	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.
3311	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.

115 rows × 20 columns

In [380]: `e=d[['JAN', 'FEB', 'MAR', 'APR', 'MAY']]`


Out[380]:

	JAN	FEB	MAR	APR	MAY
3197	6.9	41.8	7.8	45.2	22.0
3198	0.0	0.0	0.2	10.7	7.3
3199	12.9	4.6	0.0	9.9	40.7
3200	0.0	0.0	10.8	0.8	14.7
3201	0.0	4.3	12.8	27.6	32.2
...
3307	0.0	11.9	2.6	25.6	9.3
3308	6.7	0.0	0.2	14.0	8.4
3309	2.4	29.0	0.2	24.4	8.5
3310	0.2	2.9	58.3	10.3	73.3
3311	17.5	0.0	43.0	65.7	23.3

115 rows × 5 columns


In [381]:

Out[381]: <AxesSubplot:>



In [382]:

Out[382]: <seaborn.axisgrid.PairGrid at 0x22796300fa0>




In [383]:

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```


```
    warnings.warn(msg, FutureWarning)
```

Out[383]: <AxesSubplot:xlabel='JAN', ylabel='Density'>




In [384]:

Out[384]: <AxesSubplot:>




In [385]:

Out[385]: <AxesSubplot:>



In [386]:

Out[386]: <AxesSubplot:ylabel='FEB'>



In [387]: `c=a.head(3427)`

Out[387]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	3	1	1
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	1	1	1
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	1	1	1
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	2	2	2
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	2	2	2
...
3422	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	1	1	1
3423	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	1	1	1
3424	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	1	1	1
3425	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	1	1	1
3426	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	1	1	1

3427 rows × 20 columns

In [388]: `d=c.tail(115)`

Out[388]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3312	3312	RAYALSEEMA	1901	7.0	50.2	0.0	12.1	38.9	53.0	73.4	60.3	109.0	81.6
3313	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5
3314	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3
3315	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5
3316	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2
...
3422	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5
3423	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7
3424	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3
3425	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6
3426	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7

115 rows × 20 columns

In [389]: `e=d[['JAN', 'FEB', 'MAR', 'APR', 'MAY']]`


Out[389]:

	JAN	FEB	MAR	APR	MAY
3312	7.0	50.2	0.0	12.1	38.9
3313	10.0	0.2	1.7	11.0	36.8
3314	30.0	0.1	0.0	3.6	80.5
3315	14.8	0.0	1.7	7.1	58.8
3316	6.5	6.8	17.0	18.3	44.2
...
3422	0.8	12.1	0.0	34.6	33.0
3423	2.7	0.0	2.5	32.7	38.8
3424	1.3	30.6	11.5	26.8	38.9
3425	0.2	0.7	12.5	5.1	46.7
3426	1.9	0.0	13.4	73.4	39.7

115 rows × 5 columns


In [390]:

Out[390]: <AxesSubplot:>



In [391]:

Out[391]: <seaborn.axisgrid.PairGrid at 0x2279ada8f10>




In [392]:

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```


```
    warnings.warn(msg, FutureWarning)
```

Out[392]: <AxesSubplot:xlabel='JAN', ylabel='Density'>




In [393]:

Out[393]: <AxesSubplot:>



In [394]:

Out[394]: <AxesSubplot:>



In [395]:

Out[395]: <AxesSubplot:ylabel='FEB'>

