Implementation Guide for CDA Release 2: Reporting Birth and Fetal Death Information from the EHR to Vital Records, Release 1

HL7 Draft Standard for Trial Use

Implementation guide: US Realm

Contents

Acknowledgments

This document contains specifications for using HL7's Clinical Document Architecture for reporting birth and fetal death information to vital records.

The content defined within this implementation guide is drawn from the US Standard Certificate of Live Birth, and from the US Standard Report of Fetal Death as revised November 2003.

This material contains content from LOINC® (http://loinc.org). The LOINC table, LOINC codes, and LOINC panels and forms file are copyright © 1995-2010, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and available at no cost under the license at http://loinc.org/terms-of-use .

The templates and content provided within this Implementation Guide have been checked against those defined within the Implementation Guide for CDA Release 2.0, Consolidated CDA Templates, December 2011.

Copyright © 2013 Health Level Seven International ® ALL RIGHTS RESERVED. The reproduction of this material in any form is strictly forbidden without the written permission of the publisher. HL7 and Health Level Seven are registered trademarks of Health Level Seven International. Reg. U.S. Pat & TM Off.

Use of this material is governed by HL7's IP Compliance Policy

Revision History

Rev	Date	By Whom	Changes
HL7 DSTU	March 2013	Mead Walker	Initial package prepared for HL7 Balloting
DSTU pre-publication	October 2013	Mead Walker	Revised submission based on ballot comments.

List of Figures

Chapter

1

INTRODUCTION

Topics:

- *Overview*
- *Approach*
- *Scope*
- *Audience*
- *Organization of This Guide*
- *Use of Templates*
- *Conventions Used in This Guide*

Overview

This implementation guide provides a format for using HL7's Clinical Document Architecture to transmit medical/ health information on live births and fetal deaths from birthing facilities and centers to a jurisdictional vital records electronic registration system. Vital Records birth certificates and fetal death reports include important demographic, medical and key information about the antepartum period, the labor and delivery process and the newborn or fetus. Medical and health information collected from Electronic Health Record (EHR) and data for the birth certificate and fetal death report once gathered, can be provided to public health agencies to track maternal and infant health populations of interest.

The document has been generated through creation of a UML model created to support CDA Release 2. The model exists within the environment created by the Open Health Tools (OHT) Model-Driven Health Tools (MDHT) project. This document was generated from the model using the features of the toolkit.

Approach

The document focuses on the use case describing the communication of that portion of the birth record or fetal death report collected by clinicians to appropriate local, state, and territorial vital statistics agencies using the HL7 Clinical Document Architecture. The goal of the implementation guide is to provide safe, reliable delivery of relevant clinical information to vital records. The use case supported by this implementation guide does not cover the data that is reported in Electronic Birth Registration Systems (EDRS). For fetal death reporting, the use case does not preclude medical examiners from using EHRs as a primary source for some of the clinical data that may be transmitted to an EDRS.

This use case is not intended to cover reporting to national public health agencies (NCHS).

The following assumption is a precondition for the use of this implementation guide: The data requirements for clinician supplied live birth or fetal death information are to be completed by the medical certifier according to the Edit Specifications for the U.S. Standard Certificate of Live Birth, or the US Standard Report of Fetal Death.. The applicable jurisdiction may have additional data requirements and edit specifications that will be addressed at the jurisdictional level.

The implementation guide has been developed with a primary reference to documentation created by the National Center for Health Statistics (CDC-NCHS). Content has been drawn from:

- US Standard Certification of Live Birth, Revised 11/2003
- US Standard Report of Fetal Death, Revised 11/2003
- Facility Worksheet for the Live Birth Certificate, Final 2/5/04
- Facility Worksheet for the Report of Fetal Death, Final 2/5/04
- Birth Edit Specifications for the 2003 Proposed Revision of the US Standard Certificate of Birth, (5/2004)
- Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death, 2003 revision (Updated March 2012)

It is expected that electronic health record systems that provide data for inclusion within clinical documents conformant to this implementation guide, may use the IHE (Interconnecting the Healthcare Enterprise) Birth and Fetal Death Reporting (BFDR) technical framework supplement as a guide to extracting the data. Therefore, we have sought to organize sections within this document, both to reflect the organization of the Facility Worksheets, and to correspond to the BFDR document. References to the corresponding IHE data structure will be provided where relevant.

Relationship to C-CDA

We have also used HL7's consolidated CDA (C-CDA) as a point of reference for developing the templates used within this guide. However, the focus of the reporting is rather different from that in the C-CDA documents: those provide an open structure to allow clininians to record relevant data for patient care across a wide range of institutional settings, while birth and fetal death reporting address a constrained data set whose content is tailord to the

specific needs of vital statistics. As a result, it was only possible to draw upon a few of the templates created for C-CDA. The descriptions of individual templates touch on their relationship to C-CDA where appropriate.

Standard Vocabulary

This guide calls for specific vocabulary standards for managing live birth and fetal death reporting information. Use of standard vocabularies is important for a number of reasons. Use of standard vocabularies allows broad distribution of healthcare information without the need for individual institutions to exchange master files for data such as test codes, result codes, etc. Each institution maps its own local vocabularies to the standard code, allowing information to be shared broadly, rather than remaining isolated as a single island of information.

Extending CDA Release 2

This Implementation Guide takes advantage of the extensions that have been defined to support the Consolidated CDA. Using these extensions, for example, makes it possible to record the identifier for a newborn. In order to take advantage of these features, it may be helpful to use the schemas, SDTC.xsd, CDA_SDTC.xsd, and POCD_MT000040_SDTC, that have been distributed as part of the Consolidated CDA distribution. It will also be necessary to declare the "sdtc" namespace that is used for this extension.

Scope

This specification covers the provision of live birth and fetal death reporting data to the applicable jurisdictional Vital Records Office. The guide focuses on the use case describing the form and content of that portion of the record collected by electronic health record systems for transmission to state/jurisdictional vital record offices. The goal of the use case is to provide safe, reliable delivery of relevant clinical information to vital records. The use case does not cover the data that is reported by the mother, or in the case of fetal death, by the funeral director. The use case covers events that are recorded by a birthing facility in an EHR. Planned or unplanned home births are generally not recorded by the hospital unless the mother is taken there immediately after birth for emergency medical care, and even in these cases, the home birth is usually filed by the home birth attendant. This use case is not intended to cover reporting to national public health agencies such as NCHS."

The following use case provides a common scenario for the recording of birth and fetal death events in a birthing hospital. For the birth record, prenatal care and pregnancy history information, such as the mother's last menstrual period (LMP), are obtained from the mother's prenatal records which are sent to the hospital by the prenatal care provider prior to the mother's estimated delivery date. Information about the labor and delivery and the infant (e.g., a spontaneous vaginal delivery of a girl weighing 3,242 grams) is documented by the nurse in the hospital's labor and delivery (L&D) log. Information about the labor and delivery and the newborn to be collected for the birth record is also documented by the nurse in the Facility Worksheet for the Child's Birth Certificate. The pediatrician documents the physical assessment in the newborn's medical record and the nurse then completes the newborn information sections of the Facility Worksheet.

The birth information specialist (BIS), the hospital staff person responsible for gathering and entering information for the birth certificate, checks the hospital's information system for a list of all new births. The staff person prints a copy of the list and takes it to the L&D unit where they pick up the Facility Worksheet completed by the nurse. The BIS then goes to the mother's room and presents her with a packet of information and several forms to complete. One of the forms, called the Mother's Worksheet for the Child's Birth Certificate, collects important demographic information on the mother and father. The BIS helps the mother complete the Mother's Worksheet. The BIS reviews the Facility Worksheet for completeness. If a section has not been completed, the L&D log, mother's prenatal care and other medical records are reviewed for the required information. If necessary, the the prenatal care provider is called in order to supply more information.

The BIS may enter the information from the Mother's and Facility worksheets into the State's web-based Electronic Birth Registration System (EBRS). At the time of data entry, the EBRS performs field edits and cross-field edits that are pre-programmed into the system. Once the record "passes" all validations, the BIS submits the record to the state for registration. The birth record is then automatically transmitted over a secure Internet connection to the State Office of Vital Records.

The vital records registrar reviews a list of newly transmitted birth records received from birthing facilities around his state. If there are records that have not passed all edits, the registrar contacts the hospital and requests that they correct and retransmit the birth record. The hospital corrects the birth record and retransmits. Once the birth record has passed all edits, the vital records registrar registers the baby's birth and the mother is provided with a certified copy of the birth certificate on request.

The process of collecting information at the hospital for the fetal death report is similar to that for birth. The labor and delivery nurse enters information in the medical records and completes the Facility Worksheet. The BIS is responsible for gathering and entering information into the Electronic Fetal Death Registration System (EFDRS) for the fetal death report. The nurse first checks the hospital's information system and learns about the mother's loss. The BIS obtains the completed Facility Worksheet from the nurse and helps the mother complete the Patient's Worksheet. The BIS may also contact the prenatal care provider to obtain the Mother's prenatal care information and the obstetrician to enter the cause of death in the system.

The hospital of birth will serve as the source for information drawn from the mother's and infant's electronic medical record. This data may be directly entered by the responsible person. Data items may also be extracted from the electronic record system used to support patient medical records. In such cases, we expect the IHE (Interconnecting the Health Enterprise) specifications for Labor and Delivery Profiles to be useful.

Audience

The audience for this document includes software developers and implementers who wish to develop specifications for reporting the vital records birth and fetal death information defined within this document.

Organization of This Guide

The requirements as laid out in the body of this document are subject to change per the policy on implementation guides (see section 13.02" Draft Standard for Trial Use Documents" within the HL7 Governance and Operations Manual, *http://www.hl7.org/documentcenter/public/membership/HL7_Governance_and_Operations_Manual.pdf*).

Templates

Templates are organized by document (see Document Templates), by section (see Section Templates), and by clinical statements (see Clinical Statement Templates). Within a section, templates are arranged hierarchically, where a more specific template is nested under the more generic template that it conforms to. See Templates by Containment for a listing of the higher level templates by containment; the appendix Templates Used in This Guide includes a table of all of the templates Organized Hierarchically.

Vocabulary and Value Sets

The Implementation Guide provides definition for the vocabulary items that are needed as content for those elements using coded data types. The use of coded types, and the precise expression of the valid content of code sets is essential to enable efficient processing of subject data report content, and to allow the proper use of the contained data. Within this guide, the vocabulary section documents the various act code values used to define structural elements - to identify particular acts or observations. It also defines the several value sets needed to constrain the semantic content of coded items. In principle, all the vocabulary needed to support subject data reporting would draw on a common set of concepts. This has been done wherever possible, and the Public Health Information Network (PHIN) Vocabulary Access and Distribution System (VADS) is used as the repository and source for the commonly agreed upon vocabulary items.

In a nunber of cases, the NCVS edit specifications for data collection allow the entry of "UNKNOWN" to represent the case in which desired information is not available. This concept is captured, within this implementation guide, through use of the nullFlavor - UNK".

Throughout this Implementation Guide, the bindings between coded attributes and the cited value sets are static, and the value sets are versioned as of the date of guide publication. If it proves necessary to make changes to these value sets, this will be recorded, either through published erata, or through issuing an updated version of the document.

Use of Templates

When valued in an instance, the template identifier (`templateId`) signals the imposition of a set of template-defined constraints. The value of this attribute provides a unique identifier for the templates in question.

Originator Responsibilities

An originator can apply a `templateId` to assert conformance with a particular template.

In the most general forms of CDA exchange, an originator need not apply a `templateId` for every template that an object in an instance document conforms to. This implementation guide asserts when `templateIds` are required for conformance.

Recipient Responsibilities

A recipient may reject an instance that does not contain a particular `templateId` (e.g., a recipient looking to receive only CCD documents can reject an instance without the appropriate `templateId`).

A recipient may process objects in an instance document that do not contain a `templateId` (e.g., a recipient can process entries that contain Observation acts within a Problems section, even if the entries do not have `templateIds`).

Conventions Used in This Guide

Conformance Requirements

Conformance statements are grouped and identified by the name of the template, along with the templateId and the context of the template (e.g., ClinicalDocument, section, observation), which specifies the element under constraint. If a template is a specialization of another template, its first constraint indicates the more general template. In all cases where a more specific template conforms to a more general template, asserting the more specific template also implies conformance to the more general template. An example is shown below.

Template name

```
[<type of template>: templateId <XXXX.XX.XXX.XXX>]
```

Description of the template will be here .....

1. Conforms to <The template name> Template (templateId: XXXX<XX>XXX>YYY).
2. **SHALL** contain [1..1] @classCode = <AAA> <code display name> (CodeSystem: 123.456.789 <XXX> Class) **STATIC** (CONF:<number>).
3. ....

Figure 1: Template name and "conforms to" appearance

The conformance verb keyword at the start of a constraint (**SHALL** , **SHOULD** , **MAY**, etc.) indicates business conformance, whereas the cardinality indicator (0..1, 1..1, 1..*, etc.) specifies the allowable occurrences within an instance. Thus, " **MAY** contain 0..1" and " **SHOULD** contain 0..1" both allow for a document to omit the particular component, but the latter is a stronger recommendation that the component be included if it is known.

The following cardinality indicators may be interpreted as follows:

0..1 as zero to one present
1..1 as one and only one present
2..2 as two must be present
1..* as one or more present
0..* as zero to many present

Value set bindings adhere to HL7 Vocabulary Working Group best practices, and include both a conformance verb (**SHALL** , **SHOULD** , **MAY,** etc.) and an indication of **DYNAMIC** vs. **STATIC** binding. The use of **SHALL** requires that the component be valued with a member from the cited value set; however, in every case any HL7 "null" value such as other (OTH) or unknown (UNK) may be used.

Each constraint is uniquely identified (e.g., "CONF:605") by an identifier placed at or near the end of the constraint. These identifiers are not sequential as they are based on the order of creation of the constraint.

1. **SHALL** contain [1..1] component/structuredBody (CONF:4082).

    a. This component/structuredBody **SHOULD** contain [0..1] component (CONF:4130) such that it

        a. **SHALL** contain [1..1] Reporting Parameters section (templateId:2.16.840.1.113883.10.20.17.2.1) (CONF:4131).

    b. This component/structuredBody **SHALL** contain [1..1] component (CONF:4132) such that it

        a. **SHALL** contain [1..1] Patient data section (templateId:2.16.840.1.113883.10.20.17.2.5) (CONF:4133).

Figure 2: Template-based conformance statements example

CCD templates are included within this implementation guide for ease of reference. CCD templates contained within this implementation guide are formatted WITHOUT typical **KEYWORD** and **XML** element styles. A WIKI site is available if you would like to make a comment to be considered for the next release of CCD: *http://wiki.hl7.org/index.php?title=CCD_Suggested_Enhancements* The user name and password are: wiki/wikiwiki. You will need to create an account to edit the page and add your suggestion.

1. The value for "Observation / @moodCode" in a problem observation SHALL be "EVN" 2.16.840.1.113883.5.1001 ActMood STATIC. (CONF: 814).
2. A problem observation SHALL include exactly one Observation / statusCode. (CONF: 815).
3. The value for "Observation / statusCode" in a problem observation SHALL be "completed" 2.16.840.1.113883.5.14 ActStatus STATIC. (CONF: 816).
4. A problem observation SHOULD contain exactly one Observation / effectiveTime, to indicate the biological timing of condition (e.g. the time the condition started, the onset of the illness or symptom, the duration of a condition). (CONF: 817).

Figure 3: CCD conformance statements example

Keywords

The keywords SHALL, SHALL NOT, SHOULD, SHOULD NOT, MAY, and NEED NOT in this document are to be interpreted as described in the *HL7 Version 3 Publishing Facilitator's Guide*:

• **SHALL**: an absolute requirement
• **SHALL NOT**: an absolute prohibition against inclusion
• **SHOULD/SHOULD NOT**: valid reasons to include or ignore a particular item, but must be understood and carefully weighed
• **MAY/NEED NOT**: truly optional; can be included or omitted as the author decides with no implications

Chapter

2

DOCUMENT TEMPLATES

Topics:

This section contains the document level constraints for CDA documents that are compliant with this implementation guide.

Reporting Birth Information from a clinical setting to vital records

[ClinicalDocument: templateId `2.16.840.1.113883.10.20.26.1`]

The document definition captures the information represented on the US Facility Worksheet for the Live Birth Certificate, which is used to record and register the birth of a child. In the United States, registration of vital events is the responsibility of 57 vital records jurisdictions representing 50 states, 5 territories, Washington, DC and New York City. Vital statistics are reported to the National Center for Health Statistics, a Center within the Centers for Disease Control and Prevention (CDC). The experience of state and federal vital records officials has been drawn on for the contents of the document.

A custom header has been used - as compared to the Consolidated US Realm header - because of the substantial differences in the underlying use case. For vital records purposes, basic identification only of the record target is provided. However, the more detailed demographics information required for Consolidated CDA is not included within the facilities work sheet which provides the data content of this stream of reporting.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.1"
2. Contains exactly one [1..1] **@classCode**="DOCCLIN" (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`)

   • *The code value indicates this is a clincial document.*
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:4)

   • *The value indicates the included information refers to an existing document - as opposed to an intended one.*
4. **SHALL** contain exactly one [1..1] **realmCode** (CONF:1)**/@code**="USA" (CodeSystem: `1.0.3166.1 Country (ISO 3166-1)`) (CONF:2)

   • *The realm that the document is relevant for. This specification is a US realm product.*
5. **SHALL** contain exactly one [1..1] **typeId** (CONF:3)

   • *Type ID root = 2.16.840.1.113003.1.3.*
   Type ID extension = "POCD_HD000040.
6. **SHALL** contain exactly one [1..1] **id** (CONF:5)

   • *Provide the identifier assigned to the document by the healthcare provider acting as a custodian of the information. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.*
7. **SHALL** contain exactly one [1..1] **code** (CONF:6)**/@code**="68998-4" *U.S. standard certificate of live birth - 2003 revision* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`) (CONF:7)

   • *The value provided indicates that the document is a live birth report.*
8. **SHALL** contain exactly one [1..1] **title** (CONF:8)

   • *A text title for the document. The title may be either a locally defined name or the display name corresponding to clinicalDocument/code.*
9. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:9)

   • *The point in time the document was created at.*
10. **SHALL** contain exactly one [1..1] **confidentialityCode** (CONF:10), where the @code **SHALL** be selected from (CodeSystem: `2.16.840.1.113883.5.25 Confidentiality`) (CONF:11)

    • *An indication of the level of confidentiality with which the document needs to be managed.*
11. **SHALL** contain exactly one [1..1] **languageCode** (CONF:12)

    • *The language used for recording information within the document.*
12. **SHALL** contain exactly one [1..1] **recordTarget** (CONF:13)

Information to identify the mother of the child.

   a. This recordTarget **SHALL** contain exactly one [1..1] **@typeCode**="RCT" (CONF:23)

   b. This recordTarget **SHALL** contain exactly one [1..1] **patientRole** (CONF:24)

      a. This patientRole **SHALL** contain exactly one [1..1] **@classCode**="PAT" (CONF:28)

      b. This patientRole **SHOULD** contain zero or one [0..1] **addr** (CONF:25)

      The current postal address for the mother.

      c. This patientRole **SHALL** contain exactly one [1..1] **id** (CONF:26)

      The medical record number assigned to the mother by the health care facility. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

      d. This patientRole **SHALL** contain exactly one [1..1] **patient** (CONF:27)

         a. This patient **SHALL** contain exactly one [1..1] **@classCode**="PSN" (CONF:29)

         b. This patient **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:30)

         c. This patient **SHALL** contain exactly one [1..1] **name** (CONF:31)

         The name of the mother.

13. **SHALL** contain exactly one [1..1] **author** (CONF:14)

The author participation contains information about the person who authored the document. This is the person who verifies/approves the accuracy of the data to be sent to the vital records system.

   a. This author Contains exactly one [1..1] **@typeCode**="AUT"

   b. This author **SHALL** contain exactly one [1..1] **assignedAuthor** (CONF:21)

      a. This assignedAuthor **SHALL** contain exactly one [1..1] **id** (CONF:22)

      An identifier for the author of the live birth report. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

14. **SHALL** contain exactly one [1..1] **custodian** (CONF:15)

The custodian represents the organization that is in charge of maintaining the document. The custodian is the steward that is entrusted with the care of the document. Every CDA document has exactly one custodian.

   a. This custodian **SHALL** contain exactly one [1..1] **@typeCode**="CST" (CONF:32)

   b. This custodian **SHALL** contain exactly one [1..1] **assignedCustodian** (CONF:33)

      a. This assignedCustodian **SHALL** contain exactly one [1..1] **@classCode**="ASSIGNED" (CONF:34)

      b. This assignedCustodian Contains exactly one [1..1] **representedCustodianOrganization**

         a. This representedCustodianOrganization **SHALL** contain exactly one [1..1] **@classCode**="ORG" (CONF:35)

         b. This representedCustodianOrganization **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:36)

         c. This representedCustodianOrganization **SHALL** contain exactly one [1..1] **id** (CONF:37)

         An identifier for the custodian organization. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

15. **SHALL** contain exactly one [1..1] **component** (CONF:16)

   a. Contains exactly one [1..1] *Prenatal Testing and Surveillance Section* (templateId: `2.16.840.1.113883.10.20.26.3`)

16. **SHALL** contain exactly one [1..1] **component** (CONF:17)

   a. Contains exactly one [1..1] *Prior Pregnancy History Section* (templateId: `2.16.840.1.113883.10.20.26.12`)

17. **SHALL** contain exactly one [1..1] **component**

  a. Contains exactly one [1..1] *History of Infection - Live Birth Section* (templateId:
  2.16.840.1.113883.10.20.26.5)

18. **SHALL** contain exactly one [1..1] **component** (CONF:20)

  a. Contains exactly one [1..1] *Labor and Delivery Section* (templateId:
  2.16.840.1.113883.10.20.26.8)

19. **SHALL** contain exactly one [1..1] **component** (CONF:19)

  a. Contains exactly one [1..1] *Newborn Delivery Section* (templateId:
  2.16.840.1.113883.10.20.26.10)

Reporting Birth Information from a clinical setting to vital records example

```xml
<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
 classCode="DOCCLIN" moodCode="EVN">
 <realmCode code="USA"/>
 <typeId root="2.16.840.1.113883.1.3"/>
 <templateId root="2.16.840.1.113883.10.20.26.1"/>
 <id root="MDHT" extension="653691886"/>
 <code code="68998-4" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="U.S. standard certificate of live birth
- 2003 revision"/>
 <title>TEXT FOR TITLE</title>
 <effectiveTime/>
 <confidentialityCode code="1234202822"/>
 <languageCode code="Code forlanguageCode"/>
 <recordTarget typeCode="RCT">
   <patientRole classCode="PAT">
     <id root="MDHT" extension="1523367755"/>
     <addr/>
     <patient classCode="PSN" determinerCode="INSTANCE"/>
   </patientRole>
 </recordTarget>
 <author typeCode="AUT">
   <time/>
   <assignedAuthor>
     <id root="MDHT" extension="1803736159"/>
   </assignedAuthor>
 </author>
 <custodian typeCode="CST">
   <assignedCustodian classCode="ASSIGNED">
     <representedCustodianOrganization classCode="ORG"
determinerCode="INSTANCE"/>
   </assignedCustodian>
 </custodian>
 <component>
   <structuredBody>
     <component>
       <section/>
     </component>
     <component>
       <section classCode="DOCSECT" moodCode="EVN">
         <realmCode code="Code forrealmCode"/>
         <typeId root="2.16.840.1.113883.1.3"/>
         <templateId root="2.16.840.1.113883.10.20.26.12"/>
         <id root="MDHT" extension="116872725"/>
         <code code="57073-9" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Prenatal events"/>
         <title>TEXT FOR TITLE</title>
         <confidentialityCode code="1351319452"/>
```

```
            <languageCode code="Code forlanguageCode"/>
            <entry>
              <observation/>
            </entry>
            <entry>
              <observation classCode="OBS" moodCode="EVN">
                <realmCode code="Code forrealmCode"/>
                <typeId root="2.16.840.1.113883.1.3"/>
                <templateId root="2.16.840.1.113883.10.20.26.33"/>
                <id root="MDHT" extension="446575268"/>
                <code code="8665-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Date last menstrual period"/>
                <effectiveTime>
                  <low value="2013"/>
                  <high value="2013"/>
                </effectiveTime>
                <languageCode code="Code forlanguageCode"/>
              </observation>
            </entry>
            <entry>
              <observation/>
            </entry>
            <entry>
              <observation/>
            </entry>
            <entry>
              <observation classCode="OBS" moodCode="EVN">
                <realmCode code="Code forrealmCode"/>
                <typeId root="2.16.840.1.113883.1.3"/>
                <templateId root="2.16.840.1.113883.10.20.26.40"/>
                <id root="MDHT" extension="859248681"/>
                <code code="69043-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Other pregnancy outcomes"/>
                <effectiveTime>
                  <low value="2013"/>
                  <high value="2013"/>
                </effectiveTime>
                <languageCode code="Code forlanguageCode"/>
              </observation>
            </entry>
            <entry>
              <observation/>
            </entry>
          </section>
        </component>
        <component>
          <section>
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <id root="MDHT" extension="1677653398"/>
            <code code="194630422"/>
            <title>TEXT FOR TITLE</title>
            <confidentialityCode code="22517295"/>
            <languageCode code="Code forlanguageCode"/>
            <subject typeCode="SBJ">
              <relatedSubject classCode="PRS">
                <code code="CHILD" codeSystem="2.16.840.1.113883.5.111"
codeSystemName="RoleCode"/>
              </relatedSubject>
            </subject>
            <entry>
              <observation classCode="OBS" moodCode="EVN">
                <realmCode code="Code forrealmCode"/>
                <typeId root="2.16.840.1.113883.1.3"/>
```

```xml
            <templateId root="2.16.840.1.113883.10.20.26.16"/>
            <id root="MDHT" extension="843336855"/>
            <code code="73771-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth order"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
          </observation>
        </entry>
        <entry>
          <observation/>
        </entry>
        <entry>
          <observation classCode="OBS" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.19"/>
            <id root="MDHT" extension="448502652"/>
            <code code="73780-9" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMEDCT" displayName="Congenital anomalies of the
newborn"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
            <entryRelationship typeCode="COMP"/>
            <entryRelationship typeCode="COMP"/>
          </observation>
        </entry>
        <entry>
          <observation/>
        </entry>
        <entry>
          <observation classCode="OBS" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.28"/>
            <id root="MDHT" extension="722384844"/>
            <code code="73757-7" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Infant living at time of report"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
          </observation>
        </entry>
        <entry>
          <observation classCode="OBS" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.27"/>
            <id root="MDHT" extension="501973084"/>
            <code code="73756-9" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Infant is being breastfed at
discharge"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
```

```
            </observation>
          </entry>
          <entry>
            <observation classCode="OBS" moodCode="EVN">
              <realmCode code="Code forrealmCode"/>
              <typeId root="2.16.840.1.113883.1.3"/>
              <templateId root="2.16.840.1.113883.10.20.26.29"/>
              <id root="MDHT" extension="345350858"/>
              <code code="73758-5" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Infant was transferred within 24 hours
of delivery"/>
              <effectiveTime>
                <low value="2013"/>
                <high value="2013"/>
              </effectiveTime>
              <languageCode code="Code forlanguageCode"/>
              <participant typeCode="DST"/>
            </observation>
          </entry>
          <entry>
            <observation classCode="OBS" moodCode="EVN">
              <realmCode code="Code forrealmCode"/>
              <typeId root="2.16.840.1.113883.1.3"/>
              <templateId root="2.16.840.1.113883.10.20.26.41"/>
              <id root="MDHT" extension="478157880"/>
              <code code="57722-1" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth plurality"/>
              <effectiveTime>
                <low value="2013"/>
                <high value="2013"/>
              </effectiveTime>
              <languageCode code="Code forlanguageCode"/>
            </observation>
          </entry>
          <component>
            <section>
              <realmCode code="Code forrealmCode"/>
              <typeId root="2.16.840.1.113883.1.3"/>
              <id root="MDHT" extension="1563779457"/>
              <code code="87912587"/>
              <title>TEXT FOR TITLE</title>
              <confidentialityCode code="1277575451"/>
              <languageCode code="Code forlanguageCode"/>
              <entry>
                <observation classCode="OBS" moodCode="EVN">
                  <templateId root="2.16.840.1.113883.10.20.26.46"/>
                  <code codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC"/>
                </observation>
              </entry>
            </section>
          </component>
          <component>
            <section classCode="DOCSECT" moodCode="EVN">
              <realmCode code="Code forrealmCode"/>
              <typeId root="2.16.840.1.113883.1.3"/>
              <templateId root="2.16.840.1.113883.10.20.26.9"/>
              <id root="MDHT" extension="1851777688"/>
              <code code="51848-0" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Assessment Note"/>
              <title>TEXT FOR TITLE</title>
              <confidentialityCode code="1886752128"/>
              <languageCode code="Code forlanguageCode"/>
              <entry>
```

```
                <observation classCode="OBS" moodCode="EVN">
                  <templateId root="2.16.840.1.113883.10.20.26.47"/>
                  <code codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC"/>
                </observation>
              </entry>
            </section>
          </component>
        </section>
      </component>
      <component>
        <section/>
      </component>
      <component>
        <section/>
      </component>
    </structuredBody>
  </component>
</ClinicalDocument>
```

Reporting Fetal Death Information from a clinical setting to vital records

[ClinicalDocument: templateId `2.16.840.1.113883.10.20.26.2`]

The document definition captures the information represented on the US Facility Worksheet for the Report of Fetal Death, which is used to record and register the birth of a child. In the United States, registration of vital events is the responsibility of 57 vital records jurisdictions representing 50 states, 5 territories, Washington, DC and New York City. Vital statistics are reported to the National Center for Health Statistics, a Center within the Centers for Disease Control and Prevention (CDC). The experience of state and federal vital records officials has been drawn on for the contents of the document.

The 1992 Revision of the Model State Vital Statistics Act and Regulations (1) recommends the following definition of fetal death. This definition is based on the definition promulgated by the World Health Organization in 1950 and revised in 1988 by a working group formed by the American Academy of Pediatrics and the American College of Obstetricians and Gynecologists (2). The revision added clarifiers to help determine what is to be considered a fetal death:
"Fetal death" means death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy and which is not an induced termination of pregnancy. The death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.
Forty-one areas use a definition very similar to this definition, thirteen areas use a shortened definition of fetal death, and three areas have no formal definition of fetal death. (State Definitions and Reporting Requirements for
Live Births, Fetal Deaths, and INduced Terminations of Pregnancy 1997 Revision, US Department of Health and Human
Services, Centers for Disease Control and Prevention, National Center for Health Statistics)

A custom header has been used - as compared to the Consolidated US Realm header - because of the substantial differences in the underlying use case. For vital records purposes, basic identification only of the record target is provided. However, the more detailed demographics information required for Consolidated CDA is not included within the facilities work sheet which provides the data content of this stream of reporting.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.2"

2. **SHALL** contain exactly one [1..1] **@classCode**="DOCCLIN" (CodeSystem: `2.16.840.1.113883.5.6` HL7ActClass) (CONF:142)

   - *The code value indicates this is a clincial document.*

3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:143)

   - *The value indicates the included information refers to an existing document - as opposed to an intended one.*

4. **SHALL** contain exactly one [1..1] **realmCode** (CONF:139)**/@code**="US" (CodeSystem: `1.0.3166.1 Country (ISO 3166-1)`) (CONF:140)

   - *The realm that the document is relevant for. This specification is a US realm product.*

5. **SHALL** contain exactly one [1..1] **typeId** (CONF:141)

   - *Type ID root = 2.16.840.1.113003.1.3.*
     Type ID extension = "POCD_HD000040.

6. **SHALL** contain exactly one [1..1] **id** (CONF:144)

   - *Provide the identifier assigned to the document by the healthcare provider acting as a custodian of the information. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.*

7. **SHALL** contain exactly one [1..1] **code** (CONF:145)**/@code**="69045-3" *U.S. stanard report of fetal death - 2003 revision* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`) (CONF:146)

   - *The value provided indicates that the document is a report of fetal death.*

8. **SHALL** contain exactly one [1..1] **title** (CONF:147)

   - *A text title for the document. The title may be either a locally defined name or the display name corresponding to clinicalDocument/code.*

9. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:148)

   - *The point in time the document was created at.*

10. **SHALL** contain exactly one [1..1] **confidentialityCode** (CONF:149), where the @code **SHALL** be selected from (CodeSystem: `2.16.840.1.113883.5.25 Confidentiality`) (CONF:150)

    - *An indication of the level of confidentiality with which the document needs to be managed.*

11. **SHALL** contain exactly one [1..1] **languageCode** (CONF:151)

    - *The language used for recording information within the document.*

12. **SHALL** contain exactly one [1..1] **recordTarget** (CONF:152)

    a. This recordTarget **SHALL** contain exactly one [1..1] **@typeCode**="RCT" (CONF:164)
    b. This recordTarget **SHALL** contain exactly one [1..1] **patientRole** (CONF:165)

       a. This patientRole **SHALL** contain exactly one [1..1] **@classCode**="PAT" (CONF:169)
       b. This patientRole **SHOULD** contain zero or one [0..1] **addr** (CONF:166)

          The current postal address for the mother.
       c. This patientRole **SHALL** contain exactly one [1..1] **id** (CONF:167)

          The medical record number assigned to the mother by the health care facility. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.
       d. This patientRole **SHALL** contain exactly one [1..1] **patient** with data type *Patient* (CONF:168)

13. **SHALL** contain exactly one [1..1] **author** (CONF:153)

    The author participation contains information about the person who authored the document. This is the person who verifies/approves the accuracy of the data to be sent to the vital records system.

    a. This author **SHALL** contain exactly one [1..1] **@typeCode**="AUT" (CONF:160)
    b. This author **SHALL** contain exactly one [1..1] **assignedAuthor** (CONF:161)

       a. This assignedAuthor **SHALL** contain exactly one [1..1] **@classCode**="ASSIGNED" (CONF:162)

    b. This assignedAuthor **SHALL** contain exactly one [1..1] **id** (CONF:163)

      An identifier for the author of the fetal death report. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

14. SHALL contain exactly one [1..1] **custodian** (CONF:154)

  a. This custodian **SHALL** contain exactly one [1..1] **@typeCode**="CST" (CONF:173)

  b. This custodian **SHALL** contain exactly one [1..1] **assignedCustodian** (CONF:174)

    a. This assignedCustodian **SHALL** contain exactly one [1..1] **@classCode**="ASSIGNED" (CONF:175)

    b. This assignedCustodian **SHALL** contain exactly one [1..1] **representedCustodianOrganization** (CONF:176)

      a. This representedCustodianOrganization **SHALL** contain exactly one [1..1] **@classCode**="ORG" (CONF:177)

      b. This representedCustodianOrganization **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:178)

      c. This representedCustodianOrganization **SHALL** contain exactly one [1..1] **id** (CONF:179)

      An identifier for the custodian organization. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

15. SHALL contain exactly one [1..1] **component** (CONF:157)

  a. Contains exactly one [1..1] *Prenatal Testing and Surveillance Section* (templateId: 2.16.840.1.113883.10.20.26.3)

16. SHALL contain exactly one [1..1] **component** (CONF:158)

  a. Contains exactly one [1..1] *Prior Pregnancy History Section* (templateId: 2.16.840.1.113883.10.20.26.12)

17. SHALL contain exactly one [1..1] **component**

  a. Contains exactly one [1..1] *History of Infection - Fetal Death Section* (templateId: 2.16.840.1.113883.10.20.26.48)

18. SHALL contain exactly one [1..1] **component** (CONF:155)

  a. Contains exactly one [1..1] *Labor and Delivery Section* (templateId: 2.16.840.1.113883.10.20.26.8)

19. SHALL contain exactly one [1..1] **component** (CONF:156)

  a. Contains exactly one [1..1] *Fetal Delivery Section* (templateId: 2.16.840.1.113883.10.20.26.4)

Reporting Fetal Death Information from a clinical setting to vital records example

```xml
<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
 classCode="DOCCLIN" moodCode="EVN">
  <realmCode code="US"/>
  <typeId root="2.16.840.1.113883.1.3"/>
  <templateId root="2.16.840.1.113883.10.20.26.2"/>
  <id root="MDHT" extension="35821525"/>
  <code code="69045-3" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="U.S. stanard report of fetal death -
2003 revision"/>
  <title>TEXT FOR TITLE</title>
  <effectiveTime/>
  <confidentialityCode code="1660896409"/>
  <languageCode code="Code forlanguageCode"/>
  <recordTarget typeCode="RCT">
    <patientRole classCode="PAT">
      <id root="MDHT" extension="698664666"/>
      <addr/>
```

```
        </patientRole>
    </recordTarget>
    <author typeCode="AUT">
      <time/>
      <assignedAuthor classCode="ASSIGNED">
        <id root="MDHT" extension="1036791837"/>
      </assignedAuthor>
    </author>
    <custodian typeCode="CST">
      <assignedCustodian classCode="ASSIGNED">
        <representedCustodianOrganization classCode="ORG"
determinerCode="INSTANCE"/>
      </assignedCustodian>
    </custodian>
    <component>
      <structuredBody>
        <component>
          <section/>
        </component>
        <component>
          <section classCode="DOCSECT" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.4"/>
            <id root="MDHT" extension="401298223"/>
            <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
            <title>TEXT FOR TITLE</title>
            <confidentialityCode code="2116001739"/>
            <languageCode code="Code forlanguageCode"/>
            <subject typeCode="SBJ">
              <relatedSubject classCode="PRS"/>
            </subject>
            <entry>
              <observation classCode="OBS" moodCode="EVN">
                <realmCode code="Code forrealmCode"/>
                <typeId root="2.16.840.1.113883.1.3"/>
                <templateId root="2.16.840.1.113883.10.20.26.16"/>
                <id root="MDHT" extension="1596035180"/>
                <code code="73771-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth order"/>
                <effectiveTime>
                  <low value="2013"/>
                  <high value="2013"/>
                </effectiveTime>
                <languageCode code="Code forlanguageCode"/>
              </observation>
            </entry>
            <entry>
              <observation/>
            </entry>
            <entry>
              <observation classCode="OBS" moodCode="EVN">
                <realmCode code="Code forrealmCode"/>
                <typeId root="2.16.840.1.113883.1.3"/>
                <templateId root="2.16.840.1.113883.10.20.26.15"/>
                <id root="MDHT" extension="1246230977"/>
                <code code="73768-4" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Autopsy was performed"/>
                <effectiveTime>
                  <low value="2013"/>
                  <high value="2013"/>
                </effectiveTime>
                <languageCode code="Code forlanguageCode"/>
                <entryRelationship typeCode="COMP"/>
```

```
            <entryRelationship typeCode="COMP"/>
          </observation>
        </entry>
        <entry>
          <observation moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.22"/>
            <id root="MDHT" extension="110888387"/>
            <code code="73811-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Estimated time of fetal death"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
          </observation>
        </entry>
        <entry>
          <observation classCode="OBS" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.41"/>
            <id root="MDHT" extension="796602406"/>
            <code code="57722-1" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth plurality"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
          </observation>
        </entry>
        <entry>
          <observation classCode="OBS" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.19"/>
            <id root="MDHT" extension="105898607"/>
            <code code="73780-9" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMEDCT" displayName="Congenital anomalies of the
newborn"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
            <languageCode code="Code forlanguageCode"/>
            <entryRelationship typeCode="COMP"/>
            <entryRelationship typeCode="COMP"/>
          </observation>
        </entry>
        <entry>
          <observation classCode="OBS" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.23"/>
            <id root="MDHT" extension="263814620"/>
            <code code="11778-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Delivery date for patient selected by
practitioner using all pertinent information"/>
            <effectiveTime>
              <low value="2013"/>
              <high value="2013"/>
            </effectiveTime>
```

```
                    <languageCode code="Code forlanguageCode"/>
                    <participant typeCode="LOC"/>
                </observation>
            </entry>
        </section>
    </component>
    <component>
        <section/>
    </component>
    <component>
        <section classCode="DOCSECT" moodCode="EVN">
            <realmCode code="Code forrealmCode"/>
            <typeId root="2.16.840.1.113883.1.3"/>
            <templateId root="2.16.840.1.113883.10.20.26.12"/>
            <id root="MDHT" extension="1786281907"/>
            <code code="57073-9" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Prenatal events"/>
            <title>TEXT FOR TITLE</title>
            <confidentialityCode code="1607639347"/>
            <languageCode code="Code forlanguageCode"/>
            <entry>
                <observation/>
            </entry>
            <entry>
                <observation classCode="OBS" moodCode="EVN">
                    <realmCode code="Code forrealmCode"/>
                    <typeId root="2.16.840.1.113883.1.3"/>
                    <templateId root="2.16.840.1.113883.10.20.26.33"/>
                    <id root="MDHT" extension="37628288"/>
                    <code code="8665-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Date last menstrual period"/>
                    <effectiveTime>
                        <low value="2013"/>
                        <high value="2013"/>
                    </effectiveTime>
                    <languageCode code="Code forlanguageCode"/>
                </observation>
            </entry>
            <entry>
                <observation/>
            </entry>
            <entry>
                <observation/>
            </entry>
            <entry>
                <observation classCode="OBS" moodCode="EVN">
                    <realmCode code="Code forrealmCode"/>
                    <typeId root="2.16.840.1.113883.1.3"/>
                    <templateId root="2.16.840.1.113883.10.20.26.40"/>
                    <id root="MDHT" extension="1184332069"/>
                    <code code="69043-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Other pregnancy outcomes"/>
                    <effectiveTime>
                        <low value="2013"/>
                        <high value="2013"/>
                    </effectiveTime>
                    <languageCode code="Code forlanguageCode"/>
                </observation>
            </entry>
            <entry>
                <observation/>
            </entry>
        </section>
    </component>
```

```
      <component>
        <section/>
      </component>
    </structuredBody>
  </component>
</ClinicalDocument>
```

Chapter

3

SECTION TEMPLATES

Topics:

Fetal Delivery Section

[Section: templateId `2.16.840.1.113883.10.20.26.4`]

The section contains information on the delivered fetus. Note, if there is a multiple delivery, there will be a separate report for each delivered fetus. The content of the section is drawn from labor and delivery records and from the patient's medical record.

The reader should note that the subject of this section - the delivered fetus - is different from the overall subject of the clinical document - which is the mother.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

    a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.4"
2. **SHALL** contain exactly one [1..1] **@classCode**="DOCSECT" (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`) (CONF:76)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:78)
4. **SHALL** contain exactly one [1..1] **code**, where the @code **SHALL** be selected from (CodeSystem: `2.16.840.1.113883.6.1 LOINC`) (CONF:77)

    •   *A code value that indicates the nature of the section - it contains information regarding the delivered fetus.*
5. **SHALL** contain exactly one [1..1] **text** (CONF:79)

    •   *The text entry is drawn from the structured content contained within the entries of this section. Text is required to provide human readible content.*
6. **SHALL** contain exactly one [1..1] **subject**

    a. This subject **SHALL** contain exactly one [1..1] **@typeCode**="SBJ" (CONF:65)

    b. This subject **SHALL** contain exactly one [1..1] **relatedSubject**

       a. This relatedSubject **SHALL** contain exactly one [1..1] **@classCode**="PRS" (CONF:67)

       b. This relatedSubject **SHALL** contain exactly one [1..1] **subject**

          a. This subject **SHALL** contain exactly one [1..1] **@classCode**="PSN" (CONF:69)

          b. This subject **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:70)

          c. This subject **MAY** contain zero or one [0..1] **name** (CONF:72)

          A name provided for the fetus.

          d. This subject **SHALL** contain exactly one [1..1] **administrativeGenderCode** (CONF:73), where the @code **SHALL** be selected from (CodeSystem: `2.16.840.1.113883.5.1 AdministrativeGenderCode`) (CONF:74)
7. **SHALL** contain exactly one [1..1] **entry** (CONF:81)

    a. Contains exactly one [1..1] *Plurality* (templateId: `2.16.840.1.113883.10.20.26.41`)
8. **SHALL** contain exactly one [1..1] **entry** (CONF:82)

    •   *Record birth order if not a single delivery.*

    a. Contains exactly one [1..1] *Birth Order* (templateId: `2.16.840.1.113883.10.20.26.16`)
9. **SHALL** contain exactly one [1..1] **entry** (CONF:83)

    a. Contains exactly one [1..1] *Number of Infants Born Alive* (templateId: `2.16.840.1.113883.10.20.26.37`)
10. **SHOULD** contain zero or one [0..1] **entry** (CONF:85)

    a. Contains exactly one [1..1] *Autopsy Performance* (templateId: `2.16.840.1.113883.10.20.26.15`)
11. **SHALL** contain exactly one [1..1] **entry** (CONF:86)

    a. Contains exactly one [1..1] *Fetal Death Occurrance* (templateId: `2.16.840.1.113883.10.20.26.22`)

12. SHALL contain at least one [1..*] **entry** (CONF:87)

- *There may be multiple congenital anomalies recorded. At least one observation will be present in the case that none are present.*

    a. Contains exactly one [1..1] *Congenital Anomaly* (templateId: 2.16.840.1.113883.10.20.26.19)

13. SHALL contain exactly one [1..1] **entry** (CONF:88)

    a. Contains exactly one [1..1] *Fetal Delivery Time* (templateId: 2.16.840.1.113883.10.20.26.23)

Fetal Delivery Section example

```xml
<section xmlns="urn:hl7-org:v3" classCode="DOCSECT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.4"/>
  <id root="MDHT" extension="1719287646"/>
  <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
  <title>TEXT FOR TITLE</title>
  <text/>
  <subject typeCode="SBJ">
    <relatedSubject classCode="PRS">
      <subject classCode="PSN" determinerCode="INSTANCE">
        <administrativeGenderCode codeSystem="2.16.840.1.113883.5.1"
 codeSystemName="AdministrativeGenderCode"/>
      </subject>
    </relatedSubject>
  </subject>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.16"/>
      <id root="MDHT" extension="1301201328"/>
      <code code="73771-8" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Birth order"/>
      <text>Text Value</text>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
    </observation>
  </entry>
  <entry>
    <observation/>
  </entry>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.15"/>
      <id root="MDHT" extension="887625056"/>
      <code code="73768-4" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Autopsy was performed"/>
      <text>Text Value</text>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
      <entryRelationship typeCode="COMP">
        <observation>
          <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
        </observation>
      </entryRelationship>
      <entryRelationship typeCode="COMP">
        <observation>
          <code code="73767-6" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Histological placental examination was
 performed"/>
```

```
            </observation>
         </entryRelationship>
       </observation>
   </entry>
   <entry>
     <observation moodCode="EVN">
       <templateId root="2.16.840.1.113883.10.20.26.22"/>
       <id root="MDHT" extension="750604880"/>
       <code code="73811-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Estimated time of fetal death"/>
       <text>Text Value</text>
       <effectiveTime>
         <low value="2013"/>
         <high value="2013"/>
       </effectiveTime>
     </observation>
   </entry>
   <entry>
     <observation classCode="OBS" moodCode="EVN">
       <templateId root="2.16.840.1.113883.10.20.26.41"/>
       <id root="MDHT" extension="352215552"/>
       <code code="57722-1" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth plurality"/>
       <text>Text Value</text>
       <effectiveTime>
         <low value="2013"/>
         <high value="2013"/>
       </effectiveTime>
     </observation>
   </entry>
   <entry>
     <observation classCode="OBS" moodCode="EVN">
       <templateId root="2.16.840.1.113883.10.20.26.19"/>
       <id root="MDHT" extension="1350974381"/>
       <code code="73780-9" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMEDCT" displayName="Congenital anomalies of the
newborn"/>
       <text>Text Value</text>
       <effectiveTime>
         <low value="2013"/>
         <high value="2013"/>
       </effectiveTime>
       <entryRelationship typeCode="COMP">
         <observation classCode="OBS" moodCode="EVN">
           <code code="73779-1" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Down syndrome karyotype status"/>
         </observation>
       </entryRelationship>
       <entryRelationship typeCode="COMP">
         <observation classCode="OBS" moodCode="EVN">
           <code code="73778-3" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Suspected chromosomal disorder
karyotype status"/>
         </observation>
       </entryRelationship>
     </observation>
   </entry>
   <entry>
     <observation classCode="OBS" moodCode="EVN">
       <templateId root="2.16.840.1.113883.10.20.26.23"/>
       <id root="MDHT" extension="509467948"/>
       <code code="11778-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Delivery date for patient selected by
practitioner using all pertinent information"/>
```

```
        <text>Text Value</text>
        <effectiveTime>
          <low value="2013"/>
          <high value="2013"/>
        </effectiveTime>
        <participant typeCode="LOC">
          <participantRole classCode="SDLOC">
            <code codeSystem="2.16.840.1.113883.6.96"
  codeSystemName="SNOMEDCT"/>
          </participantRole>
        </participant>
      </observation>
    </entry>
 </section>
```

Labor and Delivery Section

[Section: templateId `2.16.840.1.113883.10.20.26.8`]

This section SHALL contain information pertinent to the labor and delivery process and outcome (e.g. type of labor, method of delivery, membrane detail, placenta detail, admission reason, gestational age at delivery, fetal surveillance, labor complications, and delivery complications). This section shall include the following sections: Procedures and Interventions, Vital Signs, and Event Outcomes subsections.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.8"
2. **SHALL** contain exactly one [1..1] **@classCode**="DOCSECT" (CodeSystem: `2.16.840.1.113883.5.6` HL7ActClass) (CONF:43)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001` HL7ActMood) (CONF:45)
4. **SHALL** contain exactly one [1..1] **code/@code**="34079-4" *Labor and delivery section* (CodeSystem: `2.16.840.1.113883.6.1` LOINC) (CONF:44)

   • *A code value that indicates the nature of the section - it is the labor and delivery section.*
5. **SHALL** contain exactly one [1..1] **text** (CONF:46)

   • *The text entry is drawn from the structured content contained within the entries of this section. Text is required to provide human readible content.*
6. **SHALL** contain exactly one [1..1] **entry** (CONF:47)

   a. Contains exactly one [1..1] *Labor and Delivery Information* (templateId: `2.16.840.1.113883.10.20.26.31`)
7. **MAY** contain zero or more [0..*] **entry** (CONF:48)

   • *Onset of labor information is collected for a live birth certificate, but not for a fetal death report.*

   a. Contains exactly one [1..1] *Onset of Labor* (templateId: `2.16.840.1.113883.10.20.26.32`)
8. **SHALL** contain exactly one [1..1] **component** (CONF:50)

   a. Contains exactly one [1..1] *Labor and Delivery Procedure Section* (templateId: `2.16.840.1.113883.10.20.26.7`)
9. **SHALL** contain exactly one [1..1] **component**

   a. Contains exactly one [1..1] *Mothers Vital Signs Section* (templateId: `2.16.840.1.113883.10.20.26.9`)

Labor and Delivery Section example

```
<section xmlns="urn:hl7-org:v3" classCode="DOCSECT" moodCode="EVN">
```

```
     <templateId root="2.16.840.1.113883.10.20.26.8"/>
     <id root="MDHT" extension="346944824"/>
     <code code="34079-4" codeSystem="2.16.840.1.113883.6.1"
    codeSystemName="LOINC" displayName="Labor and delivery section"/>
     <title>TEXT FOR TITLE</title>
     <text/>
     <entry>
       <act/>
     </entry>
     <entry>
       <observation/>
     </entry>
     <component>
       <section/>
     </component>
     <component>
       <section>
         <id root="MDHT" extension="848832445"/>
         <title>TEXT FOR TITLE</title>
         <text/>
         <entry>
           <observation classCode="OBS" moodCode="EVN">
             <templateId root="2.16.840.1.113883.10.20.26.46"/>
             <id root="MDHT" extension="524916034"/>
             <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
             <text>Text Value</text>
             <effectiveTime>
               <low value="2013"/>
               <high value="2013"/>
             </effectiveTime>
           </observation>
         </entry>
       </section>
     </component>
   </section>
```

Newborn Delivery Section

[Section: templateId `2.16.840.1.113883.10.20.26.10`]

The section contains information on the newborn baby. Note, if there is a multiple delivery, there will be a separate report for each birth. The content is drawn from labor and delivery records, newborn's medical records, mother's medical records. The reader should note that the subject of this section - the newborn infant - is different from the overall subject of the clinical document - which is the mother.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.10"
2. **SHALL** contain exactly one [1..1] **@classCode**="DOCSECT" (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`) (CONF:51)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:53)
4. **SHALL** contain exactly one [1..1] **code/@code**="57075-4" *Newborn delivery information from newborn narrative* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`) (CONF:52)

   • *A code value that indicates the nature of the section - it contains information on the newborn.*
5. **SHALL** contain exactly one [1..1] **text** (CONF:54)

   • *The text entry is drawn from the structured content contained within the entries of this section. Text is required to provide human readible content.*

6. **SHALL** contain exactly one [1..1] **subject** (CONF:55)

   a. This subject **SHALL** contain exactly one [1..1] **@typeCode**="SBJ" (CONF:65)

   b. This subject **SHALL** contain exactly one [1..1] **relatedSubject** (CONF:66)

       a. This relatedSubject **SHALL** contain exactly one [1..1] **@classCode**="PRS" (CONF:67)

       b. This relatedSubject **SHALL** contain exactly one [1..1] **subject** (CONF:68)

           a. This subject **SHALL** contain exactly one [1..1] **@classCode**="PSN" (CONF:69)

           b. This subject **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:70)

           c. This subject **SHALL** contain exactly one [1..1] **sDTCId** (CONF:71)

   An identifier assigned to the newborn. The medical record number assigned by the delivering institution should be provided.

           d. This subject **SHALL** contain exactly one [1..1] **name** (CONF:72)

   The name provided for the newborn.

           e. This subject **SHALL** contain exactly one [1..1] **administrativeGenderCode** (CONF:73), where the @code **SHALL** be selected from (CodeSystem: 2.16.840.1.113883.5.1 AdministrativeGenderCode) (CONF:74)

           f. This subject **SHALL** contain exactly one [1..1] **birthTime** (CONF:75)

   The birth date and time of the newborn. By the same token, the date and time of delivery.

       c. This relatedSubject **SHALL** contain exactly one [1..1] **code/@code**="CHILD" (CodeSystem: 2.16.840.1.113883.5.111 RoleCode)

7. **SHALL** contain exactly one [1..1] **entry** (CONF:56)

   a. Contains exactly one [1..1] *Plurality* (templateId: 2.16.840.1.113883.10.20.26.41)

8. **MAY** contain zero or one [0..1] **entry** (CONF:57)

   • *Record birth order if not a single delivery.*

   a. Contains exactly one [1..1] *Birth Order* (templateId: 2.16.840.1.113883.10.20.26.16)

9. **MAY** contain zero or one [0..1] **entry** (CONF:58)

   a. Contains exactly one [1..1] *Number of Infants Born Alive* (templateId: 2.16.840.1.113883.10.20.26.37)

10. **SHALL** contain at least one [1..*] **entry** (CONF:59)

   • *One or more entries recording the presence of an abnormal condition may be recorded. Each entry contains information for a single condition.*

   a. Contains exactly one [1..1] *Abnormal Condition of the Newborn* (templateId: 2.16.840.1.113883.10.20.26.13)

11. **SHALL** contain at least one [1..*] **entry** (CONF:60)

   • *There may be multiple congenital anomalies recorded. At least one observation will be present in the case that none are present.*

   a. Contains exactly one [1..1] *Congenital Anomaly* (templateId: 2.16.840.1.113883.10.20.26.19)

12. **MAY** contain zero or one [0..1] **entry** (CONF:61)

   a. Contains exactly one [1..1] *Infant Transfer* (templateId: 2.16.840.1.113883.10.20.26.29)

13. **SHALL** contain exactly one [1..1] **entry** (CONF:62)

   a. Contains exactly one [1..1] *Infant Living* (templateId: 2.16.840.1.113883.10.20.26.28)

14. **SHALL** contain exactly one [1..1] **entry** (CONF:63)

   a. Contains exactly one [1..1] *Infant Breastfed* (templateId: 2.16.840.1.113883.10.20.26.27)

15. **SHALL** contain exactly one [1..1] **component** (CONF:64)

    a. Contains exactly one [1..1] *Newborns Vital Signs Section* (templateId:
       2.16.840.1.113883.10.20.26.11)

16. SHALL contain exactly one [1..1] **component**

    a. Contains exactly one [1..1] *Assessments Section* (templateId: 2.16.840.1.113883.10.20.26.9)

Newborn Delivery Section example

```
<section xmlns="urn:hl7-org:v3">
  <id root="MDHT" extension="245154333"/>
  <title>TEXT FOR TITLE</title>
  <text/>
  <subject typeCode="SBJ">
    <relatedSubject classCode="PRS">
      <code code="CHILD" codeSystem="2.16.840.1.113883.5.111"
codeSystemName="RoleCode"/>
      <subject classCode="PSN" determinerCode="INSTANCE">
        <administrativeGenderCode codeSystem="2.16.840.1.113883.5.1"
codeSystemName="AdministrativeGenderCode"/>
      </subject>
    </relatedSubject>
  </subject>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.16"/>
      <id root="MDHT" extension="1543812116"/>
      <code code="73771-8" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth order"/>
      <text>Text Value</text>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
    </observation>
  </entry>
  <entry>
    <observation/>
  </entry>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.19"/>
      <id root="MDHT" extension="1728575543"/>
      <code code="73780-9" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMEDCT" displayName="Congenital anomalies of the
newborn"/>
      <text>Text Value</text>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
      <entryRelationship typeCode="COMP">
        <observation classCode="OBS" moodCode="EVN">
          <code code="73779-1" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Down syndrome karyotype status"/>
        </observation>
      </entryRelationship>
      <entryRelationship typeCode="COMP">
        <observation classCode="OBS" moodCode="EVN">
          <code code="73778-3" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Suspected chromosomal disorder
karyotype status"/>
        </observation>
```

```
            </entryRelationship>
        </observation>
    </entry>
    <entry>
        <observation/>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.26.28"/>
            <id root="MDHT" extension="1153337679"/>
            <code code="73757-7" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Infant living at time of report"/>
            <text>Text Value</text>
            <effectiveTime>
                <low value="2013"/>
                <high value="2013"/>
            </effectiveTime>
        </observation>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.26.27"/>
            <id root="MDHT" extension="618757943"/>
            <code code="73756-9" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Infant is being breastfed at
discharge"/>
            <text>Text Value</text>
            <effectiveTime>
                <low value="2013"/>
                <high value="2013"/>
            </effectiveTime>
        </observation>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.26.29"/>
            <id root="MDHT" extension="1503854389"/>
            <code code="73758-5" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Infant was transferred within 24 hours
of delivery"/>
            <text>Text Value</text>
            <effectiveTime>
                <low value="2013"/>
                <high value="2013"/>
            </effectiveTime>
            <participant typeCode="DST">
                <participantRole classCode="SDLOC"/>
            </participant>
        </observation>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.26.41"/>
            <id root="MDHT" extension="920963661"/>
            <code code="57722-1" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Birth plurality"/>
            <text>Text Value</text>
            <effectiveTime>
                <low value="2013"/>
                <high value="2013"/>
            </effectiveTime>
        </observation>
    </entry>
    <component>
```

```
   <section>
     <id root="MDHT" extension="2054597959"/>
     <title>TEXT FOR TITLE</title>
     <text/>
     <entry>
       <observation classCode="OBS" moodCode="EVN">
         <templateId root="2.16.840.1.113883.10.20.26.46"/>
         <id root="MDHT" extension="1778608744"/>
         <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
         <text>Text Value</text>
         <effectiveTime>
           <low value="2013"/>
           <high value="2013"/>
         </effectiveTime>
       </observation>
     </entry>
   </section>
 </component>
 <component>
   <section classCode="DOCSECT" moodCode="EVN">
     <templateId root="2.16.840.1.113883.10.20.26.9"/>
     <id root="MDHT" extension="1925881486"/>
     <code code="51848-0" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Assessment Note"/>
     <title>TEXT FOR TITLE</title>
     <text/>
     <entry>
       <observation classCode="OBS" moodCode="EVN">
         <templateId root="2.16.840.1.113883.10.20.26.47"/>
         <id root="MDHT" extension="1644521110"/>
         <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
         <text>Text Value</text>
         <effectiveTime>
           <low value="2013"/>
           <high value="2013"/>
         </effectiveTime>
       </observation>
     </entry>
   </section>
 </component>
</section>
```

Newborn's Vital Signs Section

[Section: templateId `2.16.840.1.113883.10.20.26.11`]

The vital signs - newborn section contains measurement results of the newborn's vital signs. The reader should note that the subject of this section - the newborn infant - is different from the overall subject of the clinical document - which is the mother.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.11"
2. **SHALL** contain exactly one [1..1] **@classCode**="`DOCSECT`" (CodeSystem: `2.16.840.1.113883.5.6` HL7ActClass) (CONF:353)
3. **SHALL** contain exactly one [1..1] **@moodCode**="`EVN`" *Event* (CodeSystem: `2.16.840.1.113883.5.1001` HL7ActMood) (CONF:356)
4. **SHALL** contain exactly one [1..1] **code** (CONF:355)**/@code**="`8716-3`" *Vital Signs* (CodeSystem: `2.16.840.1.113883.6.1` LOINC) (CONF:354)
5. **SHALL** contain exactly one [1..1] **text** (CONF:357)

- *The text entry is drawn from the structured content contained within the entries of this section. Text is required to provide human readible content.*

6. **SHALL** contain exactly one [1..1] **entry**

   a. Contains exactly one [1..1] *Newborns Vital Signs Observation* (templateId: 2.16.840.1.113883.10.20.26.46)

Newborn's Vital Signs Section example

```
<section xmlns="urn:hl7-org:v3">
  <id root="MDHT" extension="745966523"/>
  <code code="2051517352"/>
  <title>TEXT FOR TITLE</title>
  <text/>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.46"/>
      <id root="MDHT" extension="943867656"/>
      <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
      <text>Text Value</text>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
    </observation>
  </entry>
</section>
```

Prenatal Testing and Surveillance Section

[Section: templateId 2.16.840.1.113883.10.20.26.3]

The section contains information on the prenatal care provided to the mother. The content is drawn from prenatal care records, mother's medical records, labor and delivery records. Information recorded for live births differs slightly from that recorded for a fetal death report.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.3"
2. **SHALL** contain exactly one [1..1] **@classCode**="DOCSECT" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:38)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:40)
4. **SHALL** contain exactly one [1..1] **code/@code**="57078-8" *Antenatal testing and surveillance* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:39)

   - *A code value that indicates the nature of the section - it captures prenatal care information in the case of a live birth or of a fetal death.*
5. **SHALL** contain exactly one [1..1] **text** (CONF:41)

   - *The text entry is drawn from the structured content contained within the entries of this section. Text is required to provide human readible content.*
6. **SHALL** contain exactly one [1..1] **entry** (CONF:42)

   - *The included entry records information regarding prenatal care received by the mother.*

   a. Contains exactly one [1..1] *Prenatal Care* (templateId: 2.16.840.1.113883.10.20.26.42)

Prenatal Testing and Surveillance Section example

```xml
<section xmlns="urn:hl7-org:v3" classCode="DOCSECT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.3"/>
  <id root="MDHT" extension="183272325"/>
  <code code="57078-8" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Antenatal testing and surveillance"/>
  <title>TEXT FOR TITLE</title>
  <text/>
  <entry>
    <act classCode="ACT" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.42"/>
      <id root="MDHT" extension="1712570701"/>
      <code code="73776-7" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="No-prenatal care"/>
      <text>Text Value</text>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
      <entryRelationship typeCode="COMP">
        <observation classCode="OBS" moodCode="EVN">
          <code code="68493-6" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Prenatal visits for this pregnancy"/>
        </observation>
      </entryRelationship>
    </act>
  </entry>
</section>
```

Chapter

4

CLINICAL STATEMENT TEMPLATES

Topics:

This section of the Implementation Guide details the clinical statement entries referenced in the document section templates. The clinical statement entry templates are arranged alphabetically.

Date of Last Live Birth

[Observation: templateId `2.16.840.1.113883.10.20.26.20`]

The date of birth of the last live-born infant (month and year) excluding this delivery. Includes live-born infants now living and now dead. If this was a multiple delivery, include all live born infants who preceded the live born infant in this delivery. If first born, do not include this infant. If second born, include the first born.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.20"
2. Contains exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:213)
4. **SHALL** contain exactly one [1..1] **code** (CONF:212)**/@code**="68499-3" *Date last live birth* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`)

   • *A code value that indicates the nature of the observation - it records the date of the last live birth for the mother.*
5. **SHALL** contain exactly one [1..1] **value** with data type TS (CONF:214)

   • *The date of birth of the last live born infant. Month and year should be provided.*

Date of Last Live Birth example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.20"/>
  <id root="MDHT" extension="640353040"/>
  <code code="68499-3" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Date last live birth"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="TS"/>
</observation>
```

Infection Present - Fetal Death

[Observation: templateId `2.16.840.1.113883.10.20.26.49`]

Information on infections present and/or treated during the pregnancy. This includes infections present at the start of pregnancy or confirmed diagnosis during pregnancy with or without documentation of treatment.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.49"
2. **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`) (CONF:234)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:237)
4. **SHALL** contain exactly one [1..1] **code** (CONF:235)**/@code**="73769-2" *Infections present and or treated during this pregnancy for fetal death* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`)

- *A code value that indicates the nature of the observation - it records nature of the infection about which information is provided. For fetal death reporting refer to the value set: Fetal Death Reporting - Infections Present.*

5. **SHALL** contain exactly one [1..1] **value** with data type CD (CONF:238), where the @code **SHALL** be selected from ValueSet *Infections Present Treated – Fetal Death (NCHS)* 2.16.840.1.114222.4.11.7135 **STATIC** December 1, 2013

   - *The content of the observation will be drawn from the appropriate value set: Birth Reporting - Infections Present, or Fetal Death Reporting - Infections persent.*

Infection Present - Fetal Death example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.49"/>
  <id root="MDHT" extension="1062121659"/>
  <code code="73769-2" codeSystem="2.16.840.1.113883.6.96"
 codeSystemName="SNOMEDCT" displayName="Infections present and or treated
 during this pregnancy for fetal death"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="CD" code="265963237"/>
</observation>
```

Labor and Delivery Information

[Act: templateId 2.16.840.1.113883.10.20.26.31]

The template contains information directly associated with the labor and delivery process. It captures the act of labor and delivery, and includes information for the birth attendant and location.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.31"
2. **SHALL** contain exactly one [1..1] **@classCode**="ACT" *Act* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:89)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:91)
4. **SHALL** contain exactly one [1..1] **code** (CONF:90)**/@code**="57074-7" *Labor and delivery process* (CodeSystem: 2.16.840.1.113883.6.1 LOINC)

   - *A code value that indicates the nature of the observation - it contains information regarding the labor and delivery process.*
5. **SHALL** contain exactly one [1..1] **performer** (CONF:92)

Information on the person attending the birth.

   a. This performer **SHALL** contain exactly one [1..1] **@typeCode**="PRF" (CONF:101)
   b. This performer **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:102)

      a. This assignedEntity **SHALL** contain exactly one [1..1] **@classCode**="ASSIGNED" (CONF:103)
      b. This assignedEntity **SHOULD** contain zero or more [0..*] **id** (CONF:104)

      An identifier for the birth attendant. The national provider id is expected. A state registration id may be provided as well. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

    c. This assignedEntity **SHALL** contain exactly one [1..1] **code** (CONF:106), where the @code **SHALL** be selected from ValueSet *Birth Attendant Titles (NCHS)* `2.16.840.1.114222.4.11.7111` **STATIC** December 1, 2013 (CONF:107)

    An indication of the professional qualification of the birth attendant. Their title. If the code - 394841004 (other category) - is chosen, the original text property is used to record a text value.

    d. This assignedEntity **SHALL** contain exactly one [1..1] **assignedPerson**

        a. This assignedPerson **SHALL** contain exactly one [1..1] **@classCode**="PSN" (CONF:108)

        b. This assignedPerson **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:109)

        c. This assignedPerson **SHALL** contain exactly one [1..1] **name** (CONF:110)

        The name of the birth attendant

6. **SHALL** contain exactly one [1..1] **participant** (CONF:94)

    a. This participant **SHALL** contain exactly one [1..1] **@typeCode**="LOC" (CONF:118)

    b. This participant **SHALL** contain exactly one [1..1] **participantRole** (CONF:117)

        a. This participantRole **SHALL** contain exactly one [1..1] **@classCode**="BIRTHPL" (CONF:119)

        b. This participantRole **SHOULD** contain zero or one [0..1] **id** (CONF:120)

        An identifer for the facility within which the delivery took place. This attribute is not relevant if the birth took place outside of a health care facility. The attribute repeats to allow entry of both state and nationally assigned identifiers. Within the II data type, use the root to record the identifying OID for the namespace that the identifier value is drawn from.

        c. This participantRole **SHALL** contain exactly one [1..1] **code** (CONF:121), where the @code **SHALL** be selected from ValueSet *Birth Delivery Location (NCHS)* `2.16.840.1.114222.4.11.7124` **STATIC** December 1, 2013 (CONF:122)

        A code that indicates the type of facility or place at which the delivery took place.

        d. This participantRole **MAY** contain zero or one [0..1] **addr** (CONF:123)

        The address for the place where the delivery took place. It is collected in those cases where the delivery did not occur within a healthcare facility.

        e. This participantRole **SHOULD** contain zero or one [0..1] **playingEntity** (CONF:124)

            a. This playingEntity **SHALL** contain exactly one [1..1] **@classCode**="PLC" (CONF:127)

            b. This playingEntity **SHALL** contain exactly one [1..1] **@determinerCode**="INSTANCE" (CONF:128)

            c. This playingEntity **SHOULD** contain zero or one [0..1] **name** (CONF:126)

            The name of the facility at which the delivery took place.

            d. This playingEntity **MAY** contain zero or one [0..1] **desc** (CONF:125)

            A description of the place where the birth took place. The attribute is used for those cases in which the delivery occurred neither at a healthcare facility, nor at a place with a defined postal address. If this birth occurred en route, that is, in a moving conveyance, enter the city, town, village, or location where the child was first removed from the conveyance.
            If the birth occurred in international air space or waters, enter "plane" or "boat."

7. **MAY** contain zero or one [0..1] **entryRelationship** (CONF:95)

    • *Information on whether or not a home birth was planned is only collected for births that take place at home.*

    a. Contains **@typeCode**="COMP" *COMP*

    b. Contains exactly one [1..1] *Planned Home Birth* (templateId: `2.16.840.1.113883.10.20.26.26`)

8. **SHALL** contain exactly one [1..1] **entryRelationship** (CONF:96)

    a. Contains **@typeCode**="COMP" *COMP*

    b. Contains exactly one [1..1] *Maternal Transfer* (templateId: `2.16.840.1.113883.10.20.26.35`)

9. **MAY** contain zero or more [0..*] **entryRelationship** (CONF:97)

   • *Characteristics of labor and delivery information is collected for a live birth certificate, but not for a fetal death report.*

   a. Contains **@typeCode=**"COMP" *COMP*
   b. Contains exactly one [1..1] *Characteristic of Labor and Delivery* (templateId: 2.16.840.1.113883.10.20.26.18)

10. **SHALL** contain at least one [1..*] **entryRelationship** (CONF:98)

    a. Contains **@typeCode=**"COMP" *COMP*
    b. Contains exactly one [1..1] *Maternal Morbidity* (templateId: 2.16.840.1.113883.10.20.26.34)

11. **SHALL** contain at least one [1..*] **entryRelationship** (CONF:99)

    • *There may be multiple risk factors recorded. At least one observation will be present in the case that none of cited risk factors are present.*

    a. Contains **@typeCode=**"COMP" *COMP*
    b. Contains exactly one [1..1] *Pregnancy Risk Factor* (templateId: 2.16.840.1.113883.10.20.26.44)

12. **SHALL** contain exactly one [1..1] **entryRelationship** (CONF:100)

    Information on the source of payment for the delivery. Not collected for a fetal death report.

    a. This entryRelationship **SHALL** contain exactly one [1..1] **@typeCode**="COMP" (CONF:111)
    b. This entryRelationship **SHALL** contain exactly one [1..1] **observation** (CONF:112)

       a. This observation **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:113)
       b. This observation **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:115)
       c. This observation **SHALL** contain exactly one [1..1] **code** (CONF:114)**/@code**="68461-3" *Payment source* (CodeSystem: 2.16.840.1.113883.6.1 LOINC)

          A code value that indicates the nature of the observation - that it includes payment source information.
       d. This observation **SHALL** contain exactly one [1..1] **value** with data type CD (CONF:116), where the @code **SHALL** be selected from ValueSet *Birth and Fetal Death Financial Class (NCHS)* 2.16.840.1.114222.4.11.7163 **STATIC** December 1, 2013

          Information to identify the source of payment for charges associated with delivering the baby.

Labor and Delivery Information example

```
<act xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="urn:hl7-
org:v3" classCode="ACT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.31"/>
  <id root="MDHT" extension="329912846"/>
  <code code="57074-7" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Labor and delivery process"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <performer typeCode="PRF">
    <assignedEntity classCode="ASSIGNED">
      <id root="MDHT" extension="247186006"/>
      <code codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMEDCT"/>
      <assignedPerson classCode="PSN" determinerCode="INSTANCE"/>
    </assignedEntity>
  </performer>
  <participant typeCode="LOC">
    <participantRole classCode="BIRTHPL">
```

```
      <id root="MDHT" extension="361964753"/>
      <code codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMEDCT"/>
      <addr/>
      <playingEntity classCode="PLC" determinerCode="INSTANCE"/>
    </participantRole>
  </participant>
  <entryRelationship typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
      <code code="68461-3" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Payment source"/>
      <value xsi:type="CD" code="37921094"/>
    </observation>
  </entryRelationship>
  <entryRelationship>
    <observation/>
  </entryRelationship>
  <entryRelationship>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.26"/>
      <id root="MDHT" extension="1614263177"/>
      <code code="73765-0" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Planned to delivery at home"/>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
    </observation>
  </entryRelationship>
  <entryRelationship>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.35"/>
      <id root="MDHT" extension="1151760803"/>
      <code code="73763-5" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Mother was transferred for maternal
medical or fetal indications for delivery"/>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
      <participant typeCode="ORG">
        <participantRole classCode="SDLOC"/>
      </participant>
    </observation>
  </entryRelationship>
  <entryRelationship>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.34"/>
      <id root="MDHT" extension="473161929"/>
      <code code="73781-7" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMEDCT" displayName="Maternal morbidity"/>
      <effectiveTime>
        <low value="2013"/>
        <high value="2013"/>
      </effectiveTime>
    </observation>
  </entryRelationship>
  <entryRelationship>
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.26.44"/>
      <id root="MDHT" extension="996469180"/>
      <code code="73775-9" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMEDCT" displayName="Risk factors in this pregnancy"/>
      <effectiveTime>
        <low value="2013"/>
```

```
            <high value="2013"/>
        </effectiveTime>
        <entryRelationship typeCode="COMP">
          <observation classCode="OBS" moodCode="EVN">
            <code code="68497-7" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Previous cesarean deliveries"/>
          </observation>
        </entryRelationship>
      </observation>
    </entryRelationship>
 </act>
```

Last Menstrual Period Date

[Observation: templateId `2.16.840.1.113883.10.20.26.33`]

The date the mother's last normal menstrual period began.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.33"
2. **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`) (CONF:224)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:226)
4. **SHALL** contain exactly one [1..1] **code** (CONF:225)**/@code**="8665-2" *Date last menstrual period* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`)

   • *A code value that indicates the nature of the observation - it contains the date of the last menstrual period.*
5. **SHALL** contain exactly one [1..1] **value** with data type TS (CONF:227)

   • *The date the mother's last normal menstrual period began. (month, day and year.)*

Last Menstrual Period Date example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.33"/>
  <id root="MDHT" extension="1283588908"/>
  <code code="8665-2" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Date last menstrual period"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="TS"/>
</observation>
```

Number of Births Now Living

[Observation: templateId `2.16.840.1.113883.10.20.26.36`]

The total number of previous live-born infants now living. For multiple deliveries include all live-born infants before this infant in the pregnancy. If the first born, do not include this infant.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.36"

2. **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:208)
3. **SHALL** contain exactly one [1..1] **@moodCode** (CONF:210)
4. **SHALL** contain exactly one [1..1] **code** (CONF:209)**/@code**="11638-4" *Births still living* (CodeSystem: 2.16.840.1.113883.6.1 LOINC)

   • *A code value that indicates the nature of the observation - it contains the total number of previous live-born infants now living.*
5. **SHALL** contain exactly one [1..1] **value** with data type INT (CONF:211)

   • *The total number of previous live-born infants now living. The entry is a non-negative integer within the range from zero to 30.*

Number of Births Now Living example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS">
  <templateId root="2.16.840.1.113883.10.20.26.36"/>
  <id root="MDHT" extension="895579929"/>
  <code code="11638-4" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Births still living"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="INT" value="1"/>
</observation>
```

Number of Live Births now Dead

[Observation: templateId 2.16.840.1.113883.10.20.26.38]

The total number of previous live-born infants now dead. For multiple deliveries include all live-born infants before this infant in the pregnancy who are now dead. If the first born, do not include this infant.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.38"
2. **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:215)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:217)
4. **SHALL** contain exactly one [1..1] **code** (CONF:216)**/@code**="68496-9" *Live births now dead* (CodeSystem: 2.16.840.1.113883.6.1 LOINC)

   • *A code value that indicates the nature of the observation - it records the total number of previous live-born infants now dead.*
5. **SHALL** contain exactly one [1..1] **value** with data type INT (CONF:218)

   • *The total number of previous live-born infants now dead. The entry is a non-negative integer within the range from zero to 30.*

Number of Live Births now Dead example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.38"/>
  <id root="MDHT" extension="759669646"/>
```

```
  <code code="68496-9" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Live births now dead"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="INT" value="1"/>
</observation>
```

Obstetric Procedure

Obstetric Procedure example

Onset of Labor

[Observation: templateId `2.16.840.1.113883.10.20.26.32`]

Serious complications experienced by the mother associated with labor and delivery including: Premature Rupture of the Membranes, Precipitous Labor and Prolonged Labor.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.32"
2. **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: `2.16.840.1.113883.5.6 HL7ActClass`) (CONF:229)
3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: `2.16.840.1.113883.5.1001 HL7ActMood`) (CONF:232)
4. **SHALL** contain exactly one [1..1] **code** (CONF:230)**/@code**="73774-2" *Onset of labor* (CodeSystem: `2.16.840.1.113883.6.1 LOINC`)

   • *A code value that indicates the nature of the observation - it records a complication associated with labor and delivery.*
5. **SHALL** contain exactly one [1..1] **value** with data type CD (CONF:233), where the @code **SHALL** be selected from ValueSet *Onset Labor (NCHS)* `2.16.840.1.114222.4.11.7123` **STATIC** December 1, 2013

Onset of Labor example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.32"/>
  <id root="MDHT" extension="236060930"/>
  <code code="73774-2" codeSystem="2.16.840.1.113883.6.96"
 codeSystemName="SNOMEDCT" displayName="Onset of labor"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="CD" code="858161828"/>
</observation>
```

Other Pregnancy Outcome

[Observation: templateId `2.16.840.1.113883.10.20.26.40`]

Total number of other pregnancy outcomes that did not result in a live birth. Includes pregnancy losses of any gestation age. For multiple deliveries include all previous pregnancy losses before this infant in this pregnancy and in previous pregnancies.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.40"

2. **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:219)

3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:221)

4. **SHALL** contain exactly one [1..1] **code** (CONF:220)**/@code**="69043-8" *Other pregnancy outcomes* (CodeSystem: 2.16.840.1.113883.6.1 LOINC)

   • *A code to indicate the observation contains information on the total number of other pregnancy outcomes that did not result in a live birth.*

5. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:223)

   • *The date that the last pregnancy that did not result in a live birth ended. The effective time for the other pregnancy outcomes is the interval between the first such outcome and the latest. Value the high property of the interval data type.*

6. **SHALL** contain exactly one [1..1] **value** with data type INT (CONF:222)

   • *Total number of other pregnancy outcomes that did not result in a live birth. The entry is a non-negative integer within the range from zero to 30.*

Other Pregnancy Outcome example

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.40"/>
  <id root="MDHT" extension="690893432"/>
  <code code="69043-8" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Other pregnancy outcomes"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <value xsi:type="INT" value="1"/>
</observation>
```

Pre-Natal Care

[Act: templateId 2.16.840.1.113883.10.20.26.42]

Information on whether the mother received prenatal care, and on the dates of prenatal care visits.

1. **SHALL** contain exactly one [1..1] templateId ( ) such that it

   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.26.42"

2. **SHALL** contain exactly one [1..1] **@classCode**="ACT" *Act* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:183)

3. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:187)

4. **SHALL** contain exactly one [1..1] **@negationInd** (CONF:188)

   • *Value the negation indicator as true if the mother DID receive prenatal care.*

5. **SHALL** contain exactly one [1..1] **code** (CONF:184)**/@code**="73776-7" *No-prenatal care* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:185)

- *A code value that indicates the nature of the observation - it indicates whether the mother received any prenatal care.*

6. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:186)

- *The time interval is used to indicate the period of time during which prenatal care was provided. The date of the first prenatal care visit is recorded as the beginning of the prenatal care time interval. The date of the last visit is recorded as the end of the prenatal time interval.*

7. **SHOULD** contain zero or one [0..1] **entryRelationship** (CONF:189)

   a. This entryRelationship **SHALL** contain exactly one [1..1] **@typeCode**="COMP" (CONF:191)
   b. This entryRelationship **SHALL** contain exactly one [1..1] **observation** (CONF:190)

      a. This observation **SHALL** contain exactly one [1..1] **@classCode**="OBS" *Observation* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:192)
      b. This observation **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:194)
      c. This observation **SHALL** contain exactly one [1..1] **code** (CONF:193)**/@code**="68493-6" *Prenatal visits for this pregnancy* (CodeSystem: 2.16.840.1.113883.6.1 LOINC)
      d. This observation **SHALL** contain exactly one [1..1] **value** with data type INT (CONF:195)

      The number of prenatal visits for this pregnancy. The entry is a non-negative integer within the range from zero to 98.

Pre-Natal Care example

```
<act xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="urn:hl7-
org:v3" classCode="ACT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.26.42"/>
  <id root="MDHT" extension="1589102475"/>
  <code code="73776-7" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="No-prenatal care"/>
  <effectiveTime>
    <low value="2013"/>
    <high value="2013"/>
  </effectiveTime>
  <entryRelationship typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
      <code code="68493-6" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName="Prenatal visits for this pregnancy"/>
      <value xsi:type="INT" value="1"/>
    </observation>
  </entryRelationship>
</act>
```

Chapter

5

OTHER CLASSES

This section of the Implementation Guide describes other classes that are not CDA Clinical Documents, Sections, or Clinical Statements.

Chapter

6

VALUE SETS

Topics:

The following tables summarize the value sets used in this Implementation Guide.

Birth and Fetal Death Financial Class (NCHS)

Value Set	Birth and Fetal Death Financial Class (NCHS) - 2.16.840.1.114222.4.11.7163
Code System	Source of Payment Typology - 2.16.840.1.113883.221.5
Version	December 1, 2013
Definition	The value set is drawn from the Source of payment typology created by the Public Health Data Consortium
Description	A list of different types of payment that may be used to support the expense of labor and delivery. Note, the Public Health Data Consortium Source of Payment Typology is being used as the primary source for codes within the value set.

Code	Code System	Print Name
5	Source of Payment Typology	Private Health Insurance
2	Source of Payment Typology	Medicaid
81	Source of Payment Typology	Self Pay
33	Source of Payment Typology	Indian Health Service
38	Source of Payment Typology	Other Government
311	Source of Payment Typology	CHAMPUS/TRICARE
99	Source of Payment Typology	Other
ZZZ	Source of Payment Typology	Unknown

Birth Attendant Titles (NCHS)

Value Set	Birth Attendant Titles (NCHS) - 2.16.840.1.114222.4.11.7111
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of different titles used by birth attendants to denote professional role. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
309343006	SNOMEDCT	Physician
76231001	SNOMEDCT	Osteopath
309453006	SNOMEDCT	Registered midwife
75271001	SNOMEDCT	Professional midwife

Code	Code System	Print Name
394841004	SNOMEDCT	Other category

Birth Delivery Location (NCHS)

Value Set	Birth Delivery Location (NCHS) - 2.16.840.1.114222.4.11.7124
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of different types of place or situations in which the birth or delivery occurred. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
22232009	SNOMEDCT	Hospital
91154008	SNOMEDCT	Free-standing birthing center
169813005	SNOMEDCT	Home birth
67190003	SNOMEDCT	Free-standing clinic
394841004	SNOMEDCT	Other
261665006	SNOMEDCT	Unknown

Delivery Routes (NCHS)

Value Set	Delivery Routes (NCHS) - 2.16.840.1.114222.4.11.7118
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of delivery routes that are relevant. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
48782003	SNOMEDCT	Delivery normal
302383004	SNOMEDCT	Forceps delivery
200144004	SNOMEDCT	Deliveries by cesarean
61586001	SNOMEDCT	Delivery by vacuum extraction
261665006	SNOMEDCT	Unknown

Fetal Death Time Points (NCHS)

Value Set	Fetal Death Time Points (NCHS) - 2.16.840.1.114222.4.11.7112
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013

Description	A list of time points during the delivery process at which the fetal death is thought to have occured. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
634751000124116	SNOMEDCT	Death at time of first assessment, no labor ongoing
634741000124118	SNOMEDCT	Dead at time of first assessment, labor ongoing
634661000124111	SNOMEDCT	Died during labor, after first assessment
261665006	SNOMEDCT	Unknown

Fetal Presentations (NCHS)

Value Set	Fetal Presentations (NCHS) - 2.16.840.1.114222.4.11.7113
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of the different ways a fetus may present at the point of delivery. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
6096002	SNOMEDCT	Breech presentation
394841004	SNOMEDCT	Other category
70028003	SNOMEDCT	Vertex Presentation

Infections Present Treated - Fetal Death (NCHS)

Value Set	Infections Present Treated - Fetal Death (NCHS) - 2.16.840.1.114222.4.11.7135
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of infections which may be present during pregnancy. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
1562800	SNOMEDCT	Gonorrhea
76272004	SNOMEDCT	Syphilis
105629000	SNOMEDCT	Chlamydia infection
4241002	SNOMEDCT	Listeriosis
426933007	SNOMEDCT	Streptococcus agalactiae infection
28944009	SNOMEDCT	Cytomegalovirus infection
186748004	SNOMEDCT	Parovirus infection
187192000	SNOMEDCT	Toxoplasmosis
394841004	SNOMEDCT	Other category

Code	Code System	Print Name
260413007	SNOMEDCT	None

Infections Present Treated - Live Birth (NCHS)

Value Set	Infections Present Treated - Live Birth (NCHS) - 2.16.840.1.114222.4.11.6070
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of infections which may be present during pregnancy. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
1562800	SNOMEDCT	Gonorrhea
76272004	SNOMEDCT	Syphilis
105629000	SNOMEDCT	Chlamydia infection
66071002	SNOMEDCT	Type B viral hepatitis
50711007	SNOMEDCT	Viral hepatitis C
260413007	SNOMEDCT	None

Pregnancy Risk Factor (NCHS)

Value Set	Pregnancy Risk Factor (NCHS) - 2.16.840.1.114222.4.11.7126
Code System	SNOMEDCT - 2.16.840.1.113883.6.96
Version	December 1, 2013
Description	A list of risk factors for a pregnancy. Note, SNOMED is being used as the primary source for codes within the value set.

Code	Code System	Print Name
73211009	SNOMEDCT	Diabetes mellitus
11687002	SNOMEDCT	Gestational diabetes mellitus
38341003	SNOMEDCT	Hypertensive disorder, systemic arterial
48194001	SNOMEDCT	Pregnancy-induced hypertension
15938005	SNOMEDCT	Eclampsia
161765003	SNOMEDCT	History of - premature delivery
271903000	SNOMEDCT	History of - pregnancy
65046005	SNOMEDCT	Infertility Therapy
58533008	SNOMEDCT	Artificial insemination
63487001	SNOMEDCT	Assisted fertilization
200144004	SNOMEDCT	Deliveries by cesarean

Code	Code System	Print Name
260413007	SNOMEDCT	None

REFERENCES

- HL7 Implementation Guide: Implementation Guide for CDA Release 2.0 Consolidated CDA Templates (US Realm) June 2012 available through *HL7* .
- HL7 Implementation Guide for CDA Release 2 Quality Reporting Document Architecture (QRDA) Draft Standard for Trial Use March 2009. Available at: *Quality Reporting Document Architecture (QRDA)*
- HL7 Implementation Guide for CDA Release 2 CDA for Public Health Case Reports (PHCR) Informative Standard October 2009. Available through *HL7* .
- HL7 Implementation Guide for CDA Release 2: NHSN Healthcare Associated Infection (HAI) Reports, Release 2 Draft Standard for Trial Use January 2009 Available at: *NHSN Healthcare Associated Infection (HAI) Reports*
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A, (Editors). HL7 Clinical Document Architecture, Release 2.0. ANSI-approved HL7 Standard; May 2005. Ann Arbor, Mich.: Health Level Seven, Inc. Available through *HL7* or if an HL7 member with the following link: *CDA Release 2 Normative Web Edition.*
- *LOINC®* : Logical Observation Identifiers Names and Codes, Regenstrief Institute.
- *SNOMED CT®* : SNOMED Clinical Terms SNOMED International Organization.
- Extensible Markup Language, *www.w3.org/XML* .
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A., HL7 Clinical Document Architecture, Release 2. J Am Med Inform Assoc. 2006;13:30-39. Available at: *http://www.jamia.org/cgi/reprint/13/1/30* .
- Using SNOMED CT in HL7 Version 3; Implementation Guide, Release 1.5. Available through *HL7* or if an HL7 member with the following link: *Using SNOMED CT in HL7 Version 3*