HL7 Draft Standard For Trial Use HL7 Implementation Guide for CDA [®] Release 2: Emergency Medical Services; Patient Care Report (Universal Realm) HL7 Draft Standard for Trial Use Ballot Sponsored By:

Contents

| Acknowledgments | 8 |
|--|----------|
| Revision History | 10 |
| I :- 4 - 6 E: | 1.4 |
| List of Figures | 14 |
| | |
| Chapter 1: INTRODUCTION | 16 |
| Overview | |
| Audience | |
| Scope | |
| Approach | |
| Units | |
| Null and Negative Values | |
| Null Value Mapping | |
| Organization of This Guide | |
| Templates | |
| Vocabulary and Value Sets | |
| Use of Templates | |
| Originator Responsibilities | |
| Recipient Responsibilities | |
| Conventions Used in This Guide | |
| Conformance Requirements | |
| Keywords | |
| XML Examples. | |
| - | |
| | |
| Chapter 2: DOCUMENT TEMPLATES | 22 |
| Patient Care Report. | 23 |
| | |
| | - 0 |
| Chapter 3: SECTION TEMPLATES | 30 |
| EMS Advance Directives Section | 31 |
| EMS Allergies And Adverse Reactions Section | 31 |
| EMS Billing Section. | 32 |
| EMS Cardiac Arrest Event Section. | 32 |
| EMS Current Medication Section. | |
| EMS Dispatch Section | 33 |
| EMS Disposition Section. | 33 |
| EMS Injury Incident Description Section. | 34 |
| EMS Medications Administered Section. | |
| EMS Past Medical History Section. | |
| EMS Patient Care Narrative Section. | |
| EMS Personnel Adverse Event Section | |
| EMS Physical Assessment Section. | |
| EMS Procedures Performed Section. | |
| EMS Protocol Section. | 38 |
| EMS Response Section. | |
| <u>.</u> | 38 |
| EMS Scene Section | 38 39 |
| EMS Scene Section EMS Situation Section | |
| EMS Scene Section EMS Situation Section EMS Social History Section | |

| EMS Vital Signs Section. | |
|---|--|
| Times Section. | |
| | |
| A CLINICAL CEATER CONTROL ATER | |
| pter 4: CLINICAL STATEMENT TEMPLATES. | |
| Abandoned Procedure Reason Observation | |
| Abdomen Assessment | |
| Additional Vital Signs Organizer | |
| Advance Directive Observation | |
| Adverse Event Indicator | |
| Adverse Event Type Observation | |
| Airbag Deployment Status | |
| Airway Confirmation Observation. | |
| Arrest Rhythm. | |
| Back And Spine Assessment. | |
| Barriers To Patient Care | |
| Billing Condition | |
| Blood Glucose. | |
| Body Temperature | |
| Call Time | |
| Candidate Patient Registry Type | |
| Carbon Dioxide | |
| Carbon Monoxide | |
| Cardiac Arrest | |
| Cardiac Arrest Cause | |
| Cardiac Arrest With Timing. | |
| Cardiac Rhythm | |
| Chest And Lungs Assessment | |
| Complaint | |
| Complaint Duration | |
| Complaint Organ System | |
| Complaint Reported By Dispatch | |
| Complaint Type | |
| Current Medication | |
| Currently On Medication. | |
| Delay Organizer | |
| Destination Rhythm | |
| Diastolic Blood Pressure | |
| Disaster Type | |
| Dispatch Delay | |
| Dispatch Location Latitude | |
| Dispatch Location Longitude. | |
| Dispatch Location Name | |
| Dispatch Location Organizer | |
| Dispatch Notified Time | |
| Drug Use Indication. | |
| Emergency Medical Dispatch Observation. | |
| Existence Of Drug Allergy Observation. | |
| Existence Of Drug Use Indication. | |
| Existence Of History Of Condition | |
| Existence Of Non Drug Allergy | |
| Extremities Assessment | |
| | |
| Eye Assessment | |
| | |
| First Unit On Scane | |

| Glasgow Coma Score Organizer | 73 |
|---|----|
| Glasgow Eye | |
| Glasgow Motor | |
| Glasgow Qualifier | 74 |
| Glasgow Total | 74 |
| Glasgow Verbal | 75 |
| Head Assessment | 75 |
| Heart Assessment. | |
| Heart Rate | |
| Height Of Fall | 76 |
| History Of Condition | |
| Incident Disposition Observation | 77 |
| Initial Patient Acuity | 78 |
| Injury Cause Category | 78 |
| Injury Mechanism | |
| Injury Risk Factor | |
| Last Oral Intake | 79 |
| Length Based Patient Body Weight Class | 80 |
| Level Of Responsiveness | |
| Level Of Service Observation. | |
| Location Type Observation. | |
| Mass Casualty Indicator | |
| Medication Administered | |
| Medication Complication Observation | |
| Medication Not Administered Reason Observation. | |
| Medication Prior Administration Observation. | |
| Medication Response Observation | |
| Mental Status Assessment | |
| Neck Assessment | |
| Neurological Assessment | |
| Non Drug Allergy | |
| Non Drug Allergy Organizer | |
| Number Of Patients Transported Observation | |
| Other Symptoms. | |
| Oxygen Saturation | |
| Pain Score | |
| Patient Age | |
| Patient Arrived At Destination Time | 90 |
| Patient Body Weight | |
| Patient Condition Change At Destination Observation | |
| Patient Drug Allergy | |
| Patient Location In Vehicle | |
| Patient On Anticoagulants | |
| Patient Pregnancy | |
| Pelvic And Genitourinary Assessment | |
| Physical Assessment Organizer | 93 |
| Possible Injury | |
| Prearrival Activation Observation. | |
| Primary Symptom | |
| Prior AED Use | |
| Prior Aid Vitals | |
| Prior CPR | |
| Procedure | |
| Procedure Complications Observation. | |
| Procedure Number Of Attempts Observation | |
| Procedure Patient Response Observation. | |

| | Procedure Prior Indicator | |
|----|---|-----|
| | Procedure Successful Observation. | |
| | Protocol Age Category | |
| | Protocol Observation | |
| | Provider Primary Impression | |
| | Provider Secondary Impressions | |
| | Reason For Choosing Destination Observation | |
| | Reason Procedure Not Attempted Observation | |
| | Respiratory Rate | |
| | Response Beginning Odometer Reading | 105 |
| | Response Delay | 105 |
| | Response Destination Odometer Reading | 106 |
| | Response Ending Odometer Reading. | 106 |
| | Response Mode To Scene | 106 |
| | Response Odometer Reading Organizer | 107 |
| | Response On Scene Odometer Reading | 107 |
| | Return Of Spontaneous Circulation | 108 |
| | Scene Delay | 108 |
| | Scene Patient Count. | 109 |
| | Skin Assessment | 109 |
| | Stroke Score | |
| | Systolic Blood Pressure | |
| | Thrombolytic Contraindications. | |
| | Transport Delay | |
| | Transport Method Observation. | |
| | Transport Mode Observation | |
| | Trauma Center Criteria. | |
| | Turnaround Delay | |
| | Unit At Patient Time. | |
| | Unit Back In Service Time | |
| | Unit En Route Time. | |
| | Unit Left Scene Time. | |
| | Unit Notified Time. | |
| | Unit On Scene Time. | |
| | Vehicle Impact Area. | |
| | Vehicle Occupant Safety Equipment | |
| | Vital Signs Organizer | |
| | The organization | |
| Ch | hapter 5: OTHER CLASSES | 118 |
| | | 120 |
| C | hapter 6: VALUE SETS | |
| | AED Use Prior To EMS Arrival | |
| | Abdomen Assessment Finding | 123 |
| | Abdominal Finding Location | |
| | Administrative Gender | 124 |
| | Administrative Gender Excluding Nulls | 124 |
| | Advance Directive Type | 124 |
| | Airbag Status | 125 |
| | Airway Device Confirmation Method | |
| | Airway Device Type | |
| | Alcohol Drug Use Indicator | |
| | Anatomic Location | |
| | Back Spine Assessment Finding | |
| | Back Spine Finding Location | |
| | | |

| Barrier To Care | 128 |
|--|-----|
| Cardiac Arrest Cause | |
| Cardiac Arrest Timing | |
| Cardiac Arrest Witness Role | |
| Cardiac Rhythm Reading | |
| Cardiopulmonary Resuscitation Type | |
| Chest Lung Assessment Finding. | |
| Complaint | |
| Complaint Type | |
| Confidentiality | |
| Destination Choice Reason. | |
| Destination Prearrival Activation | |
| Destination Type | |
| Disaster Type | |
| Dispatch Delay Type | |
| ECG Type | |
| EMD Performed. | |
| EMS Level Of Service. | |
| EMS Medication Administration Device. | |
| Ethnicity. | |
| Ethnicity Group. | |
| Existence Of Contraindications To Thrombolytic Use | |
| Extremities Assessment Finding. | |
| Extremity Finding Location. | |
| Eye Assessment Finding. | |
| Eye Finding Location. | |
| FDA Route of Administration. | |
| Face Assessment Finding. | |
| First Monitored Rhythm. | |
| Glasgow Coma Score Special Circumstances. | |
| HL7 Administrative Gender. | |
| HL7 Confidentiality | |
| HL7 Human Language | |
| Head Assessment Finding. | |
| Heart Assessment Finding | |
| Human language | |
| IC D-10. | |
| ICD-10 CM | |
| ICD-10 PCS. | |
| IV Site | |
| Incident Outcome. | |
| Injury Risk Factor. | |
| LOINC | |
| Length Based Weight Class | |
| Level Of Responsiveness | |
| Mechanism Of Injury | |
| Medication Administration Route. | |
| Medication Authorization Type | |
| Medication Complication | |
| Medication Not Given Reason. | |
| Mental Status Finding | |
| Method Of ECG Interpretation. | |
| Neck Assessment Finding. | |
| Neurological Assessment Finding. | |
| Non Drug Allergy Type | |
| Organ System | |

| Patient Condition Change | 157 |
|---|-----|
| Patient Status | |
| Pelvis Genitourinary Assessment. | |
| Pregnancy | |
| Prior Care Provider Role | |
| Procedure Complication Type | |
| Protocol | |
| Protocol Age Category | |
| Provider Adverse Event Type | |
| Provider Response Role | |
| Provider Role | |
| Provider Role Level | |
| Race and Ethnicity - CDC | |
| Race Category | |
| Reason Procedure not Performed. | |
| Reason Procedure not Performed Superset | |
| Registry Type | |
| Response Delay Type | |
| Resuscitation Not Attempted Reason. | |
| Resusctitation Discontinue Reason. | |
| Return Of Spontaneous Circulation. | |
| Rx Norm | |
| Safety Equipment Type | |
| Scene Delay Type | |
| Service Level | |
| Service Type | |
| Skin Assessment | |
| Stroke Scale | |
| Stroke Scale Interpretation | |
| Transport Delay Type | |
| Transport Method | |
| Transportation Mode | |
| Trauma Center Criteria | 173 |
| Turn Around Delay Type | |
| Unit Response Role | |
| Vehicle Impact Area | |
| Vehicle Passenger Location | |
| | |
| apter 7: Appendices | |
| Object Identifiers for US State Departments of Motor Vehicles | |
| Nulls and Negative Action Values | |
| UCUM Unit Mapping | |
| NEMSIS Routes Mapped to FDA Routes of Administration | 183 |
| FERENCES | 188 |

Acknowledgments

This implementation guide was developed with the support and sponsorship of the National EMS Information System (NEMSIS), directed by Clay Mann. Additional clinical guidance was provided by Dr. Greg Mears. NEMSIS is supported by the US National Highway Traffic Safety Administration, the Centers for Disease Control, and the Health Resources and Services Administration, as well as dozens of other government agencies, universities, and professional organizations.

Shakir Consulting was instrumental in the creation of the domain analysis model and constrained model that inform this specification.

The HL7 Patient Care, Emergency Care, and Clinical Interoperability Council working groups sponsored the project, but we also leaned heavily on the work done by HL7's Structured Documents committee, as well as exemplary guides produced by other teams, most notably the Healthcare Associated Infections team. Special thanks go to Russ Hamm, Jerry Sable, Rob Hausam, Keith Boone, Dan Leonard, and Dan Vreeman.

The work could not have been completed without the indefatigable assistance of Jaci Phillips and the support of the Regenstrief institute.

This document contains information from the following sources:

©2010 ANSI. This material may be copied without permission from ANSI only if and to the extent that the text is not altered in any fashion and ANSI's copyright is clearly noted.

SNOMED CT® is the registered trademark of the International Health Terminology Standard Development Organization (IHTSDO). Implementers will need to acquire a (free) license to use SNOMED CT by agreeing to the UMLS Metathesaurus license, available from the National Library of Medicine (nlm.nih.gov).

This material contains content from LOINC® (http://loinc.org). The LOINC table, LOINC codes, and LOINC panels and forms file are copyright © 1995-2010, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and available at no cost under the license at http://loinc.org/terms-of-use.

The length-based body weight classification (67670-0) is based on values defined by General Electric's Broselow-Luten system. Implementers will require a license to use this field.

Certain materials contained in this Interoperability Specification are reproduced from Health Level Seven (HL7) HL7 Implementation Guide: CDA Release 2 – Continuity of Care Document (CCD), HL7 Implementation Guide for CDA Release 2: History and Physical (H&P) Notes, HL7 Implementation Guide for CDA Release 2: Consult Notes, or HL7 Implementation Guide for CDA Release 2: Operative Notes with permission of Health Level Seven, Inc. No part of the material may be copied or reproduced in any form outside of the Interoperability Specification documents, including an electronic retrieval system, or made available on the Internet without the prior written permission of Health Level Seven, Inc. Copies of standards included in this Interoperability Specification may be purchased from the Health Level Seven, Inc. Material drawn from these standards is credited where used.

Contributors

| Co-Editor / Co-Chair | Anita Walden Duke Translational Medicine Institute Duke University anita.walden@duke.edu |
|---------------------------|--|
| Co-Editor | Jay Lyle Ockham Information Services LLC jlyle@ockhamis.com |
| Co-Editor | Sarah Ryan Ockham Information Services LLC sryan@ockhamis.comm |
| EMS Subject Matter Expert | Clay Mann National EMS Information System University of Utah School of Medicine clay.mann@utah.edu |

EMS Subject Matter Expert

Greg Mears, M.D. Department of Emergency Medicine University of North Carolina, Chapel Hill gdmears@me.com

Revision History

| Rev | Date | By Whom | Changes |
|-------|----------------|----------|--|
| R1 D1 | May 2011 | Jay Lyle | Initial draft, level two |
| R1 D2 | September 2011 | Jay Lyle | Revisions from May ballot; extended to level 3 |
| R1 D3 | December 2011 | Jay Lyle | Revisions from September ballot |
| R1 D4 | June 2012 | Jay Lyle | Implemented in MDHT |
| R1 D5 | July 2013 | Jay Lyle | DSTU changes |

A detailed list of changes from the October ballot follows, also noting minor changes applied in the subsequent process of publishing in MDHT.

| ID | Change Change | Changed By | Date Changed |
|----|--|---------------|-----------------|
| 1 | 5/2011 #1: Updated address constraint format | JLyle | Jun-11 |
| 2 | 5/2011 #2: Updated appendix B | JLyle | Jun-11 |
| 3 | 5/2011 #3: Called out conformance statements from referenced standards with formatting (shading). | JLyle | Jun-11 |
| 4 | 5/2011 #4: Changed ID practice constraint from SHALL to SHOULD (was conf-6 to 8; now conf-3 & 4). | JLyle | Jun-11 |
| 5 | 5/2011 #5: Changed strength of confidentiality code system from SHALL to SHOULD (was conf-12; now conf-8). | JLyle | Jun-11 |
| 6 | 5/2011 #6: Added constraints to prevent mixed content and support identified address parts and cardinality (all addresses). | JLyle | Jun-11 |
| 7 | 5/2011 #7: Added regex constraint to ensure field is a telephone number. (Was conf-21; now GHC conf.) | JLyle | Jun-11 |
| 8 | 5/2011 #8: Provided guidance on family names (was conf-24; now conf-10). | JLyle | Jun-11 |
| 9 | 5/2011 #9: Use CDC race and ethnicity codes (was conf-28-29; now conf-12) | JLyle | Jun-11 |
| 10 | 5/2011 #11: "Vocab OK with either dynamic binding or concept domain binding; due to lack of realm administrative body in US, we will use dynamic" | JLyle | Jun-11 |
| 11 | Articulated section data as clinical statements | JLyle | Jun-11 |
| 12 | Changed template OIDs from IHE to NEMSIS | JLyle | Jun-11 |
| 13 | Updated section on approach to nulls and negatives with resulting changes to medications, medical history, and allergies; added appendix for mapping of NEMSIS values. | JLyle | Jun-11 |
| 14 | Added EncompassingEncounter/Location/HealthCareFacility/Place | JLyle | Jun-11 |
| 15 | Added destination participant | JLyle | Jun-11 |
| 16 | 9/2011: all typographical changes | JLyle | Jun-11 |
| 17 | 9/2011 #2: added organizer for non-medication allergies | JLyle | Nov-11 |

| ID Change | Changed By | Date Changed |
|--|---------------|-----------------|
| 51 GForge # 2379 missing observation at 10202 | JLyle | Jul 29 |
| 52 GForge # 2380 update negatives map in appendix; remove redundancies | JLyle | Jul 29 |
| 53 GForge # 2381 correct author cardinality | JLyle | Jul 29 |
| 54 GForge # 2382 select best concatenation pattern for software name | JLyle | Jul 29 |
| 55 GForge # 2385 add icd-10 cm | JLyle | Jul 29 |
| 56 GForge # 2392 add missing traces | JLyle | Jul 29 |
| 57 GForge # 2408 Replace trace 'professional' w 'personnel' | JLyle | Jul 29 |
| 58 GForge # 2424 Deduplicate pt status and condition change | JLyle | Jul 29 |
| 59 GForge # 2425 Deduplicate provider role level and role | JLyle | Jul 29 |
| 60 GForge # 2426 Harmonize 2 resuscitation sets | JLyle | Jul 29 |
| 61 GForge # 2427 make value set for medication administration devices | JLyle | Jul 29 |
| 62 GForge # 2430 Fix vitals entry cardinality | JLyle | Jul 29 |
| 63 GForge # 2431 add times to vitals obs | JLyle | Jul 29 |
| 64 GForge # 2438 harmonize Glasgow values; change to quantities | JLyle | Jul 29 |
| 65 GForge # 2447 Correct History of conditions cardinality | JLyle | Jul 29 |
| 66 GForge # 2448 remove Procedure History | JLyle | Jul 29 |
| 67 GForge # 2451 repeated code for first unit on scene | JLyle | Jul 29 |
| 68 GForge # 2516 Advance Directives Section should allow multiple observations | JLyle | Jul 29 |
| 69 GForge # 2580 correct loinc for O2 sat | JLyle | Jul 29 |
| 70 GForge # 2586 align demographic value sets with CCDA (subsets) | JLyle | Jul 29 |
| 71 GForge # 2636 Merge bradycardia, sinus bradycardia | JLyle | Jul 29 |
| 72 GForge # 2643 add text to intro re vocabulary sources | JLyle | Jul 29 |
| 73 GForge # 2646 split ""itching/urticaria"" into two answers | JLyle | Jul 29 |
| 74 GForge # 2661 Update new value set OIDs using ext. 5, not 11 | JLyle | Jul 29 |
| 75 GForge # 2667 injury cause code system is ICD-10 CM, not ICD-10 | JLyle | Jul 29 |

List of Figures

| Figure 1: Template name and "conforms to" appearance | 20 |
|---|----|
| Figure 2: Template-based conformance statements example | 20 |
| Figure 3: CCD conformance statements example. | 20 |
| Figure 4: ClinicalDocument example | 21 |

CDAR2L3_IG_EMSRUNRPT $_$ DSTUR2 $_$ 2013JUL | List of Figures | $\bf 15$

Chapter

1

INTRODUCTION

Topics:

- Overview
- Audience
- Scope
- Approach
- Organization of This Guide
- Use of Templates
- Conventions Used in This Guide

This document is intended to guide software developers in generating CDA-compliant XML patient care reports, also known as run reports, from EMS agency crews to emergency departments and other interested parties. It consists of a set of constraints on the HL7 CDA R2 model mapped to the National EMS Information System (NEMSIS) data elements.

Clinical Document Architecture (CDA) is a standard for information exchange. It is based on the HL7 Reference Information Model, but it constrains that model to a specific set of patterns. This document adds further constraints, so that it specifies not just a generic clinical document, but an Emergency Medical Services (EMS) Patient Care Report—a record of an Emergency Medical Services encounter with a patient. An EMS Patient Care Report is also known as a run report.

Further information about CDA is available at HL7.org.

This guide constrains the NEMSIS data set to the HL7 CDA R2 document format. NEMSIS is maintained by the NEMSIS Technical Assistance Center, a US organization funded by the National Highway Transportation Safety Administration, the Centers for Disease Control, and the Health Resources and Services Administration at the University of Utah. The NEMSIS data dictionary is available at www.nemsis.org.

Overview

This implementation guide provides constraints to allow implementers to develop CDA-compliant documents that support a common set of information in the emergency medical services (EMS) domain.

This release covers the provision of information from an EMS crew to a receiving hospital or emergency department. A future release will cover the entire EMS dataset; this document will be a template within that specification.

Audience

The audience for this document is software developers and development organizations who wish to produce or receive EMS patient care reports.

Software developers should use the CDA XML schema to guide their production of EMS patient care reports, subject to the constraints documented in this guide. Mappings of NEMSIS elements to the CDA schema are included in this document, in the "NEMSIS trace" comment. Coded elements should use the vocabularies referred to in the constraints.

The CDA schema is published by Health Level 7, and is available at http://www.hl7.org/implement/standards.

This guide defines the information payload only. Implementers are encouraged to coordinate with one another by using the IHE framework (available at http://www.ihe.net) to address expected capabilities of participating systems, including security and audit considerations.

Scope

The NEMSIS data set supports many uses, including the transfer of patient care reports from EMS crews to emergency departments, the prepopulation of hospital electronic health records, identification of trauma registry candidates, and preparation of data for submission to NEMSIS for research. The current specification is designed for the first of these use cases.

Implementers may generate the same patient care reports that they generate today and attach them under the CDA header in "level one" documents, or they may populate the structured sections as specified herein.

A separate effort to develop an implementation guide is the Emergency Transfer of Care specified by Integrating the Healthcare Enterprise (IHE) as the level two template 1.3.6.1.4.1.19376.1.5.3.1.1.19.1. These templates may be harmonized in the future; at this point, they are distinct.

Approach

We first transformed the NEMSIS specification into the Emergency Medical Services Domain Analysis Model (EMS DAM), initially balloted through HL7 in May of 2010 and finalized for the release in May 2011. The static part of the analysis model was then constrained to the HL7 Reference Information Model (RIM) in a Domain Information Model (DIM), balloted in January, 2011, and reballoted in September, 2011. After a DSTU period, this guide was balloted to Normative status in the autumn of 2013.

This guide is the first implementable specification developed based on the EMS DIM.

An initial iteration, balloted in May 2011, supports what is commonly termed "level one" CDA compliance, i.e., a document with structured header information containing an unstructured document of some form (whether pdf, image, or other recognized format). In addition, this iteration supported "level two" compliance, in which human-readable text information is provided for sections identified in XML. A sender of a document, however, must choose whether to send the "level one" encapsulated document or the "level two" set of XML sections: a document containing both is not acceptable.

The September, 2011 iteration modeled the sections to "level three," in which the sections also include detailed, structured information representing the section text. This structured information follows standard patterns in such a

way that receiving applications will be able to process specific semantically identified elements for storage in medical records, application of business rules, or other computable services. This iteration also includes changes to the level two template assignments, so the May 2011 informative version is no longer valid.

Harmonization has been approached semantically rather than syntactically. There are clear parallels, but few exact matches, with the CDA Consolidation project--an effort by the Office of the National Coordinator's Standards & Interoperability initiative in collaboration with HL7 to bring together several similar extant CDA specifications. We expect that LOINC codes will offer the ability to identify consistent information elements, even when the structures they inhabit (templates) may be subject to differing requirements. These requirements include elements required in the Consolidated guide but not always available in an EMS setting, elements needed in an EMS setting but not represented in the Consolidated templates, and elements where a code is specific to a clinical setting and an EMS-specific code is needed. Similarly, harmonization with the Emergency Department specification Data Elements for Emergency Department Systems (DEEDS) depends on the use of extant or related LOINC codes for shared elements.

This release is generated from UML models developed in the Open Health Tools (OHT) Model-Driven Health Tools (MDHT) project. The data specifications have been formalized into computational models expressed in UML. These models are used by automated tooling to generate this publication, plus validation tools and Java libraries for implementers.

Units

Physical quantities use the HL7 PQ data type, in which units are expressed in the Unified Code for Units of Measure (UCUM; 2.16.840.1.113883.6.8), available at unitsofmeasure.org. Interface values that are not actual physical units are handled differently: see appendix C for mappings.

Null and Negative Values

We use RIM attributes for observations that may require explicit negation or null values. A provider who has checked for signs of drug use can assert that a particular sign was found (with a proper value), that whether there were signs is unknown (with a null) or that there were no signs (with negation).

However, in collections of acts other than observations, epistemological attributes may have uncertain semantics. If a procedure is negated, it may not be clear whether the provider is asserting that the procedure has never been performed on the patient or was not performed in a particular context. Similarly, one may document a history of specific disorders, but including a single, general but negated disorder implies assumptions about the scope of the negated disorder that are not explicitly modeled.

As a result, we manage negation and uncertainty for procedures with explicit Boolean observations. Using an observation allows the clinician to assert a history of zero disorders, or a lack of knowledge about disorders, without tying that assertion to a notional disorder that may imply unanticipated facts or questions.

In the interest of conformance with other guides, we also represent these null and negative acts with null and negated acts, in line with Consolidation Project recommendations. These notional classes should be annotated to ensure that it is clear that they restate the explicit observations, and are not distinct facts.

Null Value Mapping

NEMSIS contains null values not listed in HL7. "Not applicable" maps directly to "Not applicable", but "Not recorded" and "Not reported" must be represented as the general concept "No information". These NEMSIS values may also be copied into Observation.text.

NEMSIS also contains "pertinent negatives", most of which are addressed with negation and special cases in this document. Some of the negative action values, however, are actually null values, and are recorded as "NI", no information. A mapping of negative action values is provided in Appendix B.

Organization of This Guide

The requirements as laid out in the body of this document are subject to change per the policy on implementation guides (see section 13.02" Draft Standard for Trial Use Documents" within the HL7 Governance and Operations Manual, http://www.hl7.org/documentcenter/public/membership/HL7_Governance_and_Operations_Manual.pdf).

Templates

Templates are organized by document (see Document Templates), by section (see Section Templates), and by clinical statements (see Clinical Statement Templates). Within a section, templates are arranged hierarchically, where a more specific template is nested under the more generic template that it conforms to.

Vocabulary and Value Sets

Vocabularies specified in this guide are derived from standard vocabularies where possible; most questions, however, are fairly specific to the EMS domain. These questions have been encoded in clinical LOINC, and the answer sets have been encoded there as well, and they are included in this document. These values can also be obtained from LOINC.org. We anticipate publishing these value sets in a standard provisioning system, but are on hold pending the current work being done to align LOINC and SNOMED CT.

For properties bound to large value systems (e.g., ICD-10 PCS), NEMSIS provides suggested subsets at NEMSIS.org, under "V3 resources." These are not to be used to validate values (all values in the system are valid), but as suggested aids to providing a manageable user interface. All RxNorm drugs are valid, for instance, but you might wish to provide a selection of drugs commonly found on EMS vehicles for easy selection.

Use of Templates

When valued in an instance, the template identifier (templateId) signals the imposition of a set of template-defined constraints. The value of this attribute provides a unique identifier for the templates in question.

Originator Responsibilities

An originator can apply a templateId to assert conformance with a particular template.

In the most general forms of CDA exchange, an originator need not apply a templateId for every template that an object in an instance document conforms to. This implementation guide asserts when templateIds are required for conformance.

Recipient Responsibilities

A recipient may reject an instance that does not contain a particular templateId (e.g., a recipient looking to receive only CCD documents can reject an instance without the appropriate templateId).

A recipient may process objects in an instance document that do not contain a templateId (e.g., a recipient can process entries that contain Observation acts within a Problems section, even if the entries do not have templateIds).

Conventions Used in This Guide

Conformance Requirements

Conformance statements are grouped and identified by the name of the template, along with the templateId and the context of the template (e.g., ClinicalDocument, section, observation), which specifies the element under constraint. If a template is a specialization of another template, its first constraint indicates the more general template. In all cases

where a more specific template conforms to a more general template, asserting the more specific template also implies conformance to the more general template. An example is shown below.

Template name

```
[<type of template>: templateId <XXXX.XXX.XXX.XXX>]
```

Description of the template will be here

- 1. Conforms to <The template name> Template (templateId: XXXX<XX>XXX>YYY).
- **2. SHALL** contain [1..1] @classCode = <AAA> <code display name> (CodeSystem: 123.456.789 <XXX> Class) **STATIC** (CONF:<number>).
- 3.

Figure 1: Template name and "conforms to" appearance

The conformance verb keyword at the start of a constraint (SHALL, SHOULD, MAY, etc.) indicates business conformance, whereas the cardinality indicator (0..1, 1..1, 1..*, etc.) specifies the allowable occurrences within an instance. Thus, "MAY contain 0..1" and "SHOULD contain 0..1" both allow for a document to omit the particular component, but the latter is a stronger recommendation that the component be included if it is known.

The following cardinality indicators may be interpreted as follows:

- 0..1 as zero to one present
- 1..1 as one and only one present
- 2..2 as two must be present
- 1..* as one or more present
- 0..* as zero to many present

Value set bindings adhere to HL7 Vocabulary Working Group best practices, and include both a conformance verb (SHALL, SHOULD, MAY, etc.) and an indication of DYNAMIC vs. STATIC binding. The use of SHALL requires that the component be valued with a member from the cited value set; however, in every case any HL7 "null" value such as other (OTH) or unknown (UNK) may be used.

Each constraint is uniquely identified (e.g., "CONF:605") by an identifier placed at or near the end of the constraint. These identifiers are not sequential as they are based on the order of creation of the constraint.

- 1. SHALL contain [1..1] component/structuredBody (CONF:4082).
 - a. This component/structuredBody SHOULD contain [0..1] component (CONF:4130) such that it
 - **a. SHALL** contain [1..1] Reporting Parameters section (templateId:2.16.840.1.113883.10.20.17.2.1) (CONF:4131).
 - b. This component/structuredBody SHALL contain [1..1] component (CONF:4132) such that it
 - **a. SHALL** contain [1..1] Patient data section NCR (templateId:2.16.840.1.113883.10.20.17.2.5) (CONF:4133).

Figure 2: Template-based conformance statements example

CCD templates are included within this implementation guide for ease of reference. CCD templates contained within this implementation guide are formatted WITHOUT typical **KEYWORD** and **XML** element styles. A WIKI site is available if you would like to make a comment to be considered for the next release of CCD: http://wiki.hl7.org/index.php?title=CCD_Suggested_Enhancements The user name and password are: wiki/wikiwiki. You will need to create an account to edit the page and add your suggestion.

- 1. The value for "Observation / @moodCode" in a problem observation SHALL be "EVN" 2.16.840.1.113883.5.1001 ActMood STATIC. (CONF: 814).
- 2. A problem observation SHALL include exactly one Observation / statusCode. (CONF: 815).
- **3.** The value for "Observation / statusCode" in a problem observation SHALL be "completed" 2.16.840.1.113883.5.14 ActStatus STATIC. (CONF: 816).

4. A problem observation SHOULD contain exactly one Observation / effectiveTime, to indicate the biological timing of condition (e.g. the time the condition started, the onset of the illness or symptom, the duration of a condition). (CONF: 817).

Figure 3: CCD conformance statements example

Keywords

The keywords SHALL, SHALL NOT, SHOULD, SHOULD NOT, MAY, and NEED NOT in this document are to be interpreted as described in the *HL7 Version 3 Publishing Facilitator's Guide*:

- SHALL: an absolute requirement
- SHALL NOT: an absolute prohibition against inclusion
- SHOULD/SHOULD NOT: valid reasons to include or ignore a particular item, but must be understood and carefully weighed
- MAY/NEED NOT: truly optional; can be included or omitted as the author decides with no implications

XML Examples

XML samples appear in this document in a fixed-width font. Portions of the XML content may be omitted from the content for brevity, marked by an ellipsis (...) as shown in the example below.

```
<ClinicalDocument xmlns='urn:h17-org:v3'>
...
</ClinicalDocument>
```

Figure 4: ClinicalDocument example

XPath expressions are used in the narrative and conformance requirements to identify elements because they are familiar to many XML implementers.

Chapter

2

DOCUMENT TEMPLATES

Topics:

Patient Care Report

This section contains the document level constraints for CDA documents that are compliant with this implementation guide.

Patient Care Report

[ClinicalDocument: templateId 2.16.840.1.113883.17.3.10.2]

A report from the EMS crew to the emergency department summarizing the patient's condition and any remedial actions taken

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.2"
- **2. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 3. SHALL contain exactly one [1..1] @classCode="DOCCLIN" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:10000)
- **4. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:10001)
- 5. SHALL contain exactly one [1..1] id (CONF:5363)
 - NEMSIS trace: ERecord.01
 /@root should be the OID for the Agency; @extension the internally assigned ID
- 6. SHALL contain exactly one [1..1] code (CONF:5253)/@code="67796-3" EMS patient care report-version 3.1 Document NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10002)
- 7. SHALL contain exactly one [1..1] title and SHALL equal "EMS Patient Care Report" (CONF:5254)
- 8. SHALL contain exactly one [1..1] confidentialityCode, which SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
 - Default value is "N" (normal)
- **9.** MAY contain zero or one [0..1] **versionNumber** (CONF:5264)
 - May be null, and in most cases will not be used. In circumstances where updates are likely, the first instance should be denoted by a versionId of "1."
- **10. SHALL** contain exactly one [1..1] **recordTarget** (CONF:10004)
 - a. This recordTarget SHALL conform to Consol Record Target
 - b. This recordTarget SHALL contain exactly one [1..1] patientRole (CONF:10870)
 - a. This patientRole SHALL conform to Consol Patient Role
 - **b.** This patientRole **SHALL** contain at least one [1..*] **addr** (CONF:10031)

```
NEMSIS Trace
```

 $\textit{EPatient.05} \dots / \textit{PatientRole/addr/streetAddressLine}$

EPatient.06 . . . /PatientRole/addr/city

EPatient.07 . . . /PatientRole/addr/county

EPatient.08 . . . /PatientRole/addr/state

Paatient.09 . . . /PatientRole/addr/postalCode

EPatient.10 . . . /PatientRole/addr/country

c. This patientRole SHALL contain at least one [1..*] id (CONF:10871)

NEMSIS Trace

EPatient.01: root= the OID for the generating EMS agency, or "NI" EPatient.12: root=" 2.16.840.1.113883.3.184" (Social Security Administration) EPatient.20 and EPatient.21: root= the OID for the state department of motor vehicles, found at HL7.org, and reproduced as found in March of 2011 in

vehicles, found at HL7.org, and reproduced as found in March of 2011 in appendix A.

d. This patientRole Contains zero or more [0..*] **telecom**

NEMSIS Trace: EPatient.18

e. This patientRole SHALL contain exactly one [1..1] patient (CONF:10872)

Page 23

- a. This patient SHALL conform to Consol Patient
- **b.** This patient **SHOULD** contain zero or one [0..1] **birthTime** (CONF:10873)

NEMSIS Trace

EPatient.17

c. This patient MAY contain zero or one [0..1] ethnicGroupCode (CONF:10874), which SHALL be selected from ValueSet Ethnicity Group 2.16.840.1.114222.4.11.837 DYNAMIC (CONF:10032)

NEMSIS Trace: EPatient.14

d. This patient **SHOULD** contain zero or more [0..*] **name** (CONF:10875)

NEMSIS Trace

EPatient.02 . . . /PatientRole/Patient/name/family

EPatient.03 . . . /PatientRole/Patient/name/given

EPatient.04 . . . /PatientRole/Patient/name/given

Name sub-elements SHOULD be in the following order: family, given, middle (also "given"). For names from cultures not following the order assumed above, the "family" name SHOULD be populated with whatever name component should be used to sort by. E.g., for a person with a single name, "family" should be used.

e. This patient SHALL contain exactly one [1..1] raceCode (CONF:10876), which SHALL be selected from ValueSet RaceCategory 2.16.840.1.114222.4.11.836 DYNAMIC (CONF:10033)

NEMSIS Trace: EPatient.14

NEMSIS collects race and ethnicity in the one-question format (see guidance at http://www.whitehouse.gov/omb/fedreg_1997standards), but the HL7 RIM and, therefore, the CDA schema contain separate elements. It is necessary to populate both CDA fields based on the values selected for the NEMSIS question. Further, the CDA model includes a single race code. In order to support multiple race codes as required by OMB, we adopt a second race code entry from the HL7 SDWG namespace. All documents with a race code must populate the CDA race code; if more than one race code is recorded, then the SDWG element may also be populated. No semantic priority is implied by the element selection.

f. This patient MAY contain zero or more [0..*] sDTCRaceCode (CONF:10877), which SHALL be selected from ValueSet RaceCategory 2.16.840.1.114222.4.11.836 DYNAMIC (CONF:10034)

NEMSIS Trace: EPatient.14

g. This patient SHALL contain exactly one [1..1] administrativeGenderCode (CONF:10035), which SHALL be selected from ValueSet Administrative Gender Excluding Nulls DYNAMIC (CONF:10878)

NEMSIS Trace: EPatient.13

- 11. SHALL contain at least one [1..*] author (CONF:10027)
 - a. Such authors SHALL conform to Consol Author
 - **b.** Such authors **SHALL** contain exactly one [1..1] **assignedAuthor** (CONF:10879)
 - a. This assigned Author SHALL conform to Consol Assigned Author
 - **b.** This assigned Author **SHALL** contain exactly one [1..1] **id** (CONF:10039)

NEMSIS Trace: EOther.08 for human author; may be null for a software device

c. This assigned Author SHALL contain exactly one [1..1] addr (CONF:10040)

Required for human author; may be null for a software device NEMSIS Trace

DPersonnel.04. . . / AssignedAuthor/addr/streetAddressLine

DPersonnel.05 . . . / AssignedAuthor/addr/city

DPersonnel.06. . . / AssignedAuthor/addr/state

```
DPersonnel.07. . . / AssignedAuthor/addr/postalCode
DPersonnel.08. . . / AssignedAuthor/addr/country
```

d. This assigned Author **SHALL** contain exactly one [1..1] **telecom** (CONF:10041)

Required for human author; may be null for a software device NEMSIS Trace: DPersonnel.09

- e. This assigned Author MAY contain zero or one [0..1] assignedPerson (CONF:10880)
 - a. This assignedPerson SHALL conform to Consol Person
 - **b.** This assignedPerson **SHALL** contain at least one [1..*] **name** (CONF:5470)

NEMSIS Trace
DPersonnel.01 . . . Person/name/family
DPersonnel.02 . . . Person/name/given
DPersonnel.03 . . . Person/name/given

f. This assigned Author MAY contain zero or one [0..1] assigned Authoring Device (CONF:10881)

One authoring device is required for the document.

- a. This assigned Authoring Device SHALL conform to Consol Authoring Device
- b. This assigned Authoring Device SHALL contain exactly one [1..1] manufacturerModelName (CONF:9936)

NEMSIS Trace: ERecord.02

c. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:9999)

NEMSIS Trace: ERecord.03 and ERecord.04 (version), concatenated with an intervening caret ("^")

One authoring device is required for the document.

- 12. SHALL contain exactly one [1..1] custodian (iv., CONF:5519)
 - a. This custodian SHALL conform to Consol Custodian
 - b. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:10884)
 - a. This assignedCustodian SHALL contain exactly one [1..1] representedCustodianOrganization (CONF:10885)
 - a. This representedCustodianOrganization SHALL contain exactly one [1..1] addr (CONF:10886)

NEMSIS Trace

DContact.05. . . / representedCustodianOrganization/addr/streetAddressLine

DContact.06 . . . / representedCustodianOrganization/addr/city

DContact.07. . . / representedCustodianOrganization/addr/county

DContact.08. . . / representedCustodianOrganization/addr/state

DContact.09. . . / representedCustodianOrganization/addr/postalCode

DContact.10. . . / representedCustodianOrganization/addr/country

b. This representedCustodianOrganization SHALL contain at least one [1..*] id (CONF:10887)

NEMSIS Trace: EResponse.01

@extension is the Agency identifier; @root, if included, the OID of the assigning body

c. This representedCustodianOrganization SHALL contain exactly one [1..1] name (CONF:10888)

NEMSIS Trace: EResponse.02

- **13. SHALL** contain exactly one [1..1] participant (CONF:10030)
 - a. This participant SHALL contain exactly one [1..1] @typeCode="DST" (CONF:10054)
 - **b.** This participant Contains zero or one [0..1] **associatedEntity**
 - a. This associatedEntity SHALL contain exactly one [1..1] @classCode="SDLOC", which SHALL be selected from ValueSet STATIC (CONF:10901)
 - **b.** This associatedEntity **SHOULD** contain zero or one [0..1] **addr** (CONF:10055)

NEMSIS Trace: EDisposition.03-07

c. This associatedEntity SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet DestinationType 2.16.840.1.113883.17.3.11.69 DYNAMIC (CONF:10056)

NEMSIS Trace: EDisposition.21

- d. This associated Entity Contains zero or one [0..1] scopingOrganization
 - **a.** This scopingOrganization **SHALL** contain exactly one [1..1] **name** (CONF:10057)

NEMSIS Trace: EDisposition.01

- **14. SHALL** contain exactly one [1..1] **documentationOf** (CONF:10028)
 - a. This documentationOf SHALL contain exactly one [1..1] serviceEvent (CONF:10889)
 - a. This serviceEvent **SHALL** contain exactly one [1..1] **code**, which **SHALL** be selected from ValueSet ServiceType 2.16.840.1.113883.17.3.11.79 **DYNAMIC** (CONF:10051)

NEMSIS Trace: EResponse.05, type of service requested

b. This serviceEvent **SHALL** contain exactly one [1..1] **id** (CONF:10890)

NEMSIS Trace: EReponse.03

id/@extension is the incident number assigned by the 911 Dispatch System, where the id/@root SHOULD be the OID of the dispatching organization

- c. This serviceEvent SHALL contain at least one [1..*] performer (CONF:10891)
 - a. Such performers SHALL contain exactly one [1..1] functionCode, which SHALL be selected from ValueSet ProviderResponseRole 2.16.840.1.113883.17.3.11.80 DYNAMIC (CONF:10052)

NEMSIS Trace: ECrew.03

- b. Such performers SHALL contain exactly one [1..1] assignedEntity (CONF:10892)
 - a. This assignedEntity SHALL contain exactly one [1..1] code (CONF:10893), which SHALL be selected from ValueSet ProviderRoleLevel 2.16.840.1.113883.17.3.11.81 DYNAMIC (CONF:10053)

NEMSIS Trace: ECrew.02

b. This assignedEntity **SHALL** contain at least one [1..*] **id** (CONF:10894)

NEMSIS Trace: ECrew.01

c. This assignedEntity SHALL contain exactly one [1..1] addr (CONF:10895)

NEMSIS Trace

DPersonnel.04 . . . / assignedentity /addr/streetAddressLine

DPersonnel.05. . . / assignedentity /addr/city

DPersonnel.06 . . . / assigned entity /addr/state

DPersonnel.07 . . . / assignedentity /addr/postalCode

 $DPer sonnel. 08 \ldots / \textit{assigned entity / addr/country}$

d. This assignedEntity **SHALL** contain exactly one [1..1] **telecom** (CONF:10896)

NEMSIS Trace: DPersonnel.09

- e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:10897)
 - a. This assignedPerson SHALL contain exactly one [1..1] name (CONF:10898)

NEMSIS Trace

DPersonnel.01 Last: @ENXP="FAM" DPersonnel.02 First: @ENXP="GIV" DPersonnel.03 Middle: @ENXP="GIV"

15. MAY contain zero or one [0..1] relatedDocument (CONF:10029)

- a. This relatedDocument Contains exactly one [1..1] @typeCode="RPLC"
- b. This relatedDocument MAY contain zero or one [0..1] parentDocument (CONF:10899)
 - a. This parentDocument **SHALL** contain exactly one [1..1] **id** (CONF:10900)

NEMSIS Trace: ERecord.01

- **16. SHALL** contain exactly one [1..1] **componentOf** (CONF:9955)
 - a. This componentOf SHALL contain exactly one [1..1] @typeCode="COMP" (CONF:10042)
 - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:10882)
 - a. This encompassing Encounter SHALL contain exactly one [1..1] effectiveTime (CONF:10043)

NEMSIS Trace: ETimes.03, the date the responding unit was notified by dispatch

- b. This encompassing Encounter SHALL contain exactly one [1..1] location (CONF:10883)
 - a. This location SHALL contain exactly one [1..1] healthCareFacility (CONF:10044)
 - a. This healthCareFacility **SHALL** contain exactly one [1..1] **id** (CONF:10045)

NEMSIS Trace: EResponse.04

- b. This healthCareFacility SHALL contain exactly one [1..1] location (CONF:10046)
 - a. This location SHALL contain exactly one [1..1] @classCode="PLC" (CONF:10050)
 - **b.** This location MAY contain zero or one [0..1] name (CONF:10048)

NEMSIS Trace: EScene.13

c. This location MAY contain zero or one [0..1] addr (CONF:10049)

NEMSIS Trace: EScene.15-21

c. This healthCareFacility SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet <u>UnitResponseRole</u> 2.16.840.1.113883.17.3.11.82 DYNAMIC (CONF:10047)

NEMSIS Trace: EResponse.07

- 17. SHALL contain exactly one [1..1] component (CONF:10008)
 - **a.** Contains exactly one [1..1] *EMS Current Medication Section* (templateId:

2.16.840.1.113883.17.3.10.1.15)

- **18. MAY** contain zero or one [0..1] component (CONF:10009)
 - **a.** Contains exactly one [1..1] *EMS Cardiac Arrest Event Section* (templateId:

2.16.840.1.113883.17.3.10.1.14)

- 19. SHOULD contain exactly one [1..1] component (CONF:10010)
 - **a.** Contains exactly one [1..1] *EMS Advance Directives Section* (templateId:

2.16.840.1.113883.17.3.10.1.12)

- **20. SHALL** contain exactly one [1..1] component (CONF:10011)
 - a. Contains exactly one [1..1] EMS Allergies And Adverse Reactions Section (templateId:

2.16.840.1.113883.17.3.10.1.13)

- **21. SHALL** contain exactly one [1..1] **component** (CONF:10012)
 - **a.** Contains exactly one [1..1] *EMS Past Medical History Section* (templateId:

2.16.840.1.113883.17.3.10.1.19)

- 22. SHALL contain exactly one [1..1] component (CONF:10013)
 - **a.** Contains exactly one [1..1] *EMS Social History Section* (templateId: 2.16.840.1.113883.17.3.10.1.22)
- 23. SHALL contain exactly one [1..1] component (CONF:10014)

- **a.** Contains exactly one [1..1] *EMS Physical Assessment Section* (templateId: 2.16.840.1.113883.17.3.10.1.20) **24. MAY** contain zero or one [0..1] component (CONF:10015) **a.** Contains exactly one [1..1] *EMS Medications Administered Section* (templateId: 2.16.840.1.113883.17.3.10.1.18) **25. SHALL** contain exactly one [1..1] component (CONF:10016) **a.** Contains exactly one [1..1] *EMS Procedures Performed Section* (templateId: 2.16.840.1.113883.17.3.10.1.21) **26. SHALL** contain exactly one [1..1] **component** (CONF:10017) **a.** Contains exactly one [1..1] *EMS Patient Care Narrative Section* (templateId: 2.16.840.1.113883.17.3.10.1.1) 27. SHALL contain exactly one [1..1] component (CONF:10018) **a.** Contains exactly one [1..1] *EMS Scene Section* (templateId: 2.16.840.1.113883.17.3.10.1.8) **28. SHALL** contain exactly one [1..1] **component** (CONF:10019) a. Contains exactly one [1..1] EMS Dispatch Section (templateId: 2.16.840.1.113883.17.3.10.1.2) **29.** MAY contain zero or one [0..1] component (CONF:10020) a. Contains exactly one [1..1] EMS Disposition Section (templateId: 2.16.840.1.113883.17.3.10.1.4) **30. SHALL** contain exactly one [1..1] component (CONF:10021) **a.** Contains exactly one [1..1] *EMS Personnel Adverse Event Section* (templateId: 2.16.840.1.113883.17.3.10.1.6) **31. SHALL** contain exactly one [1..1] component (CONF:10022) **a.** Contains exactly one [1..1] *EMS Protocol Section* (templateId: 2.16.840.1.113883.17.3.10.1.7) **32. SHALL** contain exactly one [1..1] **component** (CONF:10023) a. Contains exactly one [1..1] EMS Response Section (templateId: 2.16.840.1.113883.17.3.10.1.3) **33. SHALL** contain exactly one [1..1] **component** (CONF:10024) a. Contains exactly one [1..1] EMS Situation Section (templateId: 2.16.840.1.113883.17.3.10.1.9) **34. MAY** contain zero or one [0..1] component (CONF:10025) **a.** Contains exactly one [1..1] *Times Section* (templateId: 2.16.840.1.113883.17.3.10.1.10) **35. SHALL** contain exactly one [1..1] **component** (CONF:10026) a. Contains exactly one [1..1] EMS Vital Signs Section (templateId: 2.16.840.1.113883.17.3.10.1.23)

Error: Missing Runtime Class

36. SHALL contain exactly one [1..1] component (CONF:10869)

2.16.840.1.113883.17.3.10.1.17)

a. Contains exactly one [1..1] *EMS Injury Incident Description Section* (templateId:

Patient Care Report example

Chapter

3

SECTION TEMPLATES

Topics:

- EMS Advance Directives Section
- EMS Allergies And Adverse Reactions Section
- EMS Billing Section
- EMS Cardiac Arrest Event Section
- EMS Current Medication Section
- EMS Dispatch Section
- EMS Disposition Section
- EMS Injury Incident Description Section
- EMS Medications Administered Section
- EMS Past Medical History Section
- EMS Patient Care Narrative Section
- EMS Personnel Adverse Event Section
- EMS Physical Assessment Section
- EMS Procedures Performed Section
- EMS Protocol Section
- EMS Response Section
- EMS Scene Section
- EMS Situation Section
- EMS Social History Section
- EMS Vital Signs Section
- Times Section

EMS Advance Directives Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.12]

Information regarding patient advance directives

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.12"
- 2. SHALL contain exactly one [1..1] code/@code="67840-9" EMS advance directives Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10191)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Advance Directives Section" (CONF:10944)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10945)
- 5. SHALL contain at least one [1..*] entry (CONF:10946)
 - **a.** Contains exactly one [1..1] *Advance Directive Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.98)

EMS Advance Directives Section example

Error: Missing Runtime Class

EMS Allergies And Adverse Reactions Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.13]

Information regarding patient allergies and sensitivities

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.13"
- 2. SHALL contain exactly one [1..1] code/@code="48765-2" Allergies and adverse reactions Document (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10196)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Allergies and Adverse Reactions" (CONF:10948)
- 4. SHALL contain exactly one [1..1] text (CONF:10949)
- 5. SHALL contain exactly one [1..1] entry (CONF:10950)
 - **a.** Contains exactly one [1..1] *Existence Of Drug Allergy Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.102)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:10951)
 - a. Contains exactly one [1..1] Patient Drug Allergy (templateId: 2.16.840.1.1133883.17.3.10.1.48)
- 7. SHALL contain exactly one [1..1] entry (CONF:10953)
 - **a.** Contains exactly one [1..1] *Non Drug Allergy Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.49)

EMS Allergies And Adverse Reactions Section example

Error: Missing Runtime Class

EMS Billing Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.5]

Information pertinent to billing processes

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.5"
- 2. SHALL contain exactly one [1..1] code/@code="67659-3" *EMS billing Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10080)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Billing Section" (CONF:10907)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10909)
- 5. SHALL contain exactly one [1..1] entry (CONF:10910)
 - **a.** Contains exactly one [1..1] *Billing Condition* (templateId: 2.16.840.1.1133883.17.3.10.1.91)
- 6. SHALL contain exactly one [1..1] entry (CONF:10912)
 - **a.** Contains exactly one [1..1] *Level Of Service Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.92)

EMS Billing Section example

Error: Missing Runtime Class

EMS Cardiac Arrest Event Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.14]

Information regarding a cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.14"
- 2. SHALL contain exactly one [1..1] code/@code="67799-7" EMS cardiac arrest event Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10134)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Cardiac Arrest Event" (CONF:10937)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10938)
- 5. SHALL contain exactly one [1..1] entry (CONF:10939)
 - **a.** Contains exactly one [1..1] *Cardiac Arrest* (templateId: 2.16.840.1.1133883.17.3.10.1.27)

EMS Cardiac Arrest Event Section example

Error: Missing Runtime Class

EMS Current Medication Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.15]

Information regarding a patient's current medications

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.15"

- 2. SHALL conform to *Consol Medications Section* template (templateId:
 - 2.16.840.1.113883.10.20.22.2.1.1)
- 3. SHALL contain exactly one [1..1] code/@code="67844-1" EMS current medications Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10955)
- **4. SHALL** contain exactly one [1..1] **title** and **SHOULD** equal "EMS Current Medications Section" (CONF:10219)
- **5. SHALL** contain exactly one [1..1] **text** (CONF:10957)
- 6. SHALL contain exactly one [1..1] entry (CONF:10958)
 - **a.** Contains exactly one [1..1] *Currently On Medication* (templateId: 2.16.840.1.1133883.17.3.10.1.75)
- 7. SHALL contain exactly one [1..1] entry (CONF:10960)
 - **a.** Contains exactly one [1..1] *Patient On Anticoagulants* (templateId: 2.16.840.1.1133883.17.3.10.1.76)
- 8. SHALL contain exactly one [1..1] entry (CONF:10962)
 - a. Contains exactly one [1..1] Current Medication (templateId: 2.16.840.1.1133883.17.3.10.1.77)

EMS Current Medication Section example

```
Error: Missing Runtime Class
```

EMS Dispatch Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.2]

Information regarding the dispatch process

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.2"
- 2. SHALL contain exactly one [1..1] code/@code="67660-1" EMS dispatch Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10556)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Dispatch" (CONF:10558)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10557)
- 5. SHALL contain exactly one [1..1] entry (CONF:10991)
 - **a.** Contains exactly one [1..1] *Emergency Medical Dispatch Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.73)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:10993)
 - **a.** Contains exactly one [1..1] *Complaint Reported By Dispatch* (templateId: 2.16.840.1.1133883.17.3.10.1.74)

EMS Dispatch Section example

```
Error: Missing Runtime Class
```

EMS Disposition Section

```
[Section: templateId 2.16.840.1.113883.17.3.10.1.4]
```

Information regarding the disposition of the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.4"
- 2. SHALL contain exactly one [1..1] code (CONF:10652)/@code="67661-9" EMS disposition Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10651)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Disposition" (CONF:10654)
- 4. SHALL contain exactly one [1..1] text (CONF:10653)
- 5. SHALL contain exactly one [1..1] entry (CONF:11003)
 - **a.** Contains exactly one [1..1] *Number Of Patients Transported Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.31)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:11005)
 - **a.** Contains exactly one [1..1] *Incident Disposition Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.32)
- 7. SHALL contain exactly one [1..1] entry (CONF:11007)
 - **a.** Contains exactly one [1..1] *Transport Mode Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.33)
- **8. SHALL** contain exactly one [1..1] **entry** (CONF:11009)
 - **a.** Contains exactly one [1..1] *Transport Method Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.34)
- **9. SHALL** contain exactly one [1..1] **entry** (CONF:11011)
 - **a.** Contains exactly one [1..1] *Reason For Choosing Destination Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.35)
- 10. SHALL contain exactly one [1..1] entry (CONF:11013)
 - **a.** Contains exactly one [1..1] *Prearrival Activation Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.36)
- 11. SHALL contain exactly one [1..1] entry (CONF:11015)
 - **a.** Contains exactly one [1..1] *Patient Condition Change At Destination Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.37)

EMS Disposition Section example

Error: Missing Runtime Class

EMS Injury Incident Description Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.17]

Observations concerning a patient's injury mechanism

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.17"
- 2. SHALL contain exactly one [1..1] code/@code="67800-3" EMS injury incident description Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10094)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "Injury Incident Description Section" (CONF:10914)
- 4. SHALL contain exactly one [1..1] text (CONF:10916)
- **5. SHALL** contain exactly one [1..1] **entry** (CONF:10917)
 - a. Contains exactly one [1..1] *Injury Cause Category* (templateId: 2.16.840.1.1133883.17.3.10.1.50)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:10919)

- **a.** Contains exactly one [1..1] *Injury Mechanism* (templateId: 2.16.840.1.1133883.17.3.10.1.51)
- 7. SHALL contain exactly one [1..1] entry (CONF:10921)
 - **a.** Contains exactly one [1..1] *Trauma Center Criteria* (templateId: 2.16.840.1.1133883.17.3.10.1.52)
- **8. SHALL** contain exactly one [1..1] **entry** (CONF:10923)
 - **a.** Contains exactly one [1..1] *Injury Risk Factor* (templateId: 2.16.840.1.1133883.17.3.10.1.53)
- 9. SHALL contain zero or one [0..1] entry (CONF:10925)
 - **a.** Contains exactly one [1..1] *Vehicle Impact Area* (templateId: 2.16.840.1.1133883.17.3.10.1.54)
- 10. SHALL contain zero or one [0..1] entry (CONF:10927)
 - **a.** Contains exactly one [1..1] *Patient Location In Vehicle* (templateId: 2.16.840.1.1133883.17.3.10.1.55)
- 11. SHALL contain zero or one [0..1] entry (CONF:10929)
 - **a.** Contains exactly one [1..1] *Vehicle Occupant Safety Equipment* (templateId: 2.16.840.1.1133883.17.3.10.1.56)
- 12. SHALL contain zero or one [0..1] entry (CONF:10931)
 - **a.** Contains exactly one [1..1] *Airbag Deployment Status* (templateId: 2.16.840.1.1133883.17.3.10.1.57)
- 13. SHALL contain zero or one [0..1] entry (CONF:10933)
 - **a.** Contains exactly one [1..1] *Height Of Fall* (templateId: 2.16.840.1.1133883.17.3.10.1.58)
- **14. SHALL** contain zero or one [0..1] **entry** (CONF:10935)
 - **a.** Contains exactly one [1..1] *Disaster Type* (templateId: 2.16.840.1.1133883.17.3.10.1.59)

EMS Injury Incident Description Section example

```
Error: Missing Runtime Class
```

EMS Medications Administered Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.18]

Collection of information regarding the administration of medications

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.18"
- **2. SHALL** conform to *Consol Medications Administered Section* template (templateId: 2.16.840.1.113883.10.20.22.2.38)
- 3. SHALL contain exactly one [1..1] code (CONF:10439)/@code="67849-0" EMS medications administered Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10987)
- **4. SHALL** contain exactly one [1..1] **title** and **SHOULD** equal "Medications Administered Section" (CONF:10442)
- **5. SHALL** contain exactly one [1..1] **text** (CONF:10441)
- **6. SHALL** contain at least one [1..*] **entry** (CONF:10989)
 - **a.** Contains exactly one [1..1] *Medication Administered* (templateId: 2.16.840.1.1133883.17.3.10.1.72)

EMS Medications Administered Section example

Error: Missing Runtime Class

EMS Past Medical History Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.19]

Collection of information regarding the patient's medical history

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.19"
- 2. SHALL contain exactly one [1..1] code (CONF:10059)/@code="67842-5" EMS past medical history Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10058)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Past Medical History" (CONF:10060)
- 4. SHALL contain exactly one [1..1] text (CONF:10902)
- 5. SHALL contain exactly one [1..1] entry (CONF:10903)
 - **a.** Contains exactly one [1..1] *Existence Of History Of Condition* (templateId: 2.16.840.1.1133883.17.3.10.1.60)
- **6. SHALL** contain zero or more [0..*] **entry** (CONF:10905)
 - **a.** Contains exactly one [1..1] *History Of Condition* (templateId: 2.16.840.1.1133883.17.3.10.1.61)

EMS Past Medical History Section example

Error: Missing Runtime Class

EMS Patient Care Narrative Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.1]

A narrative description of the EMS encounter

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.1"
- 2. SHALL contain exactly one [1..1] code (CONF:10551)/@code="67781-5" Summarization of encounter note Narrative (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10552)
- **3. SHALL** contain exactly one [1..1] **title** and **SHOULD** equal "EMS Patient Care Report Narrative" (CONF:10554)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10553)
 - NEMSIS Trace: ENarrative.01

EMS Patient Care Narrative Section example

Error: Missing Runtime Class

EMS Personnel Adverse Event Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.6]

Information regarding adverse events affecting EMS personnel

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.6"
- SHALL contain exactly one [1..1] code (CONF:10698)/@code="67658-5" EMS exposures or injuries of EMS personnel Provider Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10697)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "Exposures or Injuries of EMS Personnel" (CONF:10700)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10699)
- 5. SHALL contain exactly one [1..1] entry (CONF:11017)
 - **a.** Contains exactly one [1..1] *Adverse Event Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.89)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:11019)
 - **a.** Contains exactly one [1..1] *Adverse Event Type Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.90)

EMS Personnel Adverse Event Section example

```
Error: Missing Runtime Class
```

EMS Physical Assessment Section

```
[Section: templateId 2.16.840.1.113883.17.3.10.1.20]
```

A collection of qualitative assessments of the patient's physical condition and other facts

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.20"
- **2. SHALL** conform to *Consol Physical Exam Section* template (templateId: 2.16.840.1.113883.10.20.2.10)
- 3. SHALL contain exactly one [1..1] code (CONF:10337)/@code="29545-1" Physical findings Narrative (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10336)
- **4. SHALL** contain exactly one [1..1] **title** and **SHOULD** equal "EMS Physical Assessment Section" (CONF:10339)
- **5. SHALL** contain exactly one [1..1] **text** (CONF:10338)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:10975)
 - **a.** Contains exactly one [1..1] *Physical Assessment Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.78)
- 7. SHALL contain exactly one [1..1] entry (CONF:10977)
 - **a.** Contains exactly one [1..1] *Patient Pregnancy* (templateId: 2.16.840.1.1133883.17.3.10.1.79)
- 8. SHALL contain exactly one [1..1] entry (CONF:10979)
 - **a.** Contains exactly one [1..1] *Last Oral Intake* (templateId: 2.16.840.1.1133883.17.3.10.1.80)
- 9. SHALL contain exactly one [1..1] entry (CONF:10981)
 - **a.** Contains exactly one [1..1] *Patient Age* (templateId: 2.16.840.1.1133883.17.3.10.1.81)
- 10. SHALL contain exactly one [1..1] entry (CONF:10983)
 - **a.** Contains exactly one [1..1] *Thrombolytic Contraindications* (templateId: 2.16.840.1.1133883.17.3.10.1.82)
- 11. SHALL contain exactly one [1..1] entry (CONF:10985)

a. Contains exactly one [1..1] *Barriers To Patient Care* (templateId: 2.16.840.1.1133883.17.3.10.1.83)

EMS Physical Assessment Section example

Error: Missing Runtime Class

EMS Procedures Performed Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.21]

Information regarding procedures performed by the EMS personnel or by others prior to EMS unit arrival

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.21"
- **2. SHALL** conform to *Consol Procedure Description Section* template (templateId: 2.16.840.1.113883.10.20.22.2.27)
- 3. SHALL contain exactly one [1..1] code (CONF:10490)/@code="29554-3" Procedure Narrative (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10489)
- 4. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Procedures Performed" (CONF:10492)
- **5. SHALL** contain exactly one [1..1] **text** (CONF:10491)
- **6.** MAY contain zero or more [0..*] entry (CONF:6277, CONF:8534)
 - **a.** Contains exactly one [1..1] *Procedure* (templateId: 2.16.840.1.1133883.17.3.10.1.98)

EMS Procedures Performed Section example

Error: Missing Runtime Class

EMS Protocol Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.7]

Information about the protocol used by EMS personnel to direct the clinical care of the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.7"
- 2. SHALL contain exactly one [1..1] code/@code="67663-5" EMS protocol Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10713)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Protocol Section" (CONF:11021)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:11023)
- 5. SHALL contain exactly one [1..1] entry (CONF:11024)
 - a. Contains exactly one [1..1] Protocol Observation (templateId: 2.16.840.1.1133883.17.3.10.1.93)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:11026)
 - **a.** Contains exactly one [1..1] *Candidate Patient Registry Type* (templateId: 2.16.840.1.1133883.17.3.10.1.94)

EMS Protocol Section example

EMS Response Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.3]

Information regarding the EMS crew's response to dispatch

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.3"
- 2. SHALL contain exactly one [1..1] code (CONF:10573)/@code="67664-3" EMS response Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10572)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Response" (CONF:10575)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10574)
- 5. SHALL contain exactly one [1..1] entry (CONF:10995)
 - **a.** Contains exactly one [1..1] *Delay Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.95)
- 6. SHALL contain exactly one [1..1] entry (CONF:10997)
 - **a.** Contains exactly one [1..1] *Dispatch Location Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.96)
- 7. SHALL contain exactly one [1..1] entry (CONF:10999)
 - **a.** Contains exactly one [1..1] *Response Odometer Reading Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.97)
- **8. SHALL** contain exactly one [1..1] **entry** (CONF:11001)
 - **a.** Contains exactly one [1..1] *Response Mode To Scene* (templateId: 2.16.840.1.1133883.17.3.10.1.98)

EMS Response Section example

Error: Missing Runtime Class

EMS Scene Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.8]

Information about the environment in which the patient is found

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.8"
- 2. SHALL contain exactly one [1..1] code/@code="67665-0" *EMS scene Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10732)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Scene" (CONF:10734)
- 4. SHALL contain exactly one [1..1] text (CONF:10733)
- 5. SHALL contain exactly one [1..1] entry (CONF:11028)
 - **a.** Contains exactly one [1..1] *First Unit Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.84)
- 6. SHALL contain exactly one [1..1] entry (CONF:11030)
 - **a.** Contains exactly one [1..1] *First Unit On Scene* (templateId: 2.16.840.1.1133883.17.3.10.1.85)
- 7. SHALL contain exactly one [1..1] entry (CONF:11032)
 - a. Contains exactly one [1..1] Scene Patient Count (templateId: 2.16.840.1.1133883.17.3.10.1.86)
- 8. SHALL contain exactly one [1..1] entry (CONF:11034)

- **a.** Contains exactly one [1..1] *Mass Casualty Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.87)
- 9. SHALL contain exactly one [1..1] entry (CONF:11036)
 - **a.** Contains exactly one [1..1] *Location Type Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.88)

EMS Scene Section example

Error: Missing Runtime Class

EMS Situation Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.9]

Information about patient symptoms and complaints

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.9"
- 2. SHALL contain exactly one [1..1] code (CONF:10755)/@code="67666-8" EMS situation Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10756)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Situation Section" (CONF:10758)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10757)
- 5. SHALL contain at least one [1..*] entry (CONF:11039)
 - a. Contains exactly one [1..1] Complaint (templateId: 2.16.840.1.1133883.17.3.10.1.63)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:11041)
 - a. Contains exactly one [1..1] *Possible Injury* (templateId: 2.16.840.1.1133883.17.3.10.1.64)
- 7. SHALL contain exactly one [1..1] entry (CONF:11043)
 - **a.** Contains exactly one [1..1] *Provider Primary Impression* (templateId: 2.16.840.1.1133883.17.3.10.1.65)
- **8. SHALL** contain exactly one [1..1] **entry** (CONF:11045)
 - **a.** Contains exactly one [1..1] *Primary Symptom* (templateId: 2.16.840.1.1133883.17.3.10.1.66)
- **9. SHALL** contain exactly one [1..1] **entry** (CONF:11047)
 - **a.** Contains exactly one [1..1] *Other Symptoms* (templateId: 2.16.840.1.1133883.17.3.10.1.67)
- 10. SHALL contain exactly one [1..1] entry (CONF:11049)
 - **a.** Contains exactly one [1..1] *Provider Secondary Impressions* (templateId: 2.16.840.1.1133883.17.3.10.1.68)
- 11. SHALL contain exactly one [1..1] entry (CONF:11051)
 - a. Contains exactly one [1..1] Initial Patient Acuity (templateId: 2.16.840.1.1133883.17.3.10.1.69)

EMS Situation Section example

```
Error: Missing Runtime Class
```

EMS Social History Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.22]

Information about the patient's social environment

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.22"
- 2. SHALL contain exactly one [1..1] code (CONF:10241)/@code="67843-3" EMS social history Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10240)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Social History" (CONF:10243)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10964)
- 5. SHALL contain exactly one [1..1] entry (CONF:10965)
 - **a.** Contains exactly one [1..1] *Existence Of Drug Use Indication* (templateId: 2.16.840.1.1133883.17.3.10.1.70)
- 6. SHALL contain exactly one [1..1] entry (CONF:10967)
 - **a.** Contains exactly one [1..1] *Drug Use Indication* (templateId: 2.16.840.1.1133883.17.3.10.1.71)

EMS Social History Section example

```
Error: Missing Runtime Class
```

EMS Vital Signs Section

[Section: templateId 2.16.840.1.113883.17.3.10.1.23]

Collection of vital signs and other observations about the patient's status

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.23"
- **2. SHALL** conform to *Consol Vital Signs Section* template (templateId: 2.16.840.1.113883.10.20.22.2.4.1)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"8716-3" *Vital Signs* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10252)
- 4. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Vital Signs" (CONF:10254)
- 5. SHALL contain exactly one [1..1] text (CONF:10969)
- **6. SHALL** contain at least one [1..*] **entry** (CONF:10970)
 - a. Contains exactly one [1..1] Vital Signs Organizer (templateId: 2.16.840.1.1133883.17.3.10.1.28)
- 7. SHALL contain at least one [1..*] entry (CONF:10972)
 - **a.** Contains exactly one [1..1] *Additional Vital Signs Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.30)

EMS Vital Signs Section example

```
Error: Missing Runtime Class
```

Times Section

```
[Section: templateId 2.16.840.1.113883.17.3.10.1.10]
```

Set of times for defined events in the EMS trip

1. SHALL contain exactly one [1..1] templateId () such that it

- **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.10"
- 2. SHALL contain exactly one [1..1] code/@code="67667-6" *EMS times Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10820)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Times" (CONF:10822)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10821)
- 5. SHALL contain exactly one [1..1] entry (CONF:11053)
 - **a.** Contains exactly one [1..1] *Call Time* (templateId: 2.16.840.1.1133883.17.3.10.1.38)
- 6. SHALL contain exactly one [1..1] entry (CONF:11055)
 - **a.** Contains exactly one [1..1] *Unit Notified Time* (templateId: 2.16.840.1.1133883.17.3.10.1.39)
- 7. SHALL contain exactly one [1..1] entry (CONF:11057)
 - **a.** Contains exactly one [1..1] *Unit En Route Time* (templateId: 2.16.840.1.1133883.17.3.10.1.40)
- **8. SHALL** contain exactly one [1..1] **entry** (CONF:11059)
 - **a.** Contains exactly one [1..1] *Unit On Scene Time* (templateId: 2.16.840.1.1133883.17.3.10.1.41)
- **9. SHALL** contain exactly one [1..1] **entry** (CONF:11061)
 - **a.** Contains exactly one [1..1] *Unit At Patient Time* (templateId: 2.16.840.1.1133883.17.3.10.1.42)
- 10. SHALL contain exactly one [1..1] entry (CONF:11063)
 - **a.** Contains exactly one [1..1] *Unit Left Scene Time* (templateId: 2.16.840.1.1133883.17.3.10.1.43)
- 11. SHALL contain exactly one [1..1] entry (CONF:11065)
 - **a.** Contains exactly one [1..1] *Patient Arrived At Destination Time* (templateId: 2.16.840.1.1133883.17.3.10.1.44)
- **12. SHALL** contain exactly one [1..1] **entry** (CONF:11067)
 - **a.** Contains exactly one [1..1] *Unit Back In Service Time* (templateId: 2.16.840.1.1133883.17.3.10.1.45)
- 13. SHALL contain exactly one [1..1] entry (CONF:11069)
 - **a.** Contains exactly one [1..1] *Dispatch Notified Time* (templateId: 2.16.840.1.1133883.17.3.10.1.46)

Times Section example

Chapter



CLINICAL STATEMENT TEMPLATES

Topics:

- Abandoned Procedure Reason Observation
- Abdomen Assessment
- Additional Vital Signs Organizer
- Advance Directive Observation
- Adverse Event Indicator
- Adverse Event Type Observation
- Airbag Deployment Status
- Airway Confirmation Observation
- Arrest Rhythm
- Back And Spine Assessment
- Barriers To Patient Care
- Billing Condition
- Blood Glucose
- Body Temperature
- Call Time
- Candidate Patient Registry Type
- Carbon Dioxide
- Carbon Monoxide
- Cardiac Arrest
- Cardiac Arrest Cause
- Cardiac Arrest With Timing
- Cardiac Rhythm
- Chest And Lungs Assessment
- Complaint
- Complaint Duration
- Complaint Organ System
- Complaint Reported By Dispatch
- Complaint Type
- Current Medication
- Currently On Medication
- Delay Organizer
- Destination Rhythm

This section of the Implementation Guide details the clinical statement entries referenced in the document section templates. The clinical statement entry templates are arranged alphabetically.

- Diastolic Blood Pressure
- Disaster Type
- Dispatch Delay
- Dispatch Location Latitude
- Dispatch Location Longitude
- Dispatch Location Name
- Dispatch Location Organizer
- Dispatch Notified Time
- Drug Use Indication
- Emergency Medical Dispatch Observation
- Existence Of Drug Allergy Observation
- Existence Of Drug Use Indication
- Existence Of History Of Condition
- Existence Of Non Drug Allergy
- Extremities Assessment
- Eye Assessment
- Face Assessment
- First Unit Indicator
- First Unit On Scene
- Glasgow Coma Score Organizer
- Glasgow Eye
- Glasgow Motor
- Glasgow Qualifier
- Glasgow Total
- Glasgow Verbal
- Head Assessment
- Heart Assessment
- Heart Rate
- Height Of Fall
- History Of Condition
- Incident Disposition Observation
- Initial Patient Acuity
- Injury Cause Category
- Injury Mechanism
- Injury Risk Factor
- Last Oral Intake
- Length Based Patient Body Weight Class
- Level Of Responsiveness
- Level Of Service Observation
- Location Type Observation
- Mass Casualty Indicator
- Medication Administered

- Medication Complication Observation
- Medication Not Administered Reason Observation
- Medication Prior Administration Observation
- Medication Response Observation
- Mental Status Assessment
- Neck Assessment
- Neurological Assessment
- Non Drug Allergy
- Non Drug Allergy Organizer
- Number Of Patients
 Transported Observation
- Other Symptoms
- Oxygen Saturation
- Pain Score
- Patient Age
- Patient Arrived At Destination Time
- Patient Body Weight
- Patient Condition Change At Destination Observation
- Patient Drug Allergy
- Patient Location In Vehicle
- Patient On Anticoagulants
- Patient Pregnancy
- Pelvic And Genitourinary Assessment
- Physical Assessment Organizer
- Possible Injury
- Prearrival Activation Observation
- Primary Symptom
- Prior AED Use
- Prior Aid Vitals
- Prior CPR
- Procedure
- Procedure Complications Observation
- Procedure Number Of Attempts Observation
- Procedure Patient Response Observation
- Procedure Prior Indicator
- Procedure Successful Observation
- Protocol Age Category

- Protocol Observation
- Provider Primary Impression
- Provider Secondary Impressions
- Reason For Choosing Destination Observation
- Reason Procedure Not Attempted Observation
- Respiratory Rate
- Response Beginning Odometer Reading
- Response Delay
- Response Destination Odometer Reading
- Response Ending Odometer Reading
- Response Mode To Scene
- Response Odometer Reading Organizer
- Response On Scene Odometer Reading
- Return Of Spontaneous Circulation
- Scene Delay
- Scene Patient Count
- Skin Assessment
- Stroke Score
- Systolic Blood Pressure
- Thrombolytic Contraindications
- Transport Delay
- Transport Method Observation
- Transport Mode Observation
- Trauma Center Criteria
- Turnaround Delay
- Unit At Patient Time
- Unit Back In Service Time
- Unit En Route Time
- Unit Left Scene Time
- Unit Notified Time
- Unit On Scene Time
- Vehicle Impact Area
- Vehicle Occupant Safety Equipment
- Vital Signs Organizer

Abandoned Procedure Reason Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.130]

An explanation of why efforts to conduct a procedure were abandoned

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.130"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11255)
- 3. SHALL contain exactly one [1..1] code (CONF:10512)/@code="ASSERTION" Assertion (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode) (CONF:10511)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10514), which SHALL be selected from ValueSet ResusctitationDiscontinueReason 2.16.840.1.113883.17.3.11.62 DYNAMIC (CONF:10513)
 - NEMSIS Trace: EArrest.16

Abandoned Procedure Reason Observation example

Error: Missing Runtime Class

Abdomen Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.117]

Qualitative assessment of condition of patient's abdomen

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.117"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11234)
- 3. SHALL contain exactly one [1..1] code/@code="67530-6" Physical findings of Abdomen NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10387)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11235)
 - NEMSIS Trace: EExam.03
- 5. SHALL contain exactly one [1..1] **value** with data type CD, which SHALL be selected from ValueSet AbdomenAssessmentFinding 2.16.840.1.113883.17.3.11.31 **DYNAMIC** (CONF:10388)
 - NEMSIS Trace: EExam.11
- **6. SHALL** contain exactly one [1..1] **targetSiteCode**, which **SHALL** be selected from ValueSet *AbdominalFindingLocation* 2.16.840.1.113883.17.3.11.32 **DYNAMIC** (CONF:10389)
 - NEMSIS Trace: EExam.10

Abdomen Assessment example

Additional Vital Signs Organizer

```
[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.30]
```

Common observations regarding the state of the patient that are not typically included in strict definitions of vital signs.

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.30"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11133)
- **3.** MAY contain zero or one [0..1] effectiveTime (CONF:11134)
 - NEMSIS Trace: EVitals.01
- **4.** MAY contain zero or one [0..1] component (CONF:11091)
 - **a.** Contains exactly one [1..1] *Stroke Score* (templateId: 2.16.840.1.1133883.17.3.10.1.163)
- **5.** MAY contain zero or one [0..1] component (CONF:11092)
 - **a.** Contains exactly one [1..1] *Pain Score* (templateId: 2.16.840.1.1133883.17.3.10.1.164)
- **6.** MAY contain zero or one [0..1] component (CONF:11093)
 - **a.** Contains exactly one [1..1] *Level Of Responsiveness* (templateId: 2.16.840.1.1133883.17.3.10.1.165)
- 7. MAY contain zero or one [0..1] component (CONF:11094)
 - a. Contains exactly one [1..1] Blood Glucose (templateId: 2.16.840.1.1133883.17.3.10.1.166)
- **8.** MAY contain zero or one [0..1] component (CONF:11095)
 - **a.** Contains exactly one [1..1] *Carbon Monoxide* (templateId: 2.16.840.1.1133883.17.3.10.1.167)
- 9. MAY contain zero or one [0..1] component (CONF:11096)
 - **a.** Contains exactly one [1..1] *Carbon Dioxide* (templateId: 2.16.840.1.1133883.17.3.10.1.168)
- **10. MAY** contain zero or one [0..1] **component** (CONF:11097)
 - **a.** Contains exactly one [1..1] *Cardiac Rhythm* (templateId: 2.16.840.1.1133883.17.3.10.1.169)
- 11. MAY contain zero or more [0..*] component (CONF:11135)
 - **a.** Contains exactly one [1..1] *Glasgow Coma Score Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.170)

Additional Vital Signs Organizer example

```
Error: Missing Runtime Class
```

Advance Directive Observation

```
[Observation: templateId 2.16.840.1.1133883.17.3.10.1.98]
```

Whether an advance directive exists and how it is expressed

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.98"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11152)

- **3. SHALL** contain exactly one [1..1] **code/@code=**"67516-5" *Advance directive NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10194)
 - NEMSIS Trace: EHistory.05
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:11153), which **SHALL** be selected from ValueSet *AdvanceDirectiveType* 2.16.840.1.113883.17.3.11.63 **DYNAMIC** (CONF:11154)

Advance Directive Observation example

Error: Missing Runtime Class

Adverse Event Indicator

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.89]

Indication of whether an adverse event occurred involving EMS personnel

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.89"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11204)
- 3. SHALL contain exactly one [1..1] code (CONF:10705)/@code="67554-6" Work related exposure, injury, or death Provider NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10706)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10707)
 - NEMSIS Trace: EOther.05

Adverse Event Indicator example

Error: Missing Runtime Class

Adverse Event Type Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.90]

Kind of adverse event involving EMS personnel

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.90"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11205)
- 3. SHALL contain exactly one [1..1] code (CONF:10710)/@code="67555-3" Work related exposure, injury, or death Provider NEMSIS type (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10709)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10711), which SHALL be selected from ValueSet ProviderAdverseEventType 2.16.840.1.113883.17.3.11.72 DYNAMIC (CONF:10712)
 - NEMSIS Trace: EOther.06

Adverse Event Type Observation example

Airbag Deployment Status

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.57]

Airbag presence, deployment, and location

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.57"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11162)
- **3. SHALL** contain exactly one [1..1] **code/@code="**67500-9" *Airbag deployment NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10126)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:11163), which SHALL be selected from ValueSet AirbagStatus 2.16.840.1.113883.17.3.11.8 DYNAMIC (CONF:10127)
 - NEMSIS Trace: EInjury.08

Airbag Deployment Status example

Error: Missing Runtime Class

Airway Confirmation Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.175]

Whether airway placement was confirmed, including time and method

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.175"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11261)
- 3. SHALL contain exactly one [1..1] code (CONF:10542)/@code="71576-3" Airway device placement confirmation NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10541)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:10546)
 - NEMSIS Trace: EAirway.02. If the confirmation is negated, this SHALL be "NA."
- **5. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10545)
 - NEMSIS Trace: if EAirway.02 is populated, this is TRUE
- 6. SHALL contain exactly one [1..1] methodCode (CONF:10544), which SHALL be selected from ValueSet AirwayDeviceConfirmationMethod 2.16.840.1.113883.17.3.11.60 DYNAMIC (CONF:10543)
 - NEMSIS Trace: EAirway.04

Airway Confirmation Observation example

Error: Missing Runtime Class

Arrest Rhythm

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.127]

First measurement of cardiac rhythm during or shortly after cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.127"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11251)
- 3. SHALL contain exactly one [1..1] code/@code="67512-4" First monitored rhythm NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10179)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *FirstMonitoredRhythm* 2.16.840.1.113883.17.3.11.14 **DYNAMIC** (CONF:10180)
 - NEMSIS Trace: EArrest. 11

Arrest Rhythm example

Error: Missing Runtime Class

Back And Spine Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.119]

Qualitative assessment of condition of patient's back and spine

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.119"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11238)
- 3. SHALL contain exactly one [1..1] code (CONF:10394)/@code="67532-2" Physical findings of Back +Spine NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10393)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11239)
 - NEMSIS Trace: EExam.03
- 5. SHALL contain exactly one [1..1] value with data type CD (CONF:10397), which SHALL be selected from ValueSet BackSpineAssessmentFinding 2.16.840.1.113883.17.3.11.34 DYNAMIC (CONF:10398)
 - NEMSIS Trace: EExam.14
- 6. SHALL contain exactly one [1..1] targetSiteCode (CONF:10396), which SHALL be selected from ValueSet BackSpineFindingLocation 2.16.840.1.113883.17.3.11.35 DYNAMIC (CONF:10395)
 - NEMSIS Trace: EExam.13

Back And Spine Assessment example

Error: Missing Runtime Class

Barriers To Patient Care

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.83]

Kinds of circumstances limiting provision of care

1. SHALL contain exactly one [1..1] templateId () such that it

- **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.83"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11196)
- 3. SHALL contain exactly one [1..1] code (CONF:10435)/@code="67515-7" Barriers to patient care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10436)
- **4. SHALL** contain at least one [1..*] **value** with data type CD (CONF:10437), which **SHALL** be selected from ValueSet *BarrierToCare* 2.16.840.1.113883.17.3.11.85 **DYNAMIC** (CONF:10438)
 - NEMSIS Trace: EHistory.01

Barriers To Patient Care example

Error: Missing Runtime Class

Billing Condition

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.91]

Patient condition classified by billing category

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.91"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11207)
- 3. SHALL contain exactly one [1..1] code (CONF:10084)/@code="67556-1" EMS condition code NEMSIS (Billing condition) (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10086)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10087), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:11206)
 - NEMSIS Trace: EPayment.51

Billing Condition example

Error: Missing Runtime Class

Blood Glucose

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.166]

Patient blood glucose measured as a mass concentration

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.166"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11303)
- 3. SHALL contain exactly one [1..1] code (CONF:10300)/@code="2339-0" Glucose [Mass/?volume] in Blood (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10299)
- **4. MAY** contain zero or one [0..1] **effectiveTime** (CONF:11304)
 - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10301)
 - NEMSIS Trace: EVitals.18

UCUM units will typically be "mg/dl".

Blood Glucose example

Error: Missing Runtime Class

Body Temperature

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.176]

Patient's body temperature

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.176"
- **2. SHALL** conform to *Consol Vital Sign Observation* template (templateId: 2.16.840.1.113883.10.20.22.4.27)
- **3. SHALL** contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11278)
- **4. SHALL** contain exactly one [1..1] **code/@code="**8310-5" *Body temperature* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10289)
- **5.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11279)
 - NEMSIS Trace: EVitals.01
- **6. SHALL** contain exactly one [1..1] **value** (CONF:10290)
 - NEMSIS Trace: EVitals.24
 UCUM units SHOULD be "Cel".

Body Temperature example

Error: Missing Runtime Class

Call Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.38]

Time at which the public safety answering point call center is notified of an emergency

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.38"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11143)
- 3. SHALL contain exactly one [1..1] code (CONF:10835)/@code="69469-5" 911 call to public safety answering point or other designated entity requesting EMS services [Date and time] Facility NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10834)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10836)
 - NEMSIS Trace: ETimes.01

Call Time example

Candidate Patient Registry Type

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.94]

Kind of patient registry in which it may be appropriate to include the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.94"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11210)
- 3. SHALL contain exactly one [1..1] code (CONF:10728)/@code="67553-8" Condition indicating eligibility for illness or injury registry NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10729)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10730), which SHALL be selected from ValueSet RegistryType 2.16.840.1.113883.17.3.11.74 DYNAMIC (CONF:10731)
 - NEMSIS Trace: EOther.02

Candidate Patient Registry Type example

Error: Missing Runtime Class

Carbon Dioxide

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.168]

Measurement of carbon dioxide in patient's bloodstream

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.168"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11307)
- 3. SHALL contain exactly one [1..1] code (CONF:10294)/@code="19889-5" Carbon dioxide/Gas.total.at end expiration in Exhaled gas (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10293)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11308)
 - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10295)
 - NEMSIS Trace: EVitals.16 UCUM units will typically be "%".

Carbon Dioxide example

Error: Missing Runtime Class

Carbon Monoxide

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.167]

Measurement of carbon monoxide in patient's bloodstream

1. SHALL contain exactly one [1..1] templateId () such that it

- **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.167"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11305)
- 3. SHALL contain exactly one [1..1] code (CONF:10297)/@code="TBD" carbon monoxide (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10296)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11306)
 - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10298)
 - NEMSIS Trace: EVitals.17
 UCUM units will typically be "[ppm]".

Carbon Monoxide example

Error: Missing Runtime Class

Cardiac Arrest

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.27]

Characteristics of a patient's cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.27"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11130)
- 3. SHOULD contain zero or one [0..1] @negationInd (CONF:10141)
 - Populate as true if NEMSIS EArrest.01 = "No"
- **4. SHALL** contain exactly one [1..1] **code/@code="**ASSERTION" *ASSERTION* (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode) (CONF:10138)
- **5. SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:10139)
 - NEMSIS Trace: EArrest.14
- 6. SHALL contain exactly one [1..1] value with data type CD/@code="410429000" cardiac arrest (CodeSystem: 2.16.840.1.113883.6.96 SNOMEDCT) (CONF:10140)
 - NEMSIS Trace: EArrest.01
- 7. MAY contain zero or one [0..1] entryRelationship (CONF:10142)
 - a. This entryRelationship **SHALL** contain exactly one [1..1] @inversionInd="TRUE" (CONF:10154)
 - **b.** This entryRelationship **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10155)
 - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Cardiac Arrest Cause* (CONF:10941)
 - **a.** Contains exactly one [1..1] *Cardiac Arrest Cause* (templateld: 2.16.840.1.1133883.17.3.10.1.124)
- **8.** MAY contain zero or one [0..1] informant (CONF:10144)
 - a. This informant SHALL contain exactly one [1..1] @typeCode="INF" (CONF:10158)
 - **b.** This informant **SHALL** contain exactly one [1..1] **relatedEntity** (CONF:11071)
 - a. This relatedEntity SHALL contain exactly one [1..1] @classCode="AGNT" (CONF:10159)
 - b. This relatedEntity SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet CardiacArrestWitnessRole 2.16.840.1.113883.17.3.11.11 DYNAMIC (CONF:10160)

NEMSIS Trace: EArrest.04

- 9. MAY contain zero or one [0..1] entryRelationship (CONF:10145)
 - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10161)
 - b. This entryRelationship **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10162)
 - c. This entryRelationship SHALL contain exactly one [1..1] observation, where its type is *Prior CPR* (CONF:10942)
- **a.** Contains exactly one [1..1] *Prior CPR* (templateId: 2.16.840.1.1133883.17.3.10.1.125)
- **10. MAY** contain zero or one [0..1] **entryRelationship** (CONF:10146)
 - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10168)
 - **b.** This entryRelationship **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10169)
 - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Prior AED Use* (CONF:10170)
 - **a.** Contains exactly one [1..1] *Prior AED Use* (templateId: 2.16.840.1.1133883.17.3.10.1.126)
- 11. MAY contain zero or one [0..1] entryRelationship (CONF:10147)
 - a. This entryRelationship **SHALL** contain exactly one [1..1] @inversionInd="TRUE" (CONF:10181)
 - **b.** This entryRelationship **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10182)
 - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Return Of Spontaneous Circulation* (CONF:10183)
 - **a.** Contains exactly one [1..1] *Return Of Spontaneous Circulation* (templateId: 2.16.840.1.1133883.17.3.10.1.128)
- 12. MAY contain zero or more [0..*] entryRelationship (CONF:10148)
 - a. Such entryRelationships SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10186)
 - **b.** Such entryRelationships **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10187)
 - c. Such entryRelationships **SHALL** contain exactly one [1..1] **observation**, where its type is *Destination Rhythm* (CONF:10188)
 - **a.** Contains exactly one [1..1] *Destination Rhythm* (templateId: 2.16.840.1.1133883.17.3.10.1.129)
- **13. MAY** contain zero or one [0..1] **entryRelationship** (CONF:11072)
 - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10176)
 - b. This entryRelationship **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10177)
 - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Arrest Rhythm* (CONF:10178)
 - **a.** Contains exactly one [1..1] *Arrest Rhythm* (templateId: 2.16.840.1.1133883.17.3.10.1.127)
- **14.** Contains zero or more [0..*] **entryRelationship**
 - a. Such entryRelationships SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10149)
 - **b.** Such entryRelationships **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10151)
 - c. Such entryRelationships Contains zero or more [0..*] observation, where its type is *Cardiac Arrest With Timing*
 - **a.** Contains exactly one [1..1] *Cardiac Arrest With Timing* (templateId: 2.16.840.1.1133883.17.3.10.1.123)

Cardiac Arrest example

Cardiac Arrest Cause

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.124]

Kind of event or condition causing cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.124"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11246)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67503-3" *Cardiac arrest cause NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10156)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *CardiacArrestCause* 2.16.840.1.113883.17.3.11.10 **DYNAMIC** (CONF:10157)
 - NEMSIS Trace: EArrest.02

Cardiac Arrest Cause example

Error: Missing Runtime Class

Cardiac Arrest With Timing

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.123]

Whether a cardiac arrest occurred before or after arrival of EMS crew

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.123"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11245)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67502-5" *Cardiac arrest NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10152)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *CardiacArrestTiming* 2.16.840.1.113883.17.3.11.91 **DYNAMIC** (CONF:10153)
 - NEMSIS Trace: EArrest.01

Cardiac Arrest With Timing example

Error: Missing Runtime Class

Cardiac Rhythm

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.169]

Patient's cardiac rhythm classification

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.169"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11309)

- 3. SHALL contain exactly one [1..1] code (CONF:10275)/@code="67519-9" Cardiac rhythm NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10274)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11310)
 - NEMSIS Trace: EVitals.01
- 5. SHALL contain exactly one [1..1] value with data type CD (CONF:10278), which SHALL be selected from ValueSet CardiacRhythmReading 2.16.840.1.113883.17.3.11.16 DYNAMIC (CONF:10279)
 - NEMSIS Trace: EVitals.03
- **6. SHALL** contain exactly one [1..1] **methodCode** (CONF:10277), which **SHALL** be selected from ValueSet *MethodOfECGInterpretation* 2.16.840.1.113883.17.3.11.20 **DYNAMIC** (CONF:10276)
 - NEMSIS Trace: EVitals.05
- 7. **SHOULD** contain zero or one [0..1] participant (CONF:11127)
 - a. This participant SHALL contain exactly one [1..1] participantRole (CONF:11128)
 - a. This participantRole SHALL contain exactly one [1..1] playingDevice (CONF:11129)
 - a. This playing Device SHALL contain exactly one [1..1] code (CONF:11311), which SHALL be selected from ValueSet *ECGType* 2.16.840.1.113883.17.3.11.19 **DYNAMIC** (CONF:11312)

NEMSIS Trace: EVitals.04

Cardiac Rhythm example

Error: Missing Runtime Class

Chest And Lungs Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.115]

Qualitative assessment of condition of patient's chest and lungs

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.115"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11230)
- 3. SHALL contain exactly one [1..1] code/@code="67528-0" Physical findings of Chest+Lungs NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10381)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11231)
 - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..*] value with data type CD, which SHALL be selected from ValueSet ChestLungAssessmentFinding 2.16.840.1.113883.17.3.11.29 DYNAMIC (CONF:10382)
 - NEMSIS Trace: EExam.08

Chest And Lungs Assessment example

Error: Missing Runtime Class

Complaint

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.63]

Statement of the problem by the patient or provider, including duration, system, and whether it is the chief complaint

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.63"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11169)
- 3. SHALL contain exactly one [1..1] code (CONF:10768)/@code="10154-3" Chief complaint Narrative Reported (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10769)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11170)
 - effectiveTime.low = NEMSIS Trace: ESituation.01
- **5.** MAY contain zero or one [0..1] value with data type ST (CONF:10770)
 - NEMSIS Trace: ESituation.04
- **6.** MAY contain zero or one [0..1] entryRelationship (CONF:10771)
 - a. This entryRelationship Contains exactly one [1..1] observation, where its type is Complaint Duration
 - **a.** Contains exactly one [1..1] *Complaint Duration* (templateId: 2.16.840.1.1133883.17.3.10.1.139)
- 7. MAY contain zero or one [0..1] entryRelationship (CONF:10772)
 - a. This entryRelationship Contains at least one [1..*] observation, where its type is Complaint Type
 - **a.** Contains exactly one [1..1] *Complaint Type* (templateId: 2.16.840.1.1133883.17.3.10.1.138)
- 8. SHOULD contain exactly one [1..1] targetSiteCode (CONF:10773), which SHALL be selected from ValueSet AnatomicLocation 2.16.840.1.113883.17.3.11.76 DYNAMIC (CONF:10774)
 - NEMSIS Trace: ESituation.07
 Complaint site is required if complaint is type "Chief complaint"
- **9. SHOULD** contain zero or one [0..1] **entryRelationship** (CONF:10775)

The organ system is required if the complaint is of type "Chief complaint"

- a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Complaint Organ System* (CONF:10782)
 - **a.** Contains exactly one [1..1] *Complaint Organ System* (templateId: 2.16.840.1.1133883.17.3.10.1.140)

Complaint example

Error: Missing Runtime Class

Complaint Duration

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.139]

How long a complaint has lasted

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.139"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11268)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10779)/@**code**="67491-1" *Duration of chief complaint NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10780)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10781)

NEMSIS Trace: ESituation.05, 06
 Units SHALL be selected from UCUM time units (i.e., s, min, h, d, wk, mo, a)

Complaint Duration example

Error: Missing Runtime Class

Complaint Organ System

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.140]

The system that a complaint seems to affect

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.140"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11269)
- 3. SHALL contain exactly one [1..1] code (CONF:10784)/@code="69468-7" Primary anatomic organ system of chief complaint NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10783)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10786), which **SHALL** be selected from ValueSet *OrganSystem* 2.16.840.1.113883.17.3.11.77 **DYNAMIC** (CONF:10785)
 - NEMSIS Trace: ESituation.08

Complaint Organ System example

Error: Missing Runtime Class

Complaint Reported By Dispatch

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.74]

The complaint that dispatch reported to the responding unit

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.74"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11187)
- 3. SHALL contain exactly one [1..1] code (CONF:10568)/@code="67570-2" Chief complaint per dispatch Reported.dispatch (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10569)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10571), which SHALL be selected from ValueSet Complaint 2.16.840.1.113883.17.3.11.49 DYNAMIC (CONF:10570)
 - NEMSIS Trace: EDispatch.01

Complaint Reported By Dispatch example

Complaint Type

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.138]

Whether a complaint is a cheif complaint

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.138"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11266)
- 3. SHALL contain exactly one [1..1] code (CONF:10777)/@code="72114-2" Complaint NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10776)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10778), which SHALL be selected from ValueSet Complaint Type 2.16.840.1.113883.17.3.11.94 DYNAMIC (CONF:11267)
 - NEMSIS Trace: ESituation.03

Complaint Type example

Error: Missing Runtime Class

Current Medication

[SubstanceAdministration: templateId 2.16.840.1.1133883.17.3.10.1.77]

A medication a patient is currently taking

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.77"
- **2. SHALL** conform to *Consol Medication Activity* template (templateId: 2.16.840.1.113883.10.20.22.4.16)
- 3. MAY contain zero or one [0..1] @negationInd (CONF:10233)
 - If EHistory.12 has the value "None Reported," the value is "True"

 This negation of a notional class is parallel to the explicit question "patient on medication"
- 4. MAY contain zero or one [0..1] @nullFlavor (CONF:10234)
 - If EHistory.12 has the value "Refused" or "Unable to Complete," the value is "NI"; the original value may be recorded in SubstanceAdministration.text.

 This nulled notional class is parallel to the explicit question "patient on medication"
- 5. SHOULD contain zero or one [0..1] doseQuantity (CONF:10230)
 - NEMSIS Trace: EHistory.13, EHistory.14
- 6. SHOULD contain zero or one [0..1] routeCode (CONF:10232), which SHALL be selected from ValueSet MedicationAdministrationRoute 2.16.840.1.113883.17.3.11.43 DYNAMIC (CONF:10231)
 - NEMSIS Trace: EMedication.15
- 7. SHALL contain exactly one [1..1] consumable (CONF:10235)
 - a. This consumable SHALL contain exactly one [1..1] manufacturedProduct (CONF:10236)
 - **a.** This manufacturedProduct **SHALL** conform to *Consol Medication Information* template (templateId: 2.16.840.1.113883.10.20.22.4.23)

- b. This manufacturedProduct SHALL contain exactly one [1..1] manufacturedMaterial (CONF:10237)
 - a. This manufacturedMaterial SHALL contain zero or one [0..1] code (CONF:11191), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.88 RxNorm) (CONF:11190)

Current Medication example

Error: Missing Runtime Class

Currently On Medication

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.75]

Whether a patient is currently taking medication

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.75"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11188)
- 3. SHALL contain exactly one [1..1] code/@code="67791-4" Does the patient take any medications NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10224)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10225)
 - If EHistory. 12 has the value "None Reported," the value is "False"

 If EHistory. 12 has the value "Refused" or "Unable to Complete," the value is "NI"; the original value may be recorded in Observation.text.

Currently On Medication example

Error: Missing Runtime Class

Delay Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.95]

Kinds of delays experienced by a responder

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.95"
- 2. SHALL contain exactly one [1..1] component (CONF:10583)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Dispatch Delay* (CONF:10588)

NEMSIS Trace: EResponse.08

- **a.** Contains exactly one [1..1] *Dispatch Delay* (templateId: 2.16.840.1.1133883.17.3.10.1.153)
- **3. SHALL** contain exactly one [1..1] **component** (CONF:10584)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Delay* (CONF:10593)
 - a. Contains exactly one [1..1] Response Delay (templateId: 2.16.840.1.1133883.17.3.10.1.154)
- 4. SHALL contain exactly one [1..1] component (CONF:10585)

- a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Scene Delay* (CONF:10598)
 - **a.** Contains exactly one [1..1] *Scene Delay* (templateId: 2.16.840.1.1133883.17.3.10.1.155)
- 5. SHALL contain exactly one [1..1] component (CONF:10586)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Transport Delay* (CONF:10603)
 - **a.** Contains exactly one [1..1] *Transport Delay* (templateId: 2.16.840.1.1133883.17.3.10.1.156)
- **6. SHALL** contain exactly one [1..1] **component** (CONF:10587)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Turnaround Delay* (CONF:10608)
 - **a.** Contains exactly one [1..1] *Turnaround Delay* (templateId: 2.16.840.1.1133883.17.3.10.1.157)

Delay Organizer example

Error: Missing Runtime Class

Destination Rhythm

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.129]

Patient's cardiac rhythm classification at destination

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.129"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11254)
- **3.** SHALL contain exactly one [1..1] code/@code="67519-9" *Cardiac rhythm NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10189)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *CardiacRhythmReading* 2.16.840.1.113883.17.3.11.16 **DYNAMIC** (CONF:10190)
 - NEMSIS Trace: EArrest.17

Destination Rhythm example

Error: Missing Runtime Class

Diastolic Blood Pressure

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.144]

Patient's diastolic blood pressure

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.144"
- **2. SHALL** conform to *Consol Vital Sign Observation* template (templateId: 2.16.840.1.113883.10.20.22.4.27)

- **3. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11272)
- **4. SHALL** contain exactly one [1..1] **code/@code=**"8462-4" *Diastolic blood pressure* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10282)
- **5. MAY** contain zero or one [0..1] **effectiveTime** (CONF:11273)
 - NEMSIS Trace: EVitals.01
- **6. SHALL** contain exactly one [1..1] **value** (CONF:10283)
 - NEMSIS Trace: EVitals.07
 UCUM units SHOULD be "mm[Hg]".

Diastolic Blood Pressure example

```
Error: Missing Runtime Class
```

Disaster Type

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.59]

Kind of disaster causing or contributing to the patient's complaint

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.59"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11166)
- 3. SHALL contain exactly one [1..1] code/@code="69463-8" Suspected intentional or unintentional disaster NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10132)
- **4. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet *DisasterType* 2.16.840.1.113883.17.3.11.9 **DYNAMIC** (CONF:10133)
 - NEMSIS Trace: EOther.07

Disaster Type example

```
Error: Missing Runtime Class
```

Dispatch Delay

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.153]

Causes of delay to the dispatch process

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.153"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11286)
- 3. SHALL contain exactly one [1..1] code (CONF:10590)/@code="67480-4" Dispatch delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10589)
- **4. SHALL** contain at least one [1..*] **value** with data type CD (CONF:10592), which **SHALL** be selected from ValueSet *DispatchDelayType* 2.16.840.1.113883.17.3.11.50 **DYNAMIC** (CONF:10591)
 - NEMSIS Trace: EResponse.08

Dispatch Delay example

Error: Missing Runtime Class

Dispatch Location Latitude

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.151]

Latitude of the unit when dispatched

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.151"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11284)
- 3. SHALL contain exactly one [1..1] code/@code="52002-3" Ambulance transport, Destination site latitude coordinate (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10620)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10621)
 - NEMSIS Trace: EResponse.17 UCUM units SHOULD be "deg". This may require conversion from a parsed "degree + minutes" representation to a decimal representation.

Dispatch Location Latitude example

Error: Missing Runtime Class

Dispatch Location Longitude

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.152]

Longitude of the unit when dispatched

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.152"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11285)
- 3. SHALL contain exactly one [1..1] code/@code="52003-1" Ambulance transport, Destination site longitude coordinate (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10623)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10624)
 - NEMSIS Trace: EResponse.17 UCUM units SHOULD be "deg". This may require conversion from a parsed "degree + minutes" representation to a decimal representation.

Dispatch Location Longitude example

Error: Missing Runtime Class

Dispatch Location Name

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.150]

The name or ID of the dispatch center requesting service from the EMS agency

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.150"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11283)
- 3. SHALL contain exactly one [1..1] code/@code="69466-1" Vehicle location Vehicle NEMSIS --at dispatch (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10617)
- **4. SHALL** contain exactly one [1..1] **value** with data type ST (CONF:10618)
 - NEMSIS Trace: EResponse.16

Dispatch Location Name example

```
Error: Missing Runtime Class
```

Dispatch Location Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.96]

Information about the location of the unit when dispatched

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.96"
- 2. MAY contain zero or one [0..1] component (CONF:10613)
 - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Dispatch Location Name* (CONF:10616)
 - **a.** Contains exactly one [1..1] *Dispatch Location Name* (templateId: 2.16.840.1.1133883.17.3.10.1.150)
- **3.** MAY contain zero or one [0..1] component (CONF:10614)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Dispatch Location Latitude* (CONF:10619)
 - **a.** Contains exactly one [1..1] *Dispatch Location Latitude* (templateId: 2.16.840.1.1133883.17.3.10.1.151)
- **4.** MAY contain zero or one [0..1] component (CONF:10615)
 - a. This component SHALL contain exactly one [1..1] observation, where its type is *Dispatch Location Longitude* (CONF:10622)
 - **a.** Contains exactly one [1..1] *Dispatch Location Longitude* (templateId: 2.16.840.1.1133883.17.3.10.1.152)

Dispatch Location Organizer example

```
Error: Missing Runtime Class
```

Dispatch Notified Time

```
[Observation: templateId 2.16.840.1.1133883.17.3.10.1.46]
```

The time the dispatching organization was notified of an emergency

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.46"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11151)
- 3. SHALL contain exactly one [1..1] code (CONF:10867)/@code="69470-3" Dispatch was notified by the 911 call taker [Date and time] Facility NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10866)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10868)
 - NEMSIS Trace: ETimes.02

Dispatch Notified Time example

Error: Missing Runtime Class

Drug Use Indication

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.71]

Evidence that a patient has been using alcohol or illicit drugs

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.71"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11179)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67669-2" *Alcohol drug use NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10250)
- **4. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet *AlcoholDrugUseIndicator* 2.16.840.1.113883.17.3.11.18 **DYNAMIC** (CONF:10251)
 - NEMSIS Trace: EHistory.17, proper values

Drug Use Indication example

Error: Missing Runtime Class

Emergency Medical Dispatch Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.73]

Whether and how emergency medical dispatch was performed

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.73"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11186)
- 3. SHALL contain exactly one [1..1] code (CONF:10564)/@code="67488-7" Emergency medical dispatch performed NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10563)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10566), which **SHALL** be selected from ValueSet *EMDPerformed* 2.16.840.1.113883.17.3.11.48 **DYNAMIC** (CONF:10565)
 - NEMSIS Trace: EDispatch.02

Emergency Medical Dispatch Observation example

Error: Missing Runtime Class

Existence Of Drug Allergy Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.102]

Indicator of whether patient has any allergies or sensitivities to drugs

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.102"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11213)
- 3. SHALL contain exactly one [1..1] code/@code="67794-8" Does the patient have any medication allergies NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10203)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10204)
 - If NEMSIS EHistory.06 is "No Known Drug Allergies," the value should be FALSE. If it is a proper value, the value should be TRUE. If it is a flavor of null, the appropriate flavor should be used here. See the null table to translate NEMSIS flavors into HL7; original values may be stored in Observation.text.

Existence Of Drug Allergy Observation example

Error: Missing Runtime Class

Existence Of Drug Use Indication

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.70]

Indicator of whether there are indications of alcohol or illicit drug use

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.70"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11177)
- 3. SHALL contain exactly one [1..1] code (CONF:10248)/@code="69757-3" Indications of drug or alcohol use by the patient NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10247)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:11178)
 - NEMSIS Trace: EHistory.17, positive, negative, or null values

Existence Of Drug Use Indication example

Error: Missing Runtime Class

Existence Of History Of Condition

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.60]

Indicator of whether patient has a history of significant medical conditions

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.60"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11167)
- 3. SHALL contain exactly one [1..1] code/@code="67793-0" Has the patient had any significant medical conditions NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10067)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10068)
 - If NEMSIS EHistory. 08 is "Refused " or "Unable to Complete," the value should be "NI"; the original value may be recorded in Observation.text. If NEMSIS EHistory. 08 is "None Reported," the value should be FALSE.
 - If NEMSIS EHistory. 08 has proper values, the value should be TRUE.

Existence Of History Of Condition example

Error: Missing Runtime Class

Existence Of Non Drug Allergy

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.103]

Indicator of whether patient has any allergies or sensitivities to materials other than drugs

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.103"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11214)
- 3. SHALL contain exactly one [1..1] code/@code="69747-4" Does the patient have any environmental allergies NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10214)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10215)
 - If NEMSIS EHistory.07 has no values, this is FALSE; otherwise it is TRUE.

Existence Of Non Drug Allergy example

Error: Missing Runtime Class

Extremities Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.120]

Qualitative assessment of condition of patient's extremities

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.120"
- **2. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11240)
- 3. SHALL contain exactly one [1..1] code (CONF:10399)/@code="67533-0" Physical findings of Extremity NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10400)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11241)
 - NEMSIS Trace: EExam.03

- 5. SHALL contain exactly one [1..1] value with data type CD, which SHALL be selected from ValueSet ExtremitiesAssessmentFinding 2.16.840.1.113883.17.3.11.36 DYNAMIC (CONF:10403)
 - NEMSIS Trace: EExam.16
- **6. MAY** contain exactly one [1..1] **targetSiteCode** (CONF:10402), which **SHALL** be selected from ValueSet ExtremityFindingLocation 2.16.840.1.113883.17.3.11.37 **DYNAMIC** (CONF:10401)
 - NEMSIS Trace: EExam.15

Extremities Assessment example

Error: Missing Runtime Class

Eye Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.121]

Qualitative assessment of condition of patient's eyes

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.121"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11242)
- 3. SHALL contain exactly one [1..1] code (CONF:10405)/@code="67534-8" Physical findings of Eye NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10404)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11243)
 - NEMSIS Trace: EExam.03
- 5. SHALL contain exactly one [1..1] value with data type CD (CONF:10408), which SHALL be selected from ValueSet EyeAssessmentFinding 2.16.840.1.113883.17.3.11.38 DYNAMIC (CONF:10409)
 - NEMSIS Trace: EExam.18
- 6. SHALL contain exactly one [1..1] targetSiteCode (CONF:10406), which SHALL be selected from ValueSet *EyeFindingLocation* 2.16.840.1.113883.17.3.11.39 DYNAMIC (CONF:10407)
 - NEMSIS Trace: EExam.17

Eye Assessment example

Error: Missing Runtime Class

Face Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.112]

Qualitative assessment of condition of patient's face

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.112"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11224)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10376)/@**code**="67526-4" *Physical findings of Face NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10375)
- **4. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:11225)

- NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..*] value with data type CD (CONF:10377), which SHALL be selected from ValueSet FaceAssessmentFinding 2.16.840.1.113883.17.3.11.27 DYNAMIC (CONF:10378)
 - NEMSIS Trace: EExam.06

Face Assessment example

Error: Missing Runtime Class

First Unit Indicator

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.84]

Indicator of whether reporter of PCR is the first unit to arrive at the scene

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.84"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11197)
- 3. SHALL contain exactly one [1..1] code (CONF:10741)/@code="67481-2" First EMS unit on scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10742)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10743)
 - NEMSIS Trace: EScene.01

First Unit Indicator example

Error: Missing Runtime Class

First Unit On Scene

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.85]

Name of the first unit to arrive at the scene

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.85"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11198)
- 3. SHALL contain exactly one [1..1] code (CONF:10746)/@code="67481-2" First EMS unit on scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10745)
- **4. SHALL** contain exactly one [1..1] **value** with data type ST (CONF:10747)
 - NEMSIS Trace: EScene.02

First Unit On Scene example

Glasgow Coma Score Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.170]

Collection of Glasgow Coma Score observations

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.170"
- 2. SHALL contain exactly one [1..1] component (CONF:10313)
 - a. Contains exactly one [1..1] Glasgow Eye (templateId: 2.16.840.1.1133883.17.3.10.1.160)
- 3. SHALL contain exactly one [1..1] component (CONF:10314)
 - **a.** Contains exactly one [1..1] *Glasgow Motor* (templateId: 2.16.840.1.1133883.17.3.10.1.176)
- 4. MAY contain zero or one [0..1] component (CONF:10315)
 - **a.** Contains exactly one [1..1] *Glasgow Qualifier* (templateId: 2.16.840.1.1133883.17.3.10.1.159)
- 5. SHOULD contain zero or one [0..1] component (CONF:10316)
 - **a.** Contains exactly one [1..1] *Glasgow Total* (templateId: 2.16.840.1.1133883.17.3.10.1.158)
- **6. SHALL** contain exactly one [1..1] **component** (CONF:10317)
 - a. Contains exactly one [1..1] Glasgow Verbal (templateId: 2.16.840.1.1133883.17.3.10.1.162)
- 7. MAY contain zero or one [0..1] effectiveTime (CONF:11313)
 - NEMSIS Trace: EVitals.01

Glasgow Coma Score Organizer example

Error: Missing Runtime Class

Glasgow Eye

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.160]

Glasgow Coma eye score

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.160"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11294)
- 3. SHALL contain exactly one [1..1] code (CONF:10325)/@code="9267-6" Glasgow coma score.eye opening (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10324)
- **4. SHALL** contain exactly one [1..1] **value** with data type INT (CONF:10326)
 - NEMSIS Trace: EVitals.19

Glasgow Eye example

Error: Missing Runtime Class

Glasgow Motor

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.176]

Glasgow Coma motor score

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.176"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11295)
- 3. SHALL contain exactly one [1..1] code (CONF:10328)/@code="9268-4" Glasgow coma score.motor (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10329)
- **4. SHALL** contain exactly one [1..1] **value** with data type INT (CONF:10330)
 - NEMSIS Trace: EVitals. 21

Glasgow Motor example

Error: Missing Runtime Class

Glasgow Qualifier

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.159]

Qualifier for Glasgow Coma score

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.159"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11292)
- 3. SHALL contain exactly one [1..1] code (CONF:10322)/@code="55285-1" Glasgow coma score special circumstances (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10321)
- **4.** MAY contain zero or more [0..*] value with data type CD (CONF:10323), which SHALL be selected from ValueSet STATIC (CONF:11293)
 - NEMSIS Trace: EVitals.22

Glasgow Qualifier example

Error: Missing Runtime Class

Glasgow Total

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.158]

Total Glasgow Coma score

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.158"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11291)
- 3. SHALL contain exactly one [1..1] code (CONF:10319)/@code="9269-2" Glasgow coma score.total (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10318)
- **4. SHALL** contain exactly one [1..1] **value** with data type INT (CONF:10320)
 - NEMSIS Trace: EVitals.23
 Integer value equal to the sum of verbal, motor, and eye

Glasgow Total example

Error: Missing Runtime Class

Glasgow Verbal

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.162]

Glasgow Coma verbal score

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.162"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11296)
- 3. SHALL contain exactly one [1..1] code (CONF:10332)/@code="9270-0" Glasgow coma score.verbal (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10333)
- **4. SHALL** contain exactly one [1..1] **value** with data type INT (CONF:10334)
 - NEMSIS Trace: EVitals.20

Glasgow Verbal example

Error: Missing Runtime Class

Head Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.113]

Qualitative assessment of condition of patient's head

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.113"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11226)
- 3. SHALL contain exactly one [1..1] code (CONF:10373)/@code="67525-6" Physical findings of Head NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10372)
- SHALL contain exactly one [1..1] effectiveTime (CONF:11227)
 - NEMSIS Trace: EExam.03
- **5. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet *HeadAssessmentFinding* 2.16.840.1.113883.17.3.11.26 **DYNAMIC** (CONF:10374)
 - NEMSIS Trace: EExam.05

Head Assessment example

Error: Missing Runtime Class

Heart Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.116]

Qualitative assessment of condition of patient's heart

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.116"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11232)
- 3. SHALL contain exactly one [1..1] code (CONF:10384)/@code="67529-8" Physical findings of Heart NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10383)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11233)
 - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..*] value with data type CD (CONF:10385), which SHALL be selected from ValueSet HeartAssessmentFinding 2.16.840.1.113883.17.3.11.30 DYNAMIC (CONF:10386)
 - NEMSIS Trace: EExam.09

Heart Assessment example

Error: Missing Runtime Class

Heart Rate

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.145]

Measurement of rate of heartbeat

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.145"
- **2. SHALL** conform to *Consol Vital Sign Observation* template (templateId: 2.16.840.1.113883.10.20.22.4.27)
- **3. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11274)
- **4. SHALL** contain exactly one [1..1] **code** (CONF:10285)/@code="8867-4" *Heart rate* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10284)
- **5. MAY** contain zero or one [0..1] **effectiveTime** (CONF:11275)
 - NEMSIS Trace: EVitals.01
- **6. SHALL** contain exactly one [1..1] **value** (CONF:10286)
 - NEMSIS Trace: EVitals.10 UCUM units SHOULD be "/min".

Heart Rate example

Error: Missing Runtime Class

Height Of Fall

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.58]

Distance patient fell, if injury is fall-related

1. SHALL contain exactly one [1..1] templateId () such that it

- **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.58"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11164)
- 3. SHALL contain exactly one [1..1] code/@code="67501-7" Height of fall NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10129)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:11165)
 - NEMSIS Trace: EInjury.09 Units SHOULD be in feet ('ft i')

Height Of Fall example

Error: Missing Runtime Class

History Of Condition

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.61]

Medical conditions the patient has or has had

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.61"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11168)
- 3. SHALL contain exactly one [1..1] code (CONF:10070)/@code="68487-8" Medical surgical history ICD-9 and 10 codes (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10069)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10072), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10071)
 - NEMSIS Trace: EHistory. 08
 If NEMSIS EHistory. 08 is "No bleeding disorder," the value should be the appropriate ICD-10 code (D66, D67, D68) and negationIndicator should be TRUE.

History Of Condition example

Error: Missing Runtime Class

Incident Disposition Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.32]

Outcome of incident, including disposition of patient and other outcomes

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.32"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11137)
- 3. SHALL contain exactly one [1..1] code (CONF:10669)/@code="67548-8" Incident patient disposition NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10668)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10670), which **SHALL** be selected from ValueSet *IncidentOutcome* 2.16.840.1.113883.17.3.11.64 **DYNAMIC** (CONF:10671)
 - NEMSIS Trace: EDisposition.12

Incident Disposition Observation example

Error: Missing Runtime Class

Initial Patient Acuity

Observation: templateId 2.16.840.1.1133883.17.3.10.1.69

Patient condition indicating urgency of treatment on arrival at patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.69"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11176)
 - NEMSIS Trace: ESituation.13
- 3. SHALL contain exactly one [1..1] code (CONF:10816)/@code="67493-7" Initial patient acuity NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10817)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10818), which **SHALL** be selected from ValueSet *PatientStatus* 2.16.840.1.113883.17.3.11.78 **DYNAMIC** (CONF:10819)

Initial Patient Acuity example

Error: Missing Runtime Class

Injury Cause Category

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.50]

Mechanism causing injury

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.50"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11155)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"69543-7" *Cause of injury NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10106)
- 4. SHALL contain exactly one [1..1] value with data type CD, which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10108)
 - NEMSIS Trace: EInjury.01
 Causes are in ICD-10 chapter XX

Injury Cause Category example

Error: Missing Runtime Class

Injury Mechanism

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.51]

General classification of physical force causing injury

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.51"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11156)
- 3. SHALL contain exactly one [1..1] code/@code="67494-5" General mechanism of the forces which caused the injury NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10109)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *MechanismOfInjury* 2.16.840.1.113883.17.3.11.1 **DYNAMIC** (CONF:10110)
 - NEMSIS Trace: EInjury.02

Injury Mechanism example

Error: Missing Runtime Class

Injury Risk Factor

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.53]

Factors predictive of need for trauma center care

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.53"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11158)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67496-0" *Other injury risk factors NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10114)
- **4. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet *InjuryRiskFactor* 2.16.840.1.113883.17.3.11.4 **DYNAMIC** (CONF:10115)
 - NEMSIS Trace: EInjury.04

Injury Risk Factor example

Error: Missing Runtime Class

Last Oral Intake

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.80]

Time of patient's last oral intake

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.80"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11193)
- 3. SHALL contain exactly one [1..1] code (CONF:10423)/@code="67517-3" Last oral intake [Date and time] NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10424)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10425)
 - NEMSIS Trace: EHistory.19

Last Oral Intake example

Error: Missing Runtime Class

Length Based Patient Body Weight Class

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.110]

Classification of patient weight based on length

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.110"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11221)
- 3. SHALL contain exactly one [1..1] code (CONF:10366)/@code="67670-0" Length-based tape measure category NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10365)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11222)
 - NEMSIS Trace: EExam.03
- 5. SHALL contain exactly one [1..1] value with data type CD, which SHALL be selected from ValueSet LengthBasedWeightClass 2.16.840.1.113883.17.3.11.24 DYNAMIC (CONF:10367)
 - NEMSIS Trace: EExam.02. Note: a license is required to implement the Broselow-Luten measure.

Length Based Patient Body Weight Class example

Error: Missing Runtime Class

Level Of Responsiveness

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.165]

Patient's responsiveness

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.165"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11301)
- 3. SHALL contain exactly one [1..1] code (CONF:10303)/@code="67775-7" Level of responsiveness NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10302)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11302)
 - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10305), which **SHALL** be selected from ValueSet *LevelOfResponsiveness* 2.16.840.1.113883.17.3.11.21 **DYNAMIC** (CONF:10304)
 - NEMSIS Trace: EVitals.26

Level Of Responsiveness example

Error: Missing Runtime Class

Level Of Service Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.92]

CMS classification of service level for billing purposes

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.92"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11208)
- 3. SHALL contain exactly one [1..1] code (CONF:10090)/@code="69464-6" Centers for medicare medicaid, CMS, service level NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10091)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10092), which **SHALL** be selected from ValueSet *EMSLevelOfService* 2.16.840.1.113883.17.3.11.70 **DYNAMIC** (CONF:10093)
 - NEMSIS Trace: EPayment.50

Level Of Service Observation example

Error: Missing Runtime Class

Location Type Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.88]

Kind of location

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.88"
- 2. SHALL contain exactly one [1..1] code/@code="eScene.09" *Location type* (CodeSystem: 2.16.840.1.113883.17.3.5 NEMSISCodeSystem) (CONF:11202)
- 3. SHALL contain exactly one [1..1] value with data type CD, which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:11203)
 - See NEMSIS recommended subset at http://nemsis.org/v3/resources.html. ICD-10 CM contains "place of occurrence of external cause" under code Y92.

Location Type Observation example

Error: Missing Runtime Class

Mass Casualty Indicator

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.87]

Indicator of whether the patient injury is part of a mass casualty event

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.87"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11200)

- 3. SHALL contain exactly one [1..1] code (CONF:10753)/@code="67490-3" Mass casualty incident NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11201)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10754)
 - NEMSIS Trace: EScene.07

Mass Casualty Indicator example

Error: Missing Runtime Class

Medication Administered

[SubstanceAdministration: templateId 2.16.840.1.1133883.17.3.10.1.72]

Medications administered in response to the emergency--usually by the EMS crew

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.72"
- **2. SHALL** conform to *Consol Medication Activity* template (templateId: 2.16.840.1.113883.10.20.22.4.16)
- 3. SHALL contain exactly one [1..1] @classCode="SBADM" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:10445)
- 4. MAY contain zero or one [0..1] @negationInd (CONF:10448)
 - NEMSIS Trace: EMedications.03 negative action values
 If a substance is recorded as not given, it shall be recorded with a negationInd =True, and with an entryRelationship such that it
 - SHALL contain exactly one [1..1] @typeCode="RSON" Has reason (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002)
 - SHALL contain exactly one [1..1] @inversionInd="true" True
 - SHALL contain exactly one /Observation with code = "Assertion" and value drawn from
 - 2.16.840.1.113883.17.3.5.42 Medication omission reason
- **5. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:10447)
 - NEMSIS Trace: EMedications.01
- 6. MAY contain zero or one [0..1] routeCode (CONF:10450), which SHALL be selected from ValueSet MedicationAdministrationRoute 2.16.840.1.113883.17.3.11.43 DYNAMIC (CONF:10449)
 - NEMSIS Trace: EMedications.04

See appendix for mapping NEMSIS values to FDA values and for postcoordination of device information.

- 7. MAY contain zero or one [0..1] entryRelationship (CONF:10451)
 - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10458)
 - b. This entryRelationship SHALL contain exactly one [1..1] @typeCode (CONF:10460)/@code="RSON" Reason (CodeSystem: 2.16.840.1.113883.5.1002 HL7ActRelationshipType) (CONF:10459)
 - c. This entryRelationship SHALL contain exactly one [1..1] observation, where its type is Medication Not Administered Reason Observation (CONF:10461)
 - **a.** Contains exactly one [1..1] *Medication Not Administered Reason Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.105)
- **8. SHALL** contain exactly one [1..1] **consumable** (CONF:10452)
 - a. This consumable SHALL contain exactly one [1..1] manufacturedProduct (CONF:10465)

- **a.** This manufacturedProduct **SHALL** conform to *Consol Medication Information* template (templateId: 2.16.840.1.113883.10.20.22.4.23)
- b. This manufacturedProduct SHALL contain exactly one [1..1] manufacturedMaterial (CONF:10466)
 - a. This manufacturedMaterial SHALL contain exactly one [1..1] code, which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.88 RxNorm) (CONF:10467)

NEMSIS Trace: EMedications.03

Note: all of RxNorm is legal in this field, but NEMSIS provides a selected list at http://www.nemsis.org/v3/resources.html

- 9. SHALL contain exactly one [1..1] entryRelationship (CONF:10453)
 - a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Medication Response Observation* (CONF:10468)
 - **a.** Contains exactly one [1..1] *Medication Response Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.106)
- 10. MAY contain at least one [1..*] entryRelationship (CONF:10454)
 - a. Such entryRelationships **SHALL** contain exactly one [1..1] **observation**, where its type is *Medication Complication Observation* (CONF:10472)
 - **a.** Contains exactly one [1..1] *Medication Complication Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.107)
- 11. SHALL contain exactly one [1..1] entryRelationship (CONF:10455)
 - **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Medication Prior Administration Observation* (CONF:10477)

NEMSIS Trace: EMedications.02

- **a.** Contains exactly one [1..1] *Medication Prior Administration Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.108)
- **12. MAY** contain zero or one [0..1] **performer** (CONF:10456)

This participation is required if the medication is administered by the crew; i.e., if EMSMedicationPriorAdministrationObservation is FALSE.

- a. This performer SHALL contain exactly one [1..1] assignedEntity (CONF:10481)
 - **a.** This assignedEntity **SHALL** contain exactly one [1..1] **id** (CONF:10484)

NEMSIS Trace: EMedications.09

b. This assignedEntity **SHALL** contain exactly one [1..1] **code** (CONF:10482), which **SHALL** be selected from ValueSet *ProviderRole* 2.16.840.1.113883.17.3.11.46 **DYNAMIC** (CONF:10483)

NEMSIS Trace: EMedications.10

13. MAY contain zero or one [0..1] entryRelationship (CONF:10457)

This relationship is required if the medication is administered by the crew; i.e., if EMSMedicationPriorAdministrationObservation is FALSE.

- a. This entryRelationship SHALL contain exactly one [1..1] act (CONF:10485)
 - a. This act SHALL contain exactly one [1..1] @classCode (CONF:10486)/@code="INFRM" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:10487)
 - b. This act SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet MedicationAuthorizationType 2.16.840.1.113883.17.3.11.47 DYNAMIC (CONF:10488)

NEMSIS Trace: EMedications.11

- 14. MAY contain zero or one [0..1] approachSiteCode (CONF:11180)/@code="15562006" structure of respiratory region of nose (CodeSystem: 2.16.840.1.113883.6.96 SNOMEDCT) (CONF:11181)
 - If route is "endotracheal," to be used to specify nasal approach for "nasotracheal tube"
- 15. MAY contain zero or one [0..1] doseQuantity (CONF:10446)
 - NEMSIS Trace: EMedications.05, 06 Note: rate values should be recorded in rateQuantity, not doseQuantity
- **16. MAY** contain zero or one [0..1] participant (CONF:11074)
 - a. This participant SHALL contain exactly one [1..1] @typeCode="DEV" (CONF:11182)
 - **b.** This participant **SHALL** contain exactly one [1..1] **participantRole** (CONF:11075)
 - a. This participantRole SHALL contain exactly one [1..1] @classCode="MANU" (CONF:11183)
 - b. This participantRole SHALL contain exactly one [1..1] playingDevice (CONF:11076)
 - a. This playing Device SHALL contain exactly one [1..1] code (CONF:11184), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.96 SNOMEDCT) (CONF:11185)

For NEMSIS route codes that imply devices:

- @ value = "39849001" @codeSystem = "2.16.840.1.113883.6.5" @displayName="nasal oxygen cannula"
- @ value = "427591007" @codeSystem = "2.16.840.1.113883.6.5" @displayName="nonrebreather oxygen mask"
- @ value = "425926003" @codeSystem = "2.16.840.1.113883.6.5" @displayName="partial rebreather oxygen mask"
- @ value = "428285009" @codeSystem = "2.16.840.1.113883.6.5" @displayName="Venturi mask"
- **17. MAY** contain zero or one [0..1] **rateQuantity** (CONF:7517)
 - NEMSIS Trace: EMedications.05, 06
 Note: rate values should be recorded in rateQuantity, not doseQuantity

Medication Administered example

Error: Missing Runtime Class

Medication Complication Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.107]

Complications associated with the administration of a medication

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.107"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11218)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10473)/@**code**="67541-3" *Medication complication NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10474)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:10475), which SHALL be selected from ValueSet MedicationComplication 2.16.840.1.113883.17.3.11.45 DYNAMIC (CONF:10476)
 - NEMSIS Trace: EMedications.08

Medication Complication Observation example

Error: Missing Runtime Class

Medication Not Administered Reason Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.105]

Reason for declining to administer a medication

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.105"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11216)
- 3. SHALL contain exactly one [1..1] code/@code="ASSERTION" Assertion (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode) (CONF:10462)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10463), which SHALL be selected from ValueSet <u>MedicationNotGivenReason</u> 2.16.840.1.113883.17.3.11.92 DYNAMIC (CONF:10464)
 - EMedications.03

Medication Not Administered Reason Observation example

Error: Missing Runtime Class

Medication Prior Administration Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.108]

Indicator of whether a medication was administered prior to the arrival of the EMS crew

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.108"
- 2. **SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11219)
- 3. SHALL contain exactly one [1..1] code (CONF:10478)/@code="67539-7" Medication administered prior to this unit's EMS care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10479)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10480)
 - NEMSIS Trace: EMedications.02

Medication Prior Administration Observation example

Error: Missing Runtime Class

Medication Response Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.106]

Whether the patient's condition improved after medication administration

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.106"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11217)

- 3. SHALL contain exactly one [1..1] code (CONF:10469)/@code="67540-5" Response to medication NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10470)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *PatientConditionChange* 2.16.840.1.113883.17.3.11.59 **DYNAMIC** (CONF:10471)
 - NEMSIS Trace: EMedications.07

Medication Response Observation example

Error: Missing Runtime Class

Mental Status Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.122]

Qualitative assessment of condition of patient's mental status

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.122"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11244)
- 3. MAY contain exactly one [1..1] code (CONF:10410)/@code="67535-5" Mental status assessment NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10411)
- 4. Contains exactly one [1..1] effectiveTime
 - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..*] value with data type CD, which SHALL be selected from ValueSet MentalStatusFinding 2.16.840.1.113883.17.3.11.84 DYNAMIC (CONF:10412)
 - NEMSIS Trace: EExam.19

Mental Status Assessment example

Error: Missing Runtime Class

Neck Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.114]

Qualitative assessment of condition of patient's neck

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.114"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11228)
- 3. SHALL contain exactly one [1..1] code/@code="67527-2" Physical findings of Neck NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10379)
- **4. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:11229)
 - NEMSIS Trace: EExam.03
- SHALL contain at least one [1..*] value with data type CD, which SHALL be selected from ValueSet
 NeckAssessmentFinding 2.16.840.1.113883.17.3.11.28 DYNAMIC (CONF:10380)
 - NEMSIS Trace: EExam.07

Neck Assessment example

Error: Missing Runtime Class

Neurological Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.141]

Qualitative assessment of condition of patient's neurological response

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.141"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11270)
- 3. SHALL contain exactly one [1..1] code (CONF:10414)/@code="67536-3" Neurological assessment Nervous system NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10413)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:10415), which SHALL be selected from ValueSet NeurologicalAssessmentFinding 2.16.840.1.113883.17.3.11.40 DYNAMIC (CONF:10416)
 - NEMSIS Trace: EExam.20

Neurological Assessment example

Error: Missing Runtime Class

Non Drug Allergy

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.104]

Patient allergies and sensitivities to materials other than drugs

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.104"
- **2. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11215)
- 3. SHALL contain exactly one [1..1] code/@code="69748-2" Known allergies to food or environmental agents Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10216)
 - Required if Existence is True
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *NonDrugAllergyType* 2.16.840.1.113883.17.3.11.83 **DYNAMIC** (CONF:10217)
 - NEMSIS Trace: EHistory.07

Non Drug Allergy example

Error: Missing Runtime Class

Non Drug Allergy Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.49]

Information regarding patient allergies and sensitivities to materials other than drugs

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.49"
- 2. SHALL contain exactly one [1..1] component (CONF:10212)
 - **a.** Contains exactly one [1..1] *Existence Of Non Drug Allergy* (templateId: 2.16.840.1.1133883.17.3.10.1.103)
- **3.** MAY contain zero or more [0..*] component (CONF:10213)
 - **a.** Contains exactly one [1..1] *Non Drug Allergy* (templateId: 2.16.840.1.1133883.17.3.10.1.104)

Non Drug Allergy Organizer example

```
Error: Missing Runtime Class
```

Number Of Patients Transported Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.31]

The number of patients transported by this EMS crew and unit

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.31"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11136)
- 3. SHALL contain exactly one [1..1] code (CONF:10665)/@code="67547-0" Patients transported in EMS unit [#] NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10664)
- **4. SHALL** contain exactly one [1..1] **value** with data type INT (CONF:10666)
 - NEMSIS Trace: eDisposition.11

Number Of Patients Transported Observation example

```
Error: Missing Runtime Class
```

Other Symptoms

```
[Observation: templateId 2.16.840.1.1133883.17.3.10.1.67]
```

Symptoms other than the primary symptom

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.67"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11174)
- 3. SHALL contain exactly one [1..1] code (CONF:10806)/@code="67776-5" Other symptoms NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10807)
- 4. MAY contain zero or more [0..*] value with data type CD (CONF:10808), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10809)
 - NEMSIS Trace: ESituation.10

Other Symptoms example

Error: Missing Runtime Class

Oxygen Saturation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.177]

Measurement of the patient's arterial blood oxygen saturation

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.177"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11281)
- 3. SHALL contain exactly one [1..1] code/@code="2708-6" Oxygen saturation in Arterial blood (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10291)
- 4. Contains zero or one [0..1] effectiveTime
- **5. SHALL** contain exactly one [1..1] **value** (CONF:10292)
 - NEMSIS Trace: EVitals.12 UCUM units will typically be "%".

Oxygen Saturation example

Error: Missing Runtime Class

Pain Score

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.164]

Assessment of the patient's level of pain

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.164"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11299)
- 3. SHALL contain exactly one [1..1] code/@code="56840-2" Pain severity verbal numeric scale (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10306)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11300)
 - NEMSIS Trace: EVitals.01
- **5.** Contains exactly one [1..1] **value** with data type INT
 - NEMSIS Trace: EVitals.27
 An ordinal value between 0 and 10, inclusive. There are three scales, but the values are equivalent.

Pain Score example

Error: Missing Runtime Class

Patient Age

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.81]

The age of the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.81"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11194)
- 3. SHALL contain exactly one [1..1] code (CONF:10427)/@code="30525-0" Age (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10428)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10429)
 - NEMSIS Trace: EPatient.15, 16 UCUM units SHOULD be 'min' 'h' 'd' 'wk' 'mo' or 'a'

Patient Age example

Error: Missing Runtime Class

Patient Arrived At Destination Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.44]

The time the EMS crew delivered the patient to the destination

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.44"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11149)
- 3. SHALL contain exactly one [1..1] code (CONF:10859)/@code="69476-0" Responding unit arrived with the patient at the destination or transfer point [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10858)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10860)
 - NEMSIS Trace: ETimes.11

Patient Arrived At Destination Time example

Error: Missing Runtime Class

Patient Body Weight

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.178]

Patient's body weight

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.178"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11220)

- NEMSIS Trace: EExam.03
- **3. SHALL** contain exactly one [1..1] **code/@code="**8335-2" *Body weight Estimated* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10363)
- 4. Contains exactly one [1..1] effectiveTime
- **5. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10364)
 - NEMSIS Trace: EExam.01 UCUM units should be 'kg'

Patient Body Weight example

Error: Missing Runtime Class

Patient Condition Change At Destination Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.37]

Whether the patient's condition had changed on arrival at destination

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.37"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11142)
- 3. SHALL contain exactly one [1..1] code (CONF:10694)/@code="67551-2" Condition of patient at destination NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10693)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10695), which SHALL be selected from ValueSet PatientConditionChange 2.16.840.1.113883.17.3.11.59 DYNAMIC (CONF:10696)
 - NEMSIS Trace: EDisposition.19

Patient Condition Change At Destination Observation example

Error: Missing Runtime Class

Patient Drug Allergy

[Act: templateId 2.16.840.1.1133883.17.3.10.1.48]

The drug a patient is allergic or sensitive to

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.48"
- 2. SHALL conform to *Consol Allergy Problem Act* template (templateId: 2.16.840.1.113883.10.20.22.4.30)
- **3. SHALL** contain exactly one [1..1] **participant** (CONF:11126)
 - a. This participant SHALL contain exactly one [1..1] participantRole (CONF:10208)
 - a. This participantRole SHALL contain exactly one [1..1] playingEntity (CONF:10209)
 - a. This playingEntity Contains exactly one [1..1] code

NEMSIS Trace: EHistory.06

Patient Drug Allergy example

Error: Missing Runtime Class

Patient Location In Vehicle

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.55]

Patient's location in a vehicle during a vehicle collision

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.55"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11160)
- 3. SHALL contain exactly one [1..1] code/@code="67498-6" Location of patient in vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10120)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *VehiclePassengerLocation* 2.16.840.1.113883.17.3.11.6 **DYNAMIC** (CONF:10121)
 - NEMSIS Trace: EInjury.06

Patient Location In Vehicle example

Error: Missing Runtime Class

Patient On Anticoagulants

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.76]

Indication of whether patient is on anticoagulant medication

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.76"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11189)
- 3. SHALL contain exactly one [1..1] code/@code="69749-0" Is the patient on anticoagulants NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10227)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10228)
 - NEMSIS Trace: If EHistory.12 has the value "No anticoagulants," the value is False

Patient On Anticoagulants example

Error: Missing Runtime Class

Patient Pregnancy

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.79]

Indication of whether the patient is pregnant

1. SHALL contain exactly one [1..1] templateId () such that it

- **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.79"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11192)
- 3. SHALL contain exactly one [1..1] code (CONF:10418)/@code="67471-3" *Pregnancy* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10419)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10420), which **SHALL** be selected from ValueSet *Pregnancy* 2.16.840.1.113883.17.3.11.42 **DYNAMIC** (CONF:10421)
 - NEMSIS Trace: EHistory.18

Patient Pregnancy example

Error: Missing Runtime Class

Pelvic And Genitourinary Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.118]

Qualitative assessment of condition of patient's pelvic and genitourinary region

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.118"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11236)
- 3. SHALL contain exactly one [1..1] code/@code="67531-4" Physical findings of Pelvis+Genitourinary NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10390)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11237)
 - NEMSIS Trace: EExam.03
- SHALL contain at least one [1..*] value with data type CD (CONF:10392), which SHALL be selected from ValueSet PelvisGenitourinaryAssessment 2.16.840.1.113883.17.3.11.33 DYNAMIC (CONF:10391)
 - NEMSIS Trace: EExam.12

Pelvic And Genitourinary Assessment example

Error: Missing Runtime Class

Physical Assessment Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.78]

A collection of qualitative assessments of the patient's physical condition

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.78"
- 2. MAY contain zero or one [0..1] component (CONF:11098)
 - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Patient Body Weight* (CONF:11099)
 - **a.** Contains exactly one [1..1] *Patient Body Weight* (templateId: 2.16.840.1.1133883.17.3.10.1.178)

- **3.** MAY contain zero or one [0..1] component (CONF:11101)
 - a. This component SHALL contain exactly one [1..1] observation, where its type is *Length Based Patient Body Weight Class* (CONF:11100)
 - **a.** Contains exactly one [1..1] *Length Based Patient Body Weight Class* (templateId: 2.16.840.1.1133883.17.3.10.1.110)
- **4.** MAY contain zero or one [0..1] component (CONF:11103)
 - **a.** Contains exactly one [1..1] *Skin Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.180)
- **5.** MAY contain zero or one [0..1] component (CONF:11105)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Head Assessment* (CONF:11104)
 - **a.** Contains exactly one [1..1] *Head Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.113)
- **6.** MAY contain zero or one [0..1] component (CONF:11107)
 - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Face Assessment* (CONF:11106)
 - **a.** Contains exactly one [1..1] *Face Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.112)
- 7. MAY contain zero or one [0..1] component (CONF:11109)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Neck Assessment* (CONF:11108)
 - **a.** Contains exactly one [1..1] *Neck Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.114)
- **8.** MAY contain zero or one [0..1] component (CONF:11111)
 - a. This component SHALL contain exactly one [1..1] observation, where its type is Chest And Lungs Assessment (CONF:11110)
 - **a.** Contains exactly one [1..1] *Chest And Lungs Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.115)
- 9. MAY contain zero or one [0..1] component (CONF:11113)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Heart Assessment* (CONF:11112)
 - **a.** Contains exactly one [1..1] *Heart Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.116)
- **10. MAY** contain zero or one [0..1] **component** (CONF:11115)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Abdomen Assessment* (CONF:11114)
 - **a.** Contains exactly one [1..1] *Abdomen Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.117)
- 11. MAY contain zero or one [0..1] component (CONF:11117)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Pelvic And Genitourinary Assessment* (CONF:11116)
 - **a.** Contains exactly one [1..1] *Pelvic And Genitourinary Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.118)
- 12. MAY contain zero or one [0..1] component (CONF:11119)
 - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Back And Spine Assessment* (CONF:11118)
 - **a.** Contains exactly one [1..1] *Back And Spine Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.119)
- **13. MAY** contain zero or one [0..1] **component** (CONF:11121)

- a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Extremities Assessment* (CONF:11120)
 - **a.** Contains exactly one [1..1] *Extremities Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.120)
- **14. MAY** contain zero or one [0..1] **component** (CONF:11123)
 - **a.** This component **MAY** contain exactly one [1..1] **observation**, where its type is *Eye Assessment* (CONF:11122)
 - **a.** Contains exactly one [1..1] *Eye Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.121)
- 15. MAY contain zero or one [0..1] component (CONF:11125)
 - **a.** This component **MAY** contain exactly one [1..1] **observation**, where its type is *Mental Status Assessment* (CONF:11124)
 - **a.** Contains exactly one [1..1] *Mental Status Assessment* (templateId: 2.16.840.1.1133883.17.3.10.1.122)

Physical Assessment Organizer example

Error: Missing Runtime Class

Possible Injury

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.64]

Indicator of whether a patient may have an injury

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.64"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11171)
- 3. SHALL contain exactly one [1..1] code (CONF:10792)/@code="69467-9" Possible injury NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10793)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10794)
 - NEMSIS Trace: ESituation.02

Possible Injury example

Error: Missing Runtime Class

Prearrival Activation Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.36]

Indication of whether destination was activated prior to patient arrival

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.36"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11141)

- 3. SHALL contain exactly one [1..1] code (CONF:10689)/@code="69462-0" Activation of the destination healthcare facility team NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10688)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:10691)
 - NEMSIS Trace: EDisposition.25 Required if value is TRUE
- **5. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10690)
 - NEMSIS Trace: EDisposition.24

Prearrival Activation Observation example

Error: Missing Runtime Class

Primary Symptom

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.66]

The primary symptom present in the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.66"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11173)
- 3. SHALL contain exactly one [1..1] code (CONF:10801)/@code="67774-0" Primary sign and symptom NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10802)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10803), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10804)
 - NEMSIS Trace: ESituation.09

Primary Symptom example

Error: Missing Runtime Class

Prior AED Use

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.126]

Indication of whether an automated external defibrillator was used on the patient prior to EMS arrival

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.126"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11249)
- 3. SHALL contain exactly one [1..1] code/@code="67508-2" AED use prior to EMS arrival NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10171)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *AEDUsePriorToEMSArrival* 2.16.840.1.113883.17.3.11.13 **DYNAMIC** (CONF:10172)
 - NEMSIS Trace: EArrest.07
- 5. MAY contain zero or one [0..1] participant (CONF:10173)
 - a. This participant SHALL contain exactly one [1..1] @typeCode="RESP" (CONF:11250)

- **b.** This participant **SHALL** contain exactly one [1..1] **participantRole** (CONF:10174)
 - a. This participantRole SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet PriorCareProviderRole 2.16.840.1.113883.17.3.11.12 DYNAMIC (CONF:10175)

NEMSIS Trace: EArrest.08

Prior AED Use example

Error: Missing Runtime Class

Prior Aid Vitals

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.29]

Indication of whether this set of vital signs was obtained prior to the documenting EMS unit's care

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.29"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11131)
- 3. SHALL contain exactly one [1..1] code/@code="67518-1" Obtained prior to units EMS care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10273)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:11132)
 - NEMSIS Trace: EVitals.02

Prior Aid Vitals example

Error: Missing Runtime Class

Prior CPR

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.125]

Indication of whether CPR was provided prior to the documenting EMS unit's care

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.125"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11247)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67506-6" *CPR prior to EMS arrival NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10163)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10164)
 - NEMSIS Trace: EArrest.05
- 5. MAY contain zero or one [0..1] participant (CONF:10165)
 - a. This participant SHALL contain exactly one [1..1] @typeCode="RESP" (CONF:11248)
 - **b.** This participant **SHALL** contain exactly one [1..1] **participantRole** (CONF:10943)
 - **a.** This participantRole **SHALL** contain exactly one [1..1] **code**, which **SHALL** be selected from ValueSet *PriorCareProviderRole* 2.16.840.1.113883.17.3.11.12 **DYNAMIC** (CONF:10167)

NEMSIS Trace: eArrest.06

Prior CPR example

Error: Missing Runtime Class

Procedure

[Procedure: templateId 2.16.840.1.1133883.17.3.10.1.98]

Procedure performed by EMS unit

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.98"
- **2. SHALL** conform to *Consol Procedure Activity Procedure* template (templateId: 2.16.840.1.113883.10.20.22.4.14)
- **3.** MAY contain zero or one [0..1] @negationInd (CONF:11212)
 - Required to document a procedure not performed, with required "reason not performed" observation
- 4. SHALL contain exactly one [1..1] code (CONF:10496)
 - NEMSIS Trace: EProcedures.03, for which use ICD10-PCS
 and EArrest.09, for which use Cardiopulmonary Resuscitation type (VS 2.16.840.1.113883.17.3.5.57)
 and EArrest.10 (therapeutic hypothermia); if = true, include here as ICD-10 PCS "6A4"
 and EArrest.03:
 3003001 Attempted Defibrillation = ICD10-PCS Defibrillation 5A2204Z
 3003005 Initiated Chest Compressions: use more detailed Cardiopulmonary Resuscitation Type
 (2.16.840.1.113883.17.3.5.57); reader may infer from this value if necessary
 3003003 Attempted Ventilation: use more detailed Cardiopulmonary Resuscitation Type
 (2.16.840.1.113883.17.3.5.57); reader may infer from this value if necessary
 3003007 Not Attempted-Considered Futile = Assistance 5A0; procedure negation = True;
 ReasonNotAttempted required
 3003009 Not Attempted-DNR Orders = Assistance 5A0; procedure negation = True; ReasonNotAttempted required
 3003011 Not Attempted-Signs of Circulation = Assistance 5A0; procedure negation = True;
 ReasonNotAttempted required
- 5. MAY contain zero or one [0..1] entryRelationship (CONF:10498)
 - **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Abandoned Procedure Reason Observation* (CONF:10510)
 - **a.** Contains exactly one [1..1] *Abandoned Procedure Reason Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.130)
- 6. MAY contain zero or one [0..1] statusCode (CONF:10499)/@code="Aborted" Aborted (CodeSystem: 2.16.840.1.113883.5.14 ActStatus) (CONF:10500)
 - NEMSIS Trace: EArrest.15
- 7. SHALL contain exactly one [1..1] effectiveTime (CONF:10497)
 - NEMSIS Trace: EProcedures.01 goes in effectiveTime.low
 If an abandoned time is recorded, EArrest.15 goes in effectiveTime.high
- 8. MAY contain zero or one [0..1] approachSiteCode (CONF:10502), which SHALL be selected from ValueSet IVSite 2.16.840.1.113883.17.3.11.56 DYNAMIC (CONF:10501)
 - NEMSIS Trace: EProcedures.13
 Required conditionally if procedure code is intravenous catheterization (E303)
- 9. SHALL contain exactly one [1..1] entryRelationship (CONF:10503)

- a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Prior Indicator* (CONF:10515)
 - **a.** Contains exactly one [1..1] *Procedure Prior Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.131)
- 10. MAY contain zero or one [0..1] entryRelationship (CONF:10504)

Important for airway insertion

a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Number Of Attempts Observation* (CONF:10519)

NEMSIS Trace: EProcedures.05

- **a.** Contains exactly one [1..1] *Procedure Number Of Attempts Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.132)
- 11. SHALL contain exactly one [1..1] entryRelationship (CONF:10505)
 - a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Successful Observation* (CONF:10523)
 - **a.** Contains exactly one [1..1] *Procedure Successful Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.133)
- 12. SHALL contain at least one [1..*] entryRelationship (CONF:10506)
 - a. Such entryRelationships **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Complications Observation* (CONF:10527)
 - **a.** Contains exactly one [1..1] *Procedure Complications Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.179)
- **13. SHALL** contain exactly one [1..1] **entryRelationship** (CONF:10507)
 - a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Patient Response Observation* (CONF:10531)
 - **a.** Contains exactly one [1..1] *Procedure Patient Response Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.135)
- **14. SHALL** contain at least one [1..*] **performer** (CONF:10508)
 - a. Such performers SHALL contain exactly one [1..1] assignedEntity (CONF:10536)
 - a. This assignedEntity SHALL contain exactly one [1..1] id (CONF:10539)

NEMSIS Trace: EProcedures.09, ID equal to the EMS professional's agency ID number

b. This assignedEntity **SHALL** contain exactly one [1..1] **code** (CONF:10537), which **SHALL** be selected from ValueSet *ProviderRole* 2.16.840.1.113883.17.3.11.46 **DYNAMIC** (CONF:10538)

NEMSIS Trace: EProcedures.10

15. MAY contain zero or one [0..1] **entryRelationship** (CONF:10509)

NEMSIS Trace: EAirway.04; required if procedure code is airway placement, i.e., 0CHY7BZ

- a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Airway Confirmation Observation* (CONF:10540)
 - **a.** Contains exactly one [1..1] *Airway Confirmation Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.175)
- $\textbf{16.MAY} \ contain \ zero \ or \ one \ [0..1] \ \textbf{ReasonProcedureNotAttemptedRelationship} \ (CONF:11089)$
 - **a.** This ReasonProcedureNotAttemptedRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Reason Procedure Not Attempted Observation* (CONF:11088)

a. Contains exactly one [1..1] *Reason Procedure Not Attempted Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.137)

Procedure example

Error: Missing Runtime Class

Procedure Complications Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.179]

Complications associated with a procedure performed by the EMS unit

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.179"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11259)
- 3. SHALL contain exactly one [1..1] code (CONF:10528)/@code="67545-4" Procedure complication NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10529)
- **4. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet *ProcedureComplicationType* 2.16.840.1.113883.17.3.11.58 **DYNAMIC** (CONF:10530)
 - NEMSIS Trace: EProcedures.07

Procedure Complications Observation example

Error: Missing Runtime Class

Procedure Number Of Attempts Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.132]

How many times the EMS unit attempted a procedure

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.132"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11257)
- 3. SHALL contain exactly one [1..1] code (CONF:10520)/@code="67543-9" Procedure attempts [#] NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10521)
- **4. SHALL** contain exactly one [1..1] **value** with data type INT (CONF:10522)
 - NEMSIS Trace: EProcedures.05

Procedure Number Of Attempts Observation example

Error: Missing Runtime Class

Procedure Patient Response Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.135]

How a patient responded to a procedure

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.135"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11260)
- 3. SHALL contain exactly one [1..1] code (CONF:10532)/@code="67546-2" Response to procedure NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10533)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10534), which SHALL be selected from ValueSet PatientConditionChange 2.16.840.1.113883.17.3.11.59 DYNAMIC (CONF:10535)
 - NEMSIS Trace: EProcedures.08

Procedure Patient Response Observation example

Error: Missing Runtime Class

Procedure Prior Indicator

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.131]

Indication of whether a procedure was provided prior to the documenting EMS unit's care

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.131"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11256)
- 3. SHALL contain exactly one [1..1] code (CONF:10516)/@code="67542-1" Procedure performed prior to this units EMS care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10517)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10518)
 - NEMSIS Trace: EProcedures.02

Procedure Prior Indicator example

Error: Missing Runtime Class

Procedure Successful Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.133]

Indication of whether a procedure was successful

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.133"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11258)
- 3. SHALL contain exactly one [1..1] code (CONF:10524)/@code="67544-7" Procedure successful NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10525)
- **4. SHALL** contain exactly one [1..1] **value** with data type BL (CONF:10526)
 - NEMSIS Trace: EProcedures.06

Procedure Successful Observation example

Error: Missing Runtime Class

Protocol Age Category

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.149]

Age range for which a protocol is appropriate

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.149"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11282)
- 3. SHALL contain exactly one [1..1] code (CONF:10723)/@code="67538-9" Protocol age category NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10724)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10725), which **SHALL** be selected from ValueSet *ProtocolAgeCategory* 2.16.840.1.113883.17.3.11.86 **DYNAMIC** (CONF:10726)
 - NEMSIS Trace: EProtocols.02

Protocol Age Category example

Error: Missing Runtime Class

Protocol Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.93]

The protocol used by EMS personnel to direct the clinical care of the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.93"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11209)
- 3. SHALL contain exactly one [1..1] code (CONF:10719)/@code="67537-1" Protocol used NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10718)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10720), which **SHALL** be selected from ValueSet *Protocol* 2.16.840.1.113883.17.3.11.73 **DYNAMIC** (CONF:10721)
 - NEMSIS Trace: EProtocols.01
- 5. Contains zero or one [0..1] entryRelationship
 - a. This entryRelationship SHALL contain exactly one [1..1] observation, where its type is *Protocol Age Category* (CONF:11073)
 - **a.** Contains exactly one [1..1] *Protocol Age Category* (templateId: 2.16.840.1.1133883.17.3.10.1.149)

Protocol Observation example

Error: Missing Runtime Class

Provider Primary Impression

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.65]

The EMS personnel's impression of the patient's primary problem or most significant condition

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.65"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11172)
- 3. SHALL contain exactly one [1..1] code (CONF:10796)/@code="67492-9" Primary problem NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10797)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10798), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10799)
 - NEMSIS Trace: ESituation.11

Provider Primary Impression example

Error: Missing Runtime Class

Provider Secondary Impressions

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.68]

The EMS personnel's impression of the patient's secondary problems or conditions

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.68"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11175)
- 3. SHALL contain exactly one [1..1] code (CONF:10811)/@code="69542-9" Secondary problem NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10812)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:10813), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10814)
 - NEMSIS Trace: ESituation.12

Provider Secondary Impressions example

Error: Missing Runtime Class

Reason For Choosing Destination Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.35]

The reason the unit chose to deliver the patient to the destination

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.35"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11140)

- 3. SHALL contain exactly one [1..1] code (CONF:10684)/@code="67552-0" Reason for choosing destination NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10683)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10685), which SHALL be selected from ValueSet DestinationChoiceReason 2.16.840.1.113883.17.3.11.68 DYNAMIC (CONF:10686)
 - NEMSIS Trace: EDisposition.20

Reason For Choosing Destination Observation example

Error: Missing Runtime Class

Reason Procedure Not Attempted Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.137]

Why the EMS crew did not attempt to perform a procedure

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.137"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11262)
- 3. SHALL contain exactly one [1..1] code/@code="67504-1" Reason resuscitation not attempted NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11263)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:11264), which SHALL be selected from ValueSet Reason Procedure not Performed Superset 2.16.840.1.113883.17.3.11.100 DYNAMIC (CONF:11265)
 - NEMSIS Trace: EProcedures.03 pertinent negatives, EArrest.03 negative values
 This is a superset of both value sets: the question is the same, even if the .90 values are appropriate only for
 CPR and the .95 for all other procedures.

Note: CPR procedures have appropriate values "Not Attempted-Considered Futile," "Not Attempted-DNR Orders." "Not Attempted-Signs of Circulation"; other procedures have values "Contraindication Noted," "Denied By Order," "Refused," "Unable to Complete"

Reason Procedure Not Attempted Observation example

Error: Missing Runtime Class

Respiratory Rate

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.146]

Patient's rate of respiration

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.146"
- **2. SHALL** conform to *Consol Vital Sign Observation* template (templateId: 2.16.840.1.113883.10.20.22.4.27)
- **3. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11276)
- **4. SHALL** contain exactly one [1..1] **code/@code=**"9279-1" *Respiratory rate* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10287)

- **5.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11277)
 - NEMSIS Trace: EVitals.01
- **6. SHALL** contain exactly one [1..1] **value** (CONF:10288)
 - NEMSIS Trace: EVitals.14
 UCUM units SHOULD be "/min".

Respiratory Rate example

Error: Missing Runtime Class

Response Beginning Odometer Reading

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.171]

Odometer reading for the EMS vehicle when dispatched

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.171"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11314)
- 3. SHALL contain exactly one [1..1] code (CONF:10631)/@code="67484-6" Counter or odometer reading NEMSIS --beginning of call (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10632)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10633)
 - NEMSIS Trace: EResponse.19 UCUM units SHOULD be "[mi i]"

Response Beginning Odometer Reading example

Error: Missing Runtime Class

Response Delay

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.154]

Causes of delay to the response process

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.154"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11287)
- 3. SHALL contain exactly one [1..1] code (CONF:10595)/@code="67557-9" Response delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10594)
- **4. SHALL** contain at least one [1..*] **value** with data type CD (CONF:10597), which **SHALL** be selected from ValueSet *ResponseDelayType* 2.16.840.1.113883.17.3.11.51 **DYNAMIC** (CONF:10596)
 - NEMSIS Trace: EResponse.09

Response Delay example

Error: Missing Runtime Class

Response Destination Odometer Reading

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.173]

Odometer reading for the EMS vehicle at patient destination

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.173"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11316)
- 3. SHALL contain exactly one [1..1] code (CONF:10639)/@code="67486-1" Counter or odometer reading NEMSIS --patient destination (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10640)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10641)
 - NEMSIS Trace: EResponse.21 UCUM units SHOULD be "[mi i]"

Response Destination Odometer Reading example

Error: Missing Runtime Class

Response Ending Odometer Reading

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.174]

Odometer reading for the EMS vehicle when call is complete

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.174"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11317)
- 3. SHALL contain exactly one [1..1] code (CONF:10643)/@code="67487-9" Counter or odometer reading NEMSIS --end of call (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10644)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10645)
 - NEMSIS Trace: EResponse.22 UCUM units SHOULD be "[mi i]"

Response Ending Odometer Reading example

Error: Missing Runtime Class

Response Mode To Scene

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.98]

Indication of whether the response was emergent or non-emergent

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.98"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11211)

- 3. SHALL contain exactly one [1..1] code (CONF:10647)/@code="67482-0" Response mode to scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10648)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10650), which **SHALL** be selected from ValueSet *TransportationMode* 2.16.840.1.113883.17.3.11.66 **DYNAMIC** (CONF:10649)
 - NEMSIS Trace: EResponse.23

Response Mode To Scene example

Error: Missing Runtime Class

Response Odometer Reading Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.97]

Collection of odometer readings at various points in an EMS crew's trip

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.97"
- 2. MAY contain zero or one [0..1] component (CONF:10626)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Beginning Odometer Reading* (CONF:10630)
 - **a.** Contains exactly one [1..1] *Response Beginning Odometer Reading* (templateId: 2.16.840.1.1133883.17.3.10.1.171)
- **3.** MAY contain zero or one [0..1] component (CONF:10627)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response On Scene Odometer Reading* (CONF:10634)
 - **a.** Contains exactly one [1..1] *Response On Scene Odometer Reading* (templateId: 2.16.840.1.1133883.17.3.10.1.172)
- **4.** MAY contain zero or one [0..1] component (CONF:10628)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Destination Odometer Reading* (CONF:10638)
 - **a.** Contains exactly one [1..1] *Response Destination Odometer Reading* (templateId: 2.16.840.1.1133883.17.3.10.1.173)
- **5.** MAY contain zero or one [0..1] component (CONF:10629)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Ending Odometer Reading* (CONF:10642)
 - **a.** Contains exactly one [1..1] *Response Ending Odometer Reading* (templateId: 2.16.840.1.1133883.17.3.10.1.174)

Response Odometer Reading Organizer example

Error: Missing Runtime Class

Response On Scene Odometer Reading

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.172]

Odometer reading for the EMS vehicle when the unit arrives at the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.172"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11315)
- 3. SHALL contain exactly one [1..1] code (CONF:10635)/@code="67485-3" Counter or odometer reading NEMSIS --patient arrival (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10636)
- **4. SHALL** contain exactly one [1..1] **value** with data type PQ (CONF:10637)
 - NEMSIS Trace: EResponse.20 UCUM units SHOULD be "[mi i]"

Response On Scene Odometer Reading example

Error: Missing Runtime Class

Return Of Spontaneous Circulation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.128]

Indication whether or not there was any return of spontaneous circulation, and if so, when

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.128"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11252)
- 3. SHALL contain exactly one [1..1] code/@code="67513-2" Return of spontaneous circulation NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10184)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:11253), which SHALL be selected from ValueSet ReturnOfSpontaneousCirculation 2.16.840.1.113883.17.3.11.15 DYNAMIC (CONF:10185)
 - NEMSIS Trace: EArrest.12

Return Of Spontaneous Circulation example

Error: Missing Runtime Class

Scene Delay

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.155]

Causes of delay at the event scene

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.155"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11288)
- 3. SHALL contain exactly one [1..1] code (CONF:10600)/@code="67558-7" Scene delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10599)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:10602), which SHALL be selected from ValueSet SceneDelayType 2.16.840.1.113883.17.3.11.52 DYNAMIC (CONF:10601)
 - NEMSIS Trace: EResponse.10

Scene Delay example

Error: Missing Runtime Class

Scene Patient Count

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.86]

How many patients were at the scene

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.86"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11199)
- 3. SHALL contain exactly one [1..1] code (CONF:10750)/@code="67489-5" Total patients at the scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10749)
- 4. SHALL contain exactly one [1..1] value with data type INT (CONF:10751)
 - NEMSIS Trace: EScene.06

Scene Patient Count example

Error: Missing Runtime Class

Skin Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.180]

Qualitative assessment of condition of patient's skin

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.180"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11223)
- **3.** SHALL contain exactly one [1..1] code (CONF:10368)/@code="67524-9" *Physical findings of Skin NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10369)
- Contains exactly one [1..1] effectiveTime
 - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..*] value with data type CD (CONF:10370), which SHALL be selected from ValueSet SkinAssessment 2.16.840.1.113883.17.3.11.25 DYNAMIC (CONF:10371)
 - NEMSIS Trace: EExam.04

Skin Assessment example

Error: Missing Runtime Class

Stroke Score

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.163]

Result of a stroke scale instrument

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.163"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11297)
- 3. SHALL contain exactly one [1..1] code (CONF:10308)/@code="67520-7" Stroke scale overall interpretation NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10307)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11298)
 - NEMSIS Trace: EVitals.01
- 5. SHALL contain exactly one [1..1] value with data type CD (CONF:10310), which SHALL be selected from ValueSet Stroke Scale Interpretation 2.16.840.1.113883.17.3.11.93 DYNAMIC (CONF:10309)
 - NEMSIS Trace: EVitals.29
- 6. SHALL contain exactly one [1..1] methodCode (CONF:10312), which SHALL be selected from ValueSet StrokeScale 2.16.840.1.113883.17.3.11.88 DYNAMIC (CONF:10311)
 - NEMSIS Trace: EVitals.30

Stroke Score example

Error: Missing Runtime Class

Systolic Blood Pressure

[Observation: templateId 2.16.840.1.113883.17.3.10.1.23.1]

Measurement of the patient's systolic blood pressure

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.23.1"
- 2. SHALL conform to Consol Vital Sign Observation template (templateId:

2.16.840.1.113883.10.20.22.4.27)

- **3. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11271)
- 4. SHALL contain exactly one [1..1] code/@code="8480-6" Systolic blood pressure (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10280)
- **5. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:7304)
 - NEMSIS Trace: EVitals.01
- **6. SHALL** contain exactly one [1..1] **value** (CONF:10281)
 - NEMSIS Trace: EVitals.06 UCUM units SHOULD be "mm[Hg]".

Systolic Blood Pressure example

Error: Missing Runtime Class

Thrombolytic Contraindications

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.82]

Indicator of contraindications to thrombolytic use

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.82"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11195)
- 3. SHALL contain exactly one [1..1] code (CONF:10431)/@code="67523-1" Contraindication for thrombolytic use NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10432)
- 4. SHALL contain at least one [1..*] value with data type CD, which SHALL be selected from ValueSet ExistenceOfContraindicationsToThrombolyticUse 2.16.840.1.113883.17.3.11.41 DYNAMIC (CONF:10433)
 - NEMSIS Trace: EVitals.31

Thrombolytic Contraindications example

Error: Missing Runtime Class

Transport Delay

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.156]

Causes of delay to the transport process

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.156"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11289)
- 3. SHALL contain exactly one [1..1] code (CONF:10605)/@code="67559-5" Transport delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10604)
- **4. SHALL** contain at least one [1..*] **value** with data type CD (CONF:10607), which **SHALL** be selected from ValueSet *TransportDelayType* 2.16.840.1.113883.17.3.11.53 **DYNAMIC** (CONF:10606)
 - NEMSIS Trace: EResponse.11

Transport Delay example

Error: Missing Runtime Class

Transport Method Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.34]

Vehicle or device used to transport patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.34"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11139)
- 3. SHALL contain exactly one [1..1] code (CONF:10679)/@code="67549-6" Transport method NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10678)
- 4. SHALL contain exactly one [1..1] value with data type CD (CONF:10680), which SHALL be selected from ValueSet TransportMethod 2.16.840.1.113883.17.3.11.65 DYNAMIC (CONF:10681)

• NEMSIS Trace: EDisposition.16

Transport Method Observation example

Error: Missing Runtime Class

Transport Mode Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.33]

Indication of whether the transport was emergent or non-emergent

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.33"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11138)
- 3. SHALL contain exactly one [1..1] code (CONF:10674)/@code="67550-4" Transport mode from scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10673)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD (CONF:10675), which **SHALL** be selected from ValueSet *TransportMethod* 2.16.840.1.113883.17.3.11.65 **DYNAMIC** (CONF:10676)
 - NEMSIS Trace: EDisposition.17

Transport Mode Observation example

Error: Missing Runtime Class

Trauma Center Criteria

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.52]

Field Triage Criteria for transport to a trauma center as defined by the Centers for Disease Control and Prevention and the American College of Surgeons-Committee on Trauma

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.52"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11157)
- 3. SHALL contain exactly one [1..1] code/@code="67495-2" CDC field triage criteria NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10111)
- **4. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet *TraumaCenterCriteria* 2.16.840.1.113883.17.3.11.3 **DYNAMIC** (CONF:10112)
 - NEMSIS Trace: EInjury.03

Trauma Center Criteria example

Error: Missing Runtime Class

Turnaround Delay

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.157]

Causes of delay to the unit turnaround process

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.157"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11290)
- 3. SHALL contain exactly one [1..1] code (CONF:10610)/@code="67560-3" Turn-around delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10609)
- 4. SHALL contain at least one [1..*] value with data type CD (CONF:10612), which SHALL be selected from ValueSet TurnAroundDelayType 2.16.840.1.113883.17.3.11.54 DYNAMIC (CONF:10611)
 - NEMSIS Trace: EResponse.12

Turnaround Delay example

Error: Missing Runtime Class

Unit At Patient Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.42]

Time the unit arrived at the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.42"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11147)
- 3. SHALL contain exactly one [1..1] code (CONF:10851)/@code="69474-5" Responding unit arrived at the patient's side [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10850)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10852)
 - NEMSIS Trace: ETimes.07

Unit At Patient Time example

Error: Missing Runtime Class

Unit Back In Service Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.45]

Time the unit is back in service

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.45"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11150)

- 3. SHALL contain exactly one [1..1] code (CONF:10863)/@code="69477-8" Unit was back in service and available for response [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10862)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10864)
 - NEMSIS Trace: ETimes.13

Unit Back In Service Time example

Error: Missing Runtime Class

Unit En Route Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.40]

Time unit begins moving toward the patient

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.40"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11145)
- 3. SHALL contain exactly one [1..1] code (CONF:10843)/@code="69472-9" Unit responded [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10842)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10844)
 - NEMSIS Trace: ETimes.05

Unit En Route Time example

Error: Missing Runtime Class

Unit Left Scene Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.43]

Time the unit left the incident scene

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.43"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11148)
- 3. SHALL contain exactly one [1..1] code (CONF:10855)/@code="69475-2" Responding unit left the scene with a patient [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10854)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10856)
 - NEMSIS Trace: ETimes.09

Unit Left Scene Time example

Error: Missing Runtime Class

Unit Notified Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.39]

Time the unit was dispatched

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.39"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11144)
- 3. SHALL contain exactly one [1..1] code (CONF:10839)/@code="69471-1" Responding unit was notified by dispatch [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10838)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10840)
 - NEMSIS Trace: ETimes.03 This is the value represented in the header for the encompassing encounter

Unit Notified Time example

Error: Missing Runtime Class

Unit On Scene Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.41]

Time the unit arrived at the incident scene

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.41"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11146)
- 3. SHALL contain exactly one [1..1] code (CONF:10847)/@code="69473-7" Responding unit arrived on the scene [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10846)
- **4. SHALL** contain exactly one [1..1] **value** with data type TS (CONF:10848)
 - NEMSIS Trace: ETimes.06

Unit On Scene Time example

Error: Missing Runtime Class

Vehicle Impact Area

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.54]

Area of vehicle struck in a vehicle collision

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.54"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11159)

- 3. SHALL contain exactly one [1..1] code/@code="67497-8" Location of impact on the vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10117)
- **4. SHALL** contain exactly one [1..1] **value** with data type CD, which **SHALL** be selected from ValueSet *VehicleImpactArea* 2.16.840.1.113883.17.3.11.5 **DYNAMIC** (CONF:10118)
 - NEMSIS Trace: EInjury.05

Vehicle Impact Area example

Error: Missing Runtime Class

Vehicle Occupant Safety Equipment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.56]

Safety equipment in use by the patient at the time of the injury

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.56"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11161)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67499-4" *Safety equipment NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10123)
- **4. SHALL** contain at least one [1..*] **value** with data type CD, which **SHALL** be selected from ValueSet SafetyEquipmentType 2.16.840.1.113883.17.3.11.7 **DYNAMIC** (CONF:10124)
 - NEMSIS Trace: EInjury.07

Vehicle Occupant Safety Equipment example

Error: Missing Runtime Class

Vital Signs Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.28]

A collection vital signs observations

For any observation within the organizer, if the NEMSIS value is "Refused," the value SHALL be "NI;" the string "Refused" MAY be recorded in Observation.text.

- 1. SHALL contain exactly one [1..1] templateId () such that it
 - **a. SHALL** contain exactly one [1..1] @**root**="2.16.840.1.1133883.17.3.10.1.28"
- **2. SHALL** conform to *Consol Vital Signs Organizer* template (templateId: 2.16.840.1.113883.10.20.22.4.26)
- 3. SHALL contain exactly one [1..1] effectiveTime (CONF:10257)
 - NEMSIS Trace: EVitals.01
- 4. SHOULD contain zero or one [0..1] component (CONF:11078)
 - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Systolic Blood Pressure* (CONF:11077)
 - **a.** Contains exactly one [1..1] *Systolic Blood Pressure* (templateId: 2.16.840.1.113883.17.3.10.1.23.1)

- 5. SHOULD contain zero or one [0..1] component (CONF:11080)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Diastolic Blood Pressure* (CONF:11079)
 - **a.** Contains exactly one [1..1] *Diastolic Blood Pressure* (templateId: 2.16.840.1.1133883.17.3.10.1.144)
- **6. SHOULD** contain zero or one [0..1] **component** (CONF:11082)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Heart Rate* (CONF:11081)
 - **a.** Contains exactly one [1..1] *Heart Rate* (templateId: 2.16.840.1.1133883.17.3.10.1.145)
- 7. SHOULD contain zero or one [0..1] component (CONF:11084)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Respiratory Rate* (CONF:11083)
 - **a.** Contains exactly one [1..1] *Respiratory Rate* (templateId: 2.16.840.1.1133883.17.3.10.1.146)
- 8. SHOULD contain zero or one [0..1] component (CONF:11086)
 - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Body Temperature* (CONF:11085)
 - **a.** Contains exactly one [1..1] *Body Temperature* (templateId: 2.16.840.1.1133883.17.3.10.1.176)
- 9. SHOULD contain zero or one [0..1] component (CONF:11090)
 - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Oxygen Saturation* (CONF:11087)
 - **a.** Contains exactly one [1..1] *Oxygen Saturation* (templateId: 2.16.840.1.1133883.17.3.10.1.177)
- **10.** Contains zero or one [0..1] **component**
 - a. Contains exactly one [1..1] *Prior Aid Vitals* (templateId: 2.16.840.1.1133883.17.3.10.1.29)

Vital Signs Organizer example

Error: Missing Runtime Class

Chapter

5

OTHER CLASSES

This section of the Implementation Guide describes other classes that are not CDA Clinical Documents, Sections, or Clinical Statements.

Chapter



VALUE SETS

Topics:

- AED Use Prior To EMS Arrival
- Abdomen Assessment Finding
- Abdominal Finding Location
- Administrative Gender
- Administrative Gender Excluding Nulls
- Advance Directive Type
- Airbag Status
- Airway Device Confirmation Method
- Airway Device Type
- Alcohol Drug Use Indicator
- Anatomic Location
- Back Spine Assessment Finding
- Back Spine Finding Location
- Barrier To Care
- Cardiac Arrest Cause
- Cardiac Arrest Timing
- Cardiac Arrest Witness Role
- Cardiac Rhythm Reading
- Cardiopulmonary Resuscitation Type
- Chest Lung Assessment Finding
- Complaint
- Complaint Type
- Confidentiality
- Destination Choice Reason
- Destination Prearrival Activation
- Destination Type
- Disaster Type
- Dispatch Delay Type
- ECG Type
- EMD Performed
- EMS Level Of Service
- EMS Medication Administration Device

The following tables summarize the value sets used in this Implementation Guide.

- Ethnicity
- Ethnicity Group
- Existence Of Contraindications To Thrombolytic Use
- Extremities Assessment Finding
- Extremity Finding Location
- Eye Assessment Finding
- Eye Finding Location
- FDA Route of Administration
- Face Assessment Finding
- First Monitored Rhythm
- Glasgow Coma Score Special Circumstances
- HL7 Administrative Gender
- HL7 Confidentiality
- HL7 Human Language
- Head Assessment Finding
- Heart Assessment Finding
- Human language
- IC D-10
- ICD-10 CM
- ICD-10 PCS
- IV Site
- Incident Outcome
- Injury Risk Factor
- LOINC
- Length Based Weight Class
- Level Of Responsiveness
- Mechanism Of Injury
- Medication Administration Route
- Medication Authorization Type
- Medication Complication
- Medication Not Given Reason
- Mental Status Finding
- Method Of ECG Interpretation
- Neck Assessment Finding
- Neurological Assessment Finding
- Non Drug Allergy Type
- Organ System
- Patient Condition Change
- Patient Status
- Pelvis Genitourinary Assessment
- Pregnancy
- Prior Care Provider Role
- Procedure Complication Type

- Protocol
- Protocol Age Category
- Provider Adverse Event Type
- Provider Response Role
- Provider Role
- Provider Role Level
- Race and Ethnicity CDC
- Race Category
- Reason Procedure not Performed
- Reason Procedure not Performed Superset
- Registry Type
- Response Delay Type
- Resuscitation Not Attempted Reason
- Resusctitation Discontinue Reason
- Return Of Spontaneous Circulation
- Rx Norm
- Safety Equipment Type
- Scene Delay Type
- Service Level
- Service Type
- Skin Assessment
- Stroke Scale
- Stroke Scale Interpretation
- Transport Delay Type
- Transport Method
- Transportation Mode
- Trauma Center Criteria
- Turn Around Delay Type
- Unit Response Role
- Vehicle Impact Area
- Vehicle Passenger Location

AED Use Prior To EMS Arrival

| Value Set | AEDUsePriorToEMSArrival - 2.16.840.1.113883.17.3.11.13 | |
|--|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition Use of automated electronic defibrillator, with or without defibrillation | | |

| Code | Code System | Print Name |
|-----------|-------------|-------------------------------------|
| LA17066-4 | LOINC | Yes, with defibrillation |
| LA17067-2 | LOINC | Yes, applied without defibrillation |
| LA32-8 | LOINC | No |

Abdomen Assessment Finding

| Value Set | AbdomenAssessmentFinding - 2.16.840.1.113883.17.3.11.31 | |
|-------------|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Finding resulting from EMS abdominal assessment | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17213-2 | LOINC | Mass/lesion |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17242-1 | LOINC | Distention |
| LA17243-9 | LOINC | Guarding |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA17246-2 | LOINC | Mass-pulsating |
| LA17247-0 | LOINC | Pregnant-palpable uterus |
| LA17709-9 | LOINC | Tenderness |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18226-3 | LOINC | Foreign body |
| LA18247-9 | LOINC | Bowel sounds-absent |

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA18248-7 | LOINC | Bowel sounds-present |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Abdominal Finding Location

| Value Set | AbdominalFindingLocation - 2.16.840.1.113883.17.3.11.32 | |
|--|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition Location of finding resulting from EMS abdominal assessment | | |

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA12698-9 | LOINC | Left upper quadrant |
| LA18721-3 | LOINC | Generalized |
| LA18722-1 | LOINC | Left lower quadrant |
| LA18723-9 | LOINC | Right upper quadrant |
| LA18724-7 | LOINC | Periumbilical |
| LA18725-4 | LOINC | Right lower quadrant |

Administrative Gender

| Value Set | Administrative Gender - 2.16.840.1.113883.1.11.1 |
|-------------|---|
| Code System | HL7 Administrative Gender - 2.16.840.1.113883.5.1 |
| Definition | Gender of the patient for administrative purposes |

Administrative Gender Excluding Nulls

| Value Set | Administrative Gender Excluding Nulls - (OID not specified) |
|-----------|---|
|-----------|---|

| | Code | Code System | Print Name |
|---|------|----------------------------|------------|
| | M | AdministrativeGenderCode | Male |
| İ | F | Administrative Gender Code | Female |

Advance Directive Type

Value Set AdvanceDirectiveType - 2.16.840.1.113883.17.3.11.63

| Code System | LOINC - 2.16.840.1.113883.6.1 | |
|-------------|---|--|
| Definition | Type of advance directive documentation | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA137-2 | LOINC | None |
| LA17059-9 | LOINC | Other (not listed) |
| LA17319-7 | LOINC | State EMS DNR or medical order form |
| LA17320-5 | LOINC | Other healthcare advanced directive form |
| LA17321-3 | LOINC | Living will |
| LA17322-1 | LOINC | Family/guardian request DNR (but no documentation) |

Airbag Status

| Value Set | AirbagStatus - 2.16.840.1.113883.17.3.11.8 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Configuration of airbag deployment |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17384-1 | LOINC | Airbag deployed front |
| LA17385-8 | LOINC | Airbag deployed side |
| LA17386-6 | LOINC | Airbag deployed other (knee, airbelt, etc.) |
| LA17387-4 | LOINC | No airbag deployed |
| LA17388-2 | LOINC | No airbag present |
| LA46-8 | LOINC | Other |

Airway Device Confirmation Method

| Value Set | AirwayDeviceConfirmationMethod - 2.16.840.1.113883.17.3.11.60 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Procedure for confirming airway device placement |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA18672-8 | LOINC | Auscultation |
| LA18673-6 | LOINC | Bulb syringe aspiration |
| LA18674-4 | LOINC | Colorimetric ETCO2 |
| LA18675-1 | LOINC | Condensation in tube |
| LA18676-9 | LOINC | Digital (numeric) ETCO2 |
| LA18677-7 | LOINC | Direct re-visualization of tube in place |
| LA18678-5 | LOINC | Endotracheal tube whistle (BAAM, etc) |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA18679-3 | LOINC | Other airway device placement confirmation |
| LA18680-1 | LOINC | Visualization of vocal cords |
| LA18681-9 | LOINC | Waveform ETCO2 |

Airway Device Type

| Value Set | AirwayDeviceType - 2.16.840.1.113883.17.3.11.61 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of airway device |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------------------|
| LA18004-4 | LOINC | Tracheostomy tube |
| LA18657-9 | LOINC | Cricothyrotomy tube |
| LA18658-7 | LOINC | Endotrachial tube |
| LA18659-5 | LOINC | Other invasive airway |
| LA18660-3 | LOINC | Supraglottic airway device-combitube |
| LA18661-1 | LOINC | Supraglottic airway device-king |
| LA18662-9 | LOINC | Supraglottic airway device-LMA |
| LA18663-7 | LOINC | Supraglottic airway device-other |

Alcohol Drug Use Indicator

| Value Set | AlcoholDrugUseIndicator - 2.16.840.1.113883.17.3.11.18 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Indications that a patient may have engaged in alcohol or drug use |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17323-9 | LOINC | Alcohol containers/paraphernalia at scene |
| LA17324-7 | LOINC | Drug paraphernalia at scene |
| LA17325-4 | LOINC | Patient admits to alcohol use |
| LA17326-2 | LOINC | Patient admits to drug use |
| LA17327-0 | LOINC | Positive level known from law enforcement or hospital record |
| LA17328-8 | LOINC | Smell of alcohol on breath |

Anatomic Location

| Value Set | AnatomicLocation - 2.16.840.1.113883.17.3.11.76 |
|-----------|---|
| | |

| Code System | LOINC - 2.16.840.1.113883.6.1 |
|-------------|-------------------------------|
| Definition | Part of the patient body |

| Code | Code System | Print Name |
|-----------|-------------|-----------------|
| LA12703-7 | LOINC | Neck |
| LA12705-2 | LOINC | Back |
| LA12706-0 | LOINC | Abdomen |
| LA18111-7 | LOINC | Chest |
| LA18112-5 | LOINC | Extremity-lower |
| LA18113-3 | LOINC | Extremity-upper |
| LA18114-1 | LOINC | General/global |
| LA18115-8 | LOINC | Genitalia |
| LA18116-6 | LOINC | Head |

Back Spine Assessment Finding

| Value Set | BackSpineAssessmentFinding - 2.16.840.1.113883.17.3.11.34 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS back and spine assessment |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA17256-1 | LOINC | Pain with range of motion |
| LA17257-9 | LOINC | Tenderness costovertebral angle (CVA) |
| LA17258-7 | LOINC | Tenderness midline spinous process |
| LA17259-5 | LOINC | Tenderness paraspinous |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18225-5 | LOINC | Deformity |

| Code | Code System | Print Name |
|-----------|-------------|--------------|
| LA18226-3 | LOINC | Foreign body |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Back Spine Finding Location

| Value Set | BackSpineFindingLocation - 2.16.840.1.113883.17.3.11.35 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Location of finding resulting from EMS back and spine assessment | |

| Code | Code System | Print Name |
|-----------|-------------|------------------|
| LA18726-2 | LOINC | Back-general |
| LA18727-0 | LOINC | Cervical-left |
| LA18728-8 | LOINC | Cervical-midline |
| LA18729-6 | LOINC | Cervical-right |
| LA18730-4 | LOINC | Lumbar-left |
| LA18731-2 | LOINC | Lumbar-right |
| LA18732-0 | LOINC | Sacral-right |
| LA18733-8 | LOINC | Sacral-left |
| LA18734-6 | LOINC | Sacral-midline |
| LA18735-3 | LOINC | Lumbar-midline |
| LA18736-1 | LOINC | Thoracic-midline |
| LA18737-9 | LOINC | Thoracic-left |
| LA18738-7 | LOINC | Thoracic-right |

Barrier To Care

| Value Set | BarrierToCare - 2.16.840.1.113883.17.3.11.85 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Circumstances limiting one's ability to provide care to a patient |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------|
| LA17306-4 | LOINC | Cultural, custom, religious |
| LA17307-2 | LOINC | Developmentally impaired |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17308-0 | LOINC | Hearing impaired |
| LA17309-8 | LOINC | Language |
| LA17310-6 | LOINC | Physical barrier (unable to access patient) |
| LA17311-4 | LOINC | Physically impaired |
| LA17312-2 | LOINC | Physically restrained |
| LA17313-0 | LOINC | Psychologically impaired |
| LA17314-8 | LOINC | Sight impaired |
| LA17315-5 | LOINC | Speech impaired |
| LA17316-3 | LOINC | Unattended or unsupervised (including minors) |
| LA17317-1 | LOINC | Uncooperative |
| LA17318-9 | LOINC | None noted |
| LA17711-5 | LOINC | Unconscious |
| LA6301-1 | LOINC | Obesity |

Cardiac Arrest Cause

| Value Set | CardiacArrestCause - 2.16.840.1.113883.17.3.11.10 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Etiology of a cardiac arrest |

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA17056-5 | LOINC | Cardiac (presumed) |
| LA17058-1 | LOINC | Trauma |
| LA17059-9 | LOINC | Other (not listed) |
| LA17977-2 | LOINC | Drowning/submersion |
| LA17978-0 | LOINC | Drug overdose |
| LA17979-8 | LOINC | Exsanguination |
| LA17980-6 | LOINC | Respiratory/asphyxia |
| LA9539-3 | LOINC | Electrocution |

Cardiac Arrest Timing

| Value Set | CardiacArrestTiming - 2.16.840.1.113883.17.3.11.91 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Whether cardiac arrest occurred before or after arrival of emergency medical service team |

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA17054-0 | LOINC | Prior to EMS arrival |
| LA17055-7 | LOINC | After EMS arrival |

Cardiac Arrest Witness Role

| Value Set | CardiacArrestWitnessRole - 2.16.840.1.113883.17.3.11.11 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of person who witnessed a cardiac arrest |

| Code | Code System | Print Name |
|-----------|-------------|----------------------------------|
| LA18020-0 | LOINC | Witnessed by family member |
| LA18021-8 | LOINC | Witnessed by healthcare provider |
| LA18022-6 | LOINC | Witnessed by lay person |
| LA18023-4 | LOINC | Not witnessed |

Cardiac Rhythm Reading

| Value Set | CardiacRhythmReading - 2.16.840.1.113883.17.3.11.16 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of rhythm found in a cardiac arrest patient |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA12904-1 | LOINC | Artifact |
| LA17059-9 | LOINC | Other (not listed) |
| LA17068-0 | LOINC | Asystole |
| LA17070-6 | LOINC | PEA |
| LA17071-4 | LOINC | Unknown AED non-shockable rhythm |
| LA17072-2 | LOINC | Unknown AED shockable rhythm |
| LA17073-0 | LOINC | Ventricular fibrillation |
| LA17074-8 | LOINC | Ventricular tachycardia-pulseless |
| LA17083-9 | LOINC | Agonal/idioventricular |
| LA17084-7 | LOINC | Atrial fibrillation |
| LA17085-4 | LOINC | Atrial flutter |
| LA17086-2 | LOINC | AV block-1st degree |
| LA17087-0 | LOINC | AV block-2nd degree-type 1 |
| LA17088-8 | LOINC | AV block-2nd degree-type 2 |
| LA17089-6 | LOINC | AV block-3rd degree |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------------|
| LA17090-4 | LOINC | Junctional |
| LA17091-2 | LOINC | Left bundle branch block |
| LA17093-8 | LOINC | Paced rhythm |
| LA17094-6 | LOINC | Premature atrial contractions |
| LA17095-3 | LOINC | Premature ventricular contractions |
| LA17096-1 | LOINC | Right bundle branch block |
| LA17097-9 | LOINC | Sinus arrhythmia |
| LA17394-0 | LOINC | Bradycardia |
| LA17099-5 | LOINC | Sinus tachycardia |
| LA17100-1 | LOINC | Supraventricular tachycardia |
| LA17101-9 | LOINC | Torsades de points |
| LA17703-2 | LOINC | STEMI-anterior ischemia |
| LA17704-0 | LOINC | STEMI-inferior ischemia |
| LA17705-7 | LOINC | STEMI-lateral ischemia |
| LA17706-5 | LOINC | STEMI-posterior ischemia |
| LA17708-1 | LOINC | Ventricular tachycardia with pulse |
| LA17718-0 | LOINC | Sinus rhythm |
| LA18205-7 | LOINC | Non-STEMI anterior ischemia |
| LA18206-5 | LOINC | Non-STEMI inferior ischemia |
| LA18207-3 | LOINC | Non-STEMI lateral ischemia |
| LA18208-1 | LOINC | Non-STEMI posterior ischemia |

Cardiopulmonary Resuscitation Type

| Value Set | CardiopulmonaryResuscitationType - 2.16.840.1.113883.17.3.11.57 | |
|-------------|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Kind of procedure used for cardiopulmonary resuscitation | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17749-5 | LOINC | Compressions-continuous |
| LA17750-3 | LOINC | Compressions-external band type device |
| LA17751-1 | LOINC | Compressions-external plunger type device |
| LA17752-9 | LOINC | Compressions-external thumper type device |
| LA17753-7 | LOINC | Compressions-intermittant with ventilation |
| LA17754-5 | LOINC | Compressions-other device (not listed) |
| LA17755-2 | LOINC | Ventilation-bag valve mask |
| LA17756-0 | LOINC | Ventilation-impedence threshold device |

| Code | Code System | Print Name | |
|-----------|-------------|----------------------------|--|
| LA17757-8 | LOINC | Ventilation-mouth to mouth | |
| LA17758-6 | LOINC | Ventilation-pocket mask | |

Chest Lung Assessment Finding

| Value Set | ChestLungAssessmentFinding - 2.16.840.1.113883.17.3.11.29 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS chest and lung assessment |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17222-3 | LOINC | Accessory muscles used with breathing |
| LA17223-1 | LOINC | Breath sounds-absent-left |
| LA17224-9 | LOINC | Breath sounds-absent-right |
| LA17225-6 | LOINC | Breath sounds-decreased-left |
| LA17226-4 | LOINC | Breath sounds-decreased-right |
| LA17227-2 | LOINC | Breath sounds-normal-left |
| LA17228-0 | LOINC | Breath sounds-normal-right |
| LA17229-8 | LOINC | Crush injury |
| LA17230-6 | LOINC | Flail segment-left |
| LA17231-4 | LOINC | Flail segment-right |
| LA17232-2 | LOINC | Increased respiratory effort |
| LA17233-0 | LOINC | Pain with inspiration/expiration-left |
| LA17234-8 | LOINC | Pain with inspiration/expiration-right |
| LA17236-3 | LOINC | Rhonchi/wheezing |
| LA17237-1 | LOINC | Tenderness-left |
| LA17238-9 | LOINC | Tenderness-right |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |

| Code | Code System | Print Name |
|-----------|-------------|----------------------------|
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18225-5 | LOINC | Deformity |
| LA18226-3 | LOINC | Foreign body |
| LA18229-7 | LOINC | Rales-left |
| LA18230-5 | LOINC | Rales-right |
| LA18231-3 | LOINC | Retraction |
| LA18232-1 | LOINC | Rhonchi-left |
| LA18233-9 | LOINC | Rhonchi-right |
| LA18234-7 | LOINC | Stridor-left |
| LA18235-4 | LOINC | Stridor-right |
| LA18236-2 | LOINC | Implanted device |
| LA18237-0 | LOINC | Wheezing-expiratory-right |
| LA18238-8 | LOINC | Wheezing-expiratory-left |
| LA18239-6 | LOINC | Wheezing-inspiratory-left |
| LA18240-4 | LOINC | Wheezing-inspiratory-right |
| LA18402-0 | LOINC | Breath sounds-equal |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Complaint

| Value Set | Complaint - 2.16.840.1.113883.17.3.11.49 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of medical problem or incident reported |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------|
| LA15468-4 | LOINC | Abdominal pain |
| LA15903-0 | LOINC | Headache |
| LA17117-5 | LOINC | Allergic reaction/stings |
| LA17118-3 | LOINC | Animal bite |
| LA17119-1 | LOINC | Assault |
| LA17120-9 | LOINC | Automated crash notification |
| LA17121-7 | LOINC | Back pain (non-traumatic) |
| LA17122-5 | LOINC | Breathing problems |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17123-3 | LOINC | Burns/explosion |
| LA17124-1 | LOINC | Carbon monoxide poisoning/hazmat/inhalation/chemical/biological/radiological/nuclear |
| LA17125-8 | LOINC | Cardiac arrest/death |
| LA17126-6 | LOINC | Chest pain (non-traumatic) |
| LA17127-4 | LOINC | Choking |
| LA17128-2 | LOINC | Convulsions/seizure |
| LA17129-0 | LOINC | Diabetic problem |
| LA17131-6 | LOINC | Electrocution/lightning |
| LA17132-4 | LOINC | Eye problem/injury |
| LA17133-2 | LOINC | Falls |
| LA17134-0 | LOINC | Healthcare professional/admission |
| LA17135-7 | LOINC | Heart problems/AICD |
| LA17136-5 | LOINC | Heat/cold exposure |
| LA17137-3 | LOINC | Hemorrhage/lacerations |
| LA17138-1 | LOINC | Industrial accident/inaccessible incident/other entrapments (non-vehicle) |
| LA17140-7 | LOINC | Overdose/poisoning/ingestion |
| LA17141-5 | LOINC | Pandemic/epidemic/outbreak |
| LA17142-3 | LOINC | Pregnancy/childbirth/miscarriage |
| LA17143-1 | LOINC | Psychiatric problem/abnormal behavior/suicide attempt |
| LA17144-9 | LOINC | Sick person |
| LA17145-6 | LOINC | Stab/gunshot wound/penetrating trauma |
| LA17146-4 | LOINC | Traffic/transportation incident |
| LA17147-2 | LOINC | Transfer/interfacility/palliative Care |
| LA17148-0 | LOINC | Unconscious/fainting/near-fainting |
| LA17149-8 | LOINC | Unknown problem person down |
| LA17150-6 | LOINC | Standby |
| LA18093-7 | LOINC | Fire |
| LA18209-9 | LOINC | No other appropriate choice |
| LA18210-7 | LOINC | Medical alarm |
| LA18211-5 | LOINC | Well person check |
| LA9553-4 | LOINC | Stroke/CVA |
| LA9555-9 | LOINC | Traumatic injury |

Complaint Type

| Value Set | Complaint Type - 2.16.840.1.113883.17.3.11.94 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Relative primacy of complaint |

| Code | Code System | Print Name |
|-----------|-------------|--------------------|
| LA17059-9 | LOINC | Other (not listed) |
| LA18923-5 | LOINC | Chief - primary |
| LA18924-3 | LOINC | Secondary |

Confidentiality

| Value Set | Confidentiality - 2.16.840.1.113883.1.11.10228 |
|-------------|--|
| Code System | HL7 Confidentiality - 2.16.840.1.113883.5.25 |
| Definition | Appropriateness for disclosure of information |

Destination Choice Reason

| Value Set | DestinationChoiceReason - 2.16.840.1.113883.17.3.11.68 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of rationale for selecting a patient destination |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------|
| LA17059-9 | LOINC | Other (not listed) |
| LA17182-9 | LOINC | Closest facility |
| LA17184-5 | LOINC | Family choice |
| LA17185-2 | LOINC | Insurance status/requirement |
| LA17186-0 | LOINC | Law enforcement choice |
| LA17187-8 | LOINC | On-line medical direction |
| LA17188-6 | LOINC | Patient's choice |
| LA17189-4 | LOINC | Patient's physician's choice |
| LA17190-2 | LOINC | Protocol |
| LA17191-0 | LOINC | Regional specialty center |
| LA18301-4 | LOINC | Diversion |

Destination Prearrival Activation

Value Set DestinationPrearrivalActivation - 2.16.840.1.113883.17.3.11.87

| Code System | LOINC - 2.16.840.1.113883.6.1 |
|-------------|---|
| Definition | Kind of preparation requested at destination prior to patient arrival |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------|
| LA18117-4 | LOINC | Yes, adult trauma |
| LA18118-2 | LOINC | Yes, cardiac arrest |
| LA18119-0 | LOINC | Yes, obstetrics |
| LA18120-8 | LOINC | Yes, other |
| LA18121-6 | LOINC | Yes, pediatric trauma |
| LA18122-4 | LOINC | Yes, STEMI |
| LA18123-2 | LOINC | Yes, stroke |
| LA32-8 | LOINC | No |

Destination Type

| Value Set | DestinationType - 2.16.840.1.113883.17.3.11.69 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of facility |

| Code | Code System | Print Name |
|-----------|-------------|---------------------------------------|
| LA11504-0 | LOINC | Hospital emergency department |
| LA14084-0 | LOINC | Home |
| LA18686-8 | LOINC | Hospital non-emergency department bed |
| LA18687-6 | LOINC | Medical office/clinic |
| LA18688-4 | LOINC | Morgue/mortuary |
| LA18689-2 | LOINC | Nursing home/assisted living facility |
| LA18690-0 | LOINC | Other destination |
| LA18691-8 | LOINC | Other EMS responder (air) |
| LA18692-6 | LOINC | Other EMS responder (ground) |
| LA18693-4 | LOINC | Police/jail |

Disaster Type

| Value Set | DisasterType - 2.16.840.1.113883.17.3.11.9 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of incident resulting in or likely to result in injuries or clinically adverse events |

| Code | Code System | Print Name |
|-----------|-------------|------------|
| LA17594-5 | LOINC | Weather |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------|
| LA18089-5 | LOINC | Biologic agent |
| LA18090-3 | LOINC | Building failure |
| LA18091-1 | LOINC | Chemical agent |
| LA18092-9 | LOINC | Explosive device |
| LA18093-7 | LOINC | Fire |
| LA18094-5 | LOINC | Hostage event |
| LA18095-2 | LOINC | Mass gathering |
| LA18096-0 | LOINC | Mass illness |
| LA18097-8 | LOINC | Nuclear agent |
| LA18098-6 | LOINC | Radioactive device |
| LA18099-4 | LOINC | Secondary destructive device |
| LA18100-0 | LOINC | Shooting/sniper |
| LA18101-8 | LOINC | Vehicular |

Dispatch Delay Type

| Value Set | DispatchDelayType - 2.16.840.1.113883.17.3.11.50 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of circumstance delaying an EMS dispatch |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17059-9 | LOINC | Other (not listed) |
| LA17183-7 | LOINC | Diversion/failure (of previous unit) |
| LA17579-6 | LOINC | Caller (uncooperative) |
| LA17580-4 | LOINC | High call volume |
| LA17581-2 | LOINC | Location (inability to obtain) |
| LA17582-0 | LOINC | No EMS vehicles (units) available |
| LA17584-6 | LOINC | Technical failure (computer, phone etc.) |
| LA18081-2 | LOINC | None/no delay |
| LA7540-3 | LOINC | Language barrier |

ECG Type

| Value Set | ECGType - 2.16.840.1.113883.17.3.11.19 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of electrocardiogram equipment |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------|
| LA18664-5 | LOINC | 3 lead |
| LA18665-2 | LOINC | 4 lead |
| LA18666-0 | LOINC | 5 lead |
| LA18667-8 | LOINC | 12 lead-left sided (normal) |
| LA18668-6 | LOINC | 12 lead-right sided |
| LA18669-4 | LOINC | 15 lead |
| LA18670-2 | LOINC | 18 lead |
| LA18671-0 | LOINC | Other ECG device |

EMD Performed

| Value Set | EMDPerformed - 2.16.840.1.113883.17.3.11.48 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Manner of performing emergency medical dispatch |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17151-4 | LOINC | Yes, with pre-arrival instructions |
| LA17152-2 | LOINC | Yes, without pre-arrival instructions |
| LA17153-0 | LOINC | Yes, unknown if pre-arrival instructions given |
| LA32-8 | LOINC | No |

EMS Level Of Service

| Value Set | EMSLevelOfService - 2.16.840.1.113883.17.3.11.70 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Level of service provided for an encounter (as defined by CMS) |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------|
| LA18102-6 | LOINC | ALS, level 1 |
| LA18103-4 | LOINC | ALS, level 1 emergency |
| LA18104-2 | LOINC | ALS, level 2 |
| LA18105-9 | LOINC | BLS |
| LA18106-7 | LOINC | BLS, emergency |
| LA18107-5 | LOINC | Fixed wing (airplane) |
| LA18108-3 | LOINC | Paramedic intercept |
| LA18109-1 | LOINC | Specialty care transport |
| LA18110-9 | LOINC | Rotary wing (helicopter) |

EMS Medication Administration Device

| Value Set | EMSMedicationAdministrationDevice - 2.16.840.1.113883.17.3.11.100 |
|-------------|---|
| Code System | SNOMEDCT - 2.16.840.1.113883.6.96 |
| Definition | Kind of device used to administer a substance to a patient |

| Code | Code System | Print Name | |
|-----------|-------------|--------------------------------|--|
| 39849001 | SNOMEDCT | Nasal Oxygen Cannula | |
| 427591007 | SNOMEDCT | Non-Rebreather Oxygen Mask | |
| 425926003 | SNOMEDCT | Partial Rebreather Oxygen Mask | |
| 428285009 | SNOMEDCT | Venturi Mask | |

Ethnicity

| Value Set | Ethnicity - 2.16.840.1.113883.1.11.15836 |
|-------------|--|
| Code System | Race and Ethnicity - CDC - 2.16.840.1.113883.6.238 |
| Definition | Person's ethnic background |

Ethnicity Group

| Value Set | Ethnicity Group - 2.16.840.1.114222.4.11.837 |
|-------------|--|
| Code System | Race and Ethnicity - CDC - 2.16.840.1.113883.6.238 |

| Code | Code System | Print Name |
|--------|--------------------------|------------------------|
| 2135-2 | Race and Ethnicity - CDC | Hispanic or Latino |
| 2186-5 | Race and Ethnicity - CDC | Not Hispanic or Latino |

Existence Of Contraindications To Thrombolytic Use

| Value Set | ExistenceOfContraindicationsToThrombolyticUse - 2.16.840.1.113883.17.3.11.41 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Confidence that contraindication to thrombolytic use exist | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17114-2 | LOINC | Definite contraindications to thrombolytic use |
| LA17115-9 | LOINC | Possible contraindications to thrombolytic Use |
| LA17116-7 | LOINC | No contraindications to thrombolytic Use |

Extremities Assessment Finding

| Value Set | ExtremitiesAssessmentFinding - 2.16.840.1.113883.17.3.11.36 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS extremity assessment |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17229-8 | LOINC | Crush injury |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA17260-3 | LOINC | Amputation-acute |
| LA17261-1 | LOINC | Amputation-previous |
| LA17262-9 | LOINC | Dislocation |
| LA17263-7 | LOINC | Edema |
| LA17264-5 | LOINC | Fracture-closed |
| LA17265-2 | LOINC | Fracture-open |
| LA17266-0 | LOINC | Motor function-abnormal/weakness |
| LA17267-8 | LOINC | Motor function-absent |
| LA17268-6 | LOINC | Motor function-normal |
| LA17269-4 | LOINC | Pulse-abnormal |
| LA17270-2 | LOINC | Pulse-absent |
| LA17271-0 | LOINC | Pulse-normal |
| LA17272-8 | LOINC | Sensation-abnormal |
| LA17273-6 | LOINC | Sensation-absent |
| LA17274-4 | LOINC | Sensation-normal |
| LA17344-5 | LOINC | Paralysis |
| LA17709-9 | LOINC | Tenderness |
| LA18220-6 | LOINC | Avulsion |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18225-5 | LOINC | Deformity |
| LA18226-3 | LOINC | Foreign body |

| Code | Code System | Print Name |
|-----------|-------------|---------------------|
| LA18249-5 | LOINC | Clubbing of fingers |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Extremity Finding Location

| Value Set | ExtremityFindingLocation - 2.16.840.1.113883.17.3.11.37 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Location of finding resulting from EMS extremity assessment |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------|
| LA18739-5 | LOINC | Ankle-left |
| LA18740-3 | LOINC | Ankle-right |
| LA18741-1 | LOINC | Arm-upper-left |
| LA18742-9 | LOINC | Arm-upper-right |
| LA18743-7 | LOINC | Elbow-left |
| LA18744-5 | LOINC | Elbow-right |
| LA18745-2 | LOINC | Finger-2nd (index)-left |
| LA18746-0 | LOINC | Finger-2nd (index)-right |
| LA18747-8 | LOINC | Finger-3rd (middle)-left |
| LA18748-6 | LOINC | Finger-3rd (middle)-right |
| LA18749-4 | LOINC | Finger-4th (ring)-left |
| LA18750-2 | LOINC | Finger-4th (ring)-right |
| LA18751-0 | LOINC | Finger-5th (smallest)-left |
| LA18752-8 | LOINC | Finger-5th (smallest)-right |
| LA18753-6 | LOINC | Foot-dorsal-left |
| LA18754-4 | LOINC | Foot-dorsal-right |
| LA18755-1 | LOINC | Foot-plantar-right |
| LA18756-9 | LOINC | Foot-plantar-left |
| LA18757-7 | LOINC | Forearm-left |
| LA18758-5 | LOINC | Forearm-right |
| LA18759-3 | LOINC | Hand-dorsal-left |
| LA18760-1 | LOINC | Hand-dorsal-right |
| LA18761-9 | LOINC | Hand-palm-right |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------|
| LA18762-7 | LOINC | Hand-palm-left |
| LA18763-5 | LOINC | Hip-left |
| LA18764-3 | LOINC | Hip-right |
| LA18765-0 | LOINC | Wrist-right |
| LA18766-8 | LOINC | Wrist-left |
| LA18767-6 | LOINC | Knee-left |
| LA18768-4 | LOINC | Knee-right |
| LA18769-2 | LOINC | Leg-lower-left |
| LA18770-0 | LOINC | Leg-lower-right |
| LA18771-8 | LOINC | Leg-upper-right |
| LA18772-6 | LOINC | Leg-upper-left |
| LA18773-4 | LOINC | Shoulder-left |
| LA18774-2 | LOINC | Shoulder-right |
| LA18775-9 | LOINC | Thumb-left |
| LA18776-7 | LOINC | Thumb-right |
| LA18777-5 | LOINC | Toe-1st (big)-left |
| LA18778-3 | LOINC | Toe-1st (big)-right |
| LA18779-1 | LOINC | Toe-2nd-left |
| LA18780-9 | LOINC | Toe-2nd-right |
| LA18781-7 | LOINC | Toe-3rd-left |
| LA18782-5 | LOINC | Toe-3rd-right |
| LA18783-3 | LOINC | Toe-4th-left |
| LA18784-1 | LOINC | Toe-4th-right |
| LA18785-8 | LOINC | Toe-5th (smallest)-left |
| LA18786-6 | LOINC | Toe-5th (smallest)-right |

Eye Assessment Finding

| Value Set | EyeAssessmentFinding - 2.16.840.1.113883.17.3.11.38 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS eye assessment |

| Code | Code System | Print Name |
|-----------|-------------|-------------|
| LA14698-7 | LOINC | Missing |
| LA15255-5 | LOINC | Reactive |
| LA15256-3 | LOINC | Nonreactive |
| LA17275-1 | LOINC | 1 mm |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------|
| LA17276-9 | LOINC | 2 mm |
| LA17277-7 | LOINC | 3 mm |
| LA17278-5 | LOINC | 4 mm |
| LA17279-3 | LOINC | 5 mm |
| LA17280-1 | LOINC | 6 mm |
| LA17281-9 | LOINC | 7 mm |
| LA17282-7 | LOINC | Clouded |
| LA17283-5 | LOINC | Hyphema |
| LA17284-3 | LOINC | Open globe |
| LA17285-0 | LOINC | Pupil-irregular/teardrop |
| LA17710-7 | LOINC | Blind |
| LA18225-5 | LOINC | Deformity |
| LA18226-3 | LOINC | Foreign body |
| LA18250-3 | LOINC | Cataract present |
| LA18251-1 | LOINC | Dysconjugate gaze |
| LA18253-7 | LOINC | Jaundiced sclera |
| LA18254-5 | LOINC | Nonreactive prosthetic |
| LA18255-2 | LOINC | Nystagmus noted |
| LA18256-0 | LOINC | PERRL |
| LA18257-8 | LOINC | Sluggish |
| LA18258-6 | LOINC | 8 mm or > |
| LA6630-3 | LOINC | Not done |

Eye Finding Location

| Value Set | EyeFindingLocation - 2.16.840.1.113883.17.3.11.39 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Location of finding resulting from EMS eye assessment |

| Code | Code System | Print Name |
|-----------|-------------|----------------|
| LA18787-4 | LOINC | Eyes-bilateral |
| LA18788-2 | LOINC | Eye-left |
| LA18789-0 | LOINC | Eye-right |

FDA Route of Administration

| Value Set | FDA Route of Administration | |
|-----------|-----------------------------|--|
|-----------|-----------------------------|--|

Face Assessment Finding

| Value Set | FaceAssessmentFinding - 2.16.840.1.113883.17.3.11.27 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS face assessment |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17210-8 | LOINC | Decapitation |
| LA17211-6 | LOINC | Drainage |
| LA17213-2 | LOINC | Mass/lesion |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17216-5 | LOINC | Asymmetric smile or droop |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18225-5 | LOINC | Deformity |
| LA18226-3 | LOINC | Foreign body |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

First Monitored Rhythm

| Value Set | FirstMonitoredRhythm - 2.16.840.1.113883.17.3.11.14 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of rhythm found in a cardiac arrest patient on initial field examination |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA17068-0 | LOINC | Asystole |
| LA17070-6 | LOINC | PEA |
| LA17071-4 | LOINC | Unknown AED non-shockable rhythm |
| LA17072-2 | LOINC | Unknown AED shockable rhythm |
| LA17073-0 | LOINC | Ventricular fibrillation |
| LA17074-8 | LOINC | Ventricular tachycardia-pulseless |
| LA17394-0 | LOINC | Bradycardia |

Glasgow Coma Score Special Circumstances

| Value Set | GlasgowComaScoreSpecialCircumstances - 2.16.840.1.113883.17.3.11.89 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Circumstance confounding the assessment of one or more Glasgow Coma Scale observations |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17102-7 | LOINC | Initial GCS has legitimate values without interventions such as intubation and sedation |
| LA17103-5 | LOINC | Eye obstruction prevents eye assessment |
| LA17104-3 | LOINC | Patient chemically sedated |
| LA17105-0 | LOINC | Patient chemically paralyzed |
| LA17106-8 | LOINC | Patient intubated |

HL7 Administrative Gender

| Value Set | HL7 Administrative Gender |
|-----------|---------------------------|
|-----------|---------------------------|

HL7 Confidentiality

| Value Set HL7 Confidentiality |
|-------------------------------|
|-------------------------------|

HL7 Human Language

| Value Set | HL7 Human Language | | |
|-----------|--------------------|--|--|
|-----------|--------------------|--|--|

Head Assessment Finding

| Value Set | HeadAssessmentFinding - 2.16.840.1.113883.17.3.11.26 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |

| Definition | Finding resulting from EMS head assessment |
|------------|--|
|------------|--|

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17210-8 | LOINC | Decapitation |
| LA17211-6 | LOINC | Drainage |
| LA17213-2 | LOINC | Mass/lesion |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18225-5 | LOINC | Deformity |
| LA18226-3 | LOINC | Foreign body |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Heart Assessment Finding

| Value Set | HeartAssessmentFinding - 2.16.840.1.113883.17.3.11.30 | |
|-------------|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Finding resulting from EMS heart assessment | |

| Code | Code System | Print Name |
|-----------|-------------|------------------------|
| LA17239-7 | LOINC | Heart sounds decreased |
| LA17240-5 | LOINC | Murmur-diastolic |
| LA17241-3 | LOINC | Murmur-systolic |
| LA18241-2 | LOINC | Clicks |
| LA18242-0 | LOINC | S1 |

| Code | Code System | Print Name |
|-----------|-------------|------------|
| LA18243-8 | LOINC | S2 |
| LA18244-6 | LOINC | S3 |
| LA18245-3 | LOINC | S4 |
| LA18246-1 | LOINC | Rubs |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |

Human language

| Value Set | Human language - 2.16.840.1.113883.1.11.11526 |
|-------------|---|
| Code System | HL7 Human Language - 2.16.840.1.113883.6.121 |

IC D-10

| Value Set | ICD-10 |
|-----------|--------|

ICD-10 CM

| Value Set | ICD-10 CM |
|-----------|-----------|
| value Set | ICD-10 CM |

ICD-10 PCS

| Value Set |
|-----------|
|-----------|

IV Site

| Value Set | IVSite - 2.16.840.1.113883.17.3.11.56 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Body location of puncture for intravenous substance administration | |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------|
| LA18112-5 | LOINC | Extremity-lower |
| LA18113-3 | LOINC | Extremity-upper |
| LA18757-7 | LOINC | Forearm-left |
| LA18758-5 | LOINC | Forearm-right |
| LA18790-8 | LOINC | Antecubital-left |
| LA18791-6 | LOINC | Antecubital-right |
| LA18792-4 | LOINC | External jugular-left |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA18793-2 | LOINC | External jugular-right |
| LA18794-0 | LOINC | Femoral-left |
| LA18795-7 | LOINC | Femoral-right |
| LA18796-5 | LOINC | Foot-left |
| LA18797-3 | LOINC | Foot-right |
| LA18798-1 | LOINC | Hand-right |
| LA18799-9 | LOINC | Hand-left |
| LA18800-5 | LOINC | Internal jugular-left |
| LA18801-3 | LOINC | Internal jugular-right |
| LA18802-1 | LOINC | IO-femur-left distal |
| LA18803-9 | LOINC | IO-femur-right distal |
| LA18804-7 | LOINC | IO-humerus-left |
| LA18805-4 | LOINC | IO-humerus-right |
| LA18806-2 | LOINC | IO-iliac crest-left |
| LA18807-0 | LOINC | IO-iliac crest-right |
| LA18808-8 | LOINC | IO-sternum |
| LA18809-6 | LOINC | IO-tibia-left distal |
| LA18810-4 | LOINC | IO-tibia-right distal |
| LA18811-2 | LOINC | IO-tibia-left proximal |
| LA18812-0 | LOINC | IO-tibia-right proximal |
| LA18813-8 | LOINC | Other central access (PICC, portacath, not listed) |
| LA18814-6 | LOINC | Other peripheral access (not listed) |
| LA18815-3 | LOINC | Scalp |
| LA18816-1 | LOINC | Subclavian-left |
| LA18817-9 | LOINC | Subclavian-right |
| LA18818-7 | LOINC | Umbilical |

Incident Outcome

| Value Set | IncidentOutcome - 2.16.840.1.113883.17.3.11.64 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Outcome of an emergency medical services encounter | |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------------------|
| LA17154-8 | LOINC | Patient treated, transported by EMS |
| LA17155-5 | LOINC | Canceled (prior to arrival at scene) |
| LA17156-3 | LOINC | No patient found (canceled on scene) |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17157-1 | LOINC | Patient dead at scene-no EMS transport |
| LA17158-9 | LOINC | Patient dead at scene-transported by EMS |
| LA17159-7 | LOINC | Patient evaluated, no treatment/transport required |
| LA17160-5 | LOINC | Patient refused evaluation/care (with transport) |
| LA17161-3 | LOINC | Patient treated, released (AMA) |
| LA17162-1 | LOINC | Patient treated, transferred care to another EMS professional |
| LA17163-9 | LOINC | Patient treated, transported by law enforcement |
| LA17164-7 | LOINC | Patient treated, transported by private vehicle |
| LA17165-4 | LOINC | Standby-no services or support provided |
| LA17166-2 | LOINC | Standby-public safety, fire, or EMS operational support provided |
| LA17167-0 | LOINC | Transport of body parts or organs only |
| LA18080-4 | LOINC | Patient treated, released (per protocol) |
| LA18212-3 | LOINC | Assist, agency |
| LA18213-1 | LOINC | Assist, public |
| LA18214-9 | LOINC | Assist, unit |
| LA18215-6 | LOINC | No patient contact (canceled on scene) |
| LA18216-4 | LOINC | Patient refused evaluation/care (without transport) |

Injury Risk Factor

| Value Set | InjuryRiskFactor - 2.16.840.1.113883.17.3.11.4 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Circumstance affecting likelihood of injury |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17348-6 | LOINC | Fall adults: > 20 ft. (one story is equal to 10 ft.) |
| LA17349-4 | LOINC | Fall children: > 10 ft. or 2-3 times the height of the child |
| LA17350-2 | LOINC | Motorcycle crash > 20 mph |
| LA17352-8 | LOINC | Crash death in same passenger compartment |
| LA17353-6 | LOINC | Crash ejection (partial or complete) from vehicle |
| LA17357-7 | LOINC | Crash intrusion: > 12 in. occupant site; > 18 in. any site |
| LA17360-1 | LOINC | Auto v. pedestrian/bicyclist thrown, run over, or > 20 MPH impact |
| LA18124-0 | LOINC | Crash vehicle telemetry data (AACN) consistent with high risk of injury |

LOINC

Length Based Weight Class

| Value Set | LengthBasedWeightClass - 2.16.840.1.113883.17.3.11.24 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Weight category estimated by length |

| Code | Code System | Print Name |
|-----------|-------------|------------|
| LA15553-3 | LOINC | Blue |
| LA15554-1 | LOINC | Grey |
| LA15555-8 | LOINC | Green |
| LA17192-8 | LOINC | Pink |
| LA17193-6 | LOINC | Red |
| LA17194-4 | LOINC | Purple |
| LA17195-1 | LOINC | Yellow |
| LA17196-9 | LOINC | Orange |
| LA4457-3 | LOINC | White |

Level Of Responsiveness

| Value Set | LevelOfResponsiveness - 2.16.840.1.113883.17.3.11.21 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of stimulation necessary to elicit a patient reaction |

| Code | Code System | Print Name |
|-----------|-------------|--------------|
| LA17107-6 | LOINC | Painful |
| LA17108-4 | LOINC | Verbal |
| LA9340-6 | LOINC | Alert |
| LA9343-0 | LOINC | Unresponsive |

Mechanism Of Injury

| Value Set | MechanismOfInjury - 2.16.840.1.113883.17.3.11.1 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of physical phenomenon causing an injury |

| Code | Code System | Print Name |
|-----------|-------------|-------------|
| LA17335-3 | LOINC | Blunt |
| LA17336-1 | LOINC | Penetrating |
| LA46-8 | LOINC | Other |
| LA7318-4 | LOINC | Burn |

Medication Administration Route

| Value Set | MedicationAdministrationRoute - 2.16.840.1.113883.17.3.11.43 |
|-------------|---|
| Code System | FDA Route of Administration - 2.16.840.1.113883.3.26.1.1.1 |
| Definition | Physical route for introducing medications into a patient |
| Description | Subset of FDA routes of administration. Mappings to NEMSIS route codes, including modeling of orthogonal concepts (e.g., devices), is included in implementation guide text appendix. |

| Code | Code System | Print Name |
|--------|--------------------------------|--------------------------|
| C38208 | FDA Route of Administration | Endotracheal |
| C38246 | FDA Route of Administration | Intragastric |
| C38216 | FDA Route of Administration | Respiratory (Inhalation) |
| C38222 | FDA Route of Administration | Intra-Arterial |
| C38284 | FDA Route of Administration | Nasal |
| C28161 | FDA Route of Administration | Intramuscular |
| C38255 | FDA Route of Administration | Intraocular |
| C38253 | FDA Route of Administration | Intramedullary |
| C38276 | FDA Route of Administration | Intravenous |
| C38285 | FDA Route of Administration | Nasogastric |
| C38287 | FDA Route of Administration | Ophthamlic |
| C38288 | FDA Route of Administration | Oral |
| C38290 | FDA Route of Administration | Other |

| Code | Code System | Print Name | |
|---------|-----------------------------|------------------|--|
| C38192 | FDA Route of Administration | Auricular (Otic) | |
| C38295 | FDA Route of Administration | Rectal | |
| C38299 | FDA Route of Administration | Subcutaneous | |
| C38300 | FDA Route of Administration | Sublingual | |
| C38304 | FDA Route of Administration | Topical | |
| C38308 | FDA Route of Administration | Transtracheal | |
| C38305 | FDA Route of Administration | Transdermal | |
| C38271 | FDA Route of Administration | Urethral | |
| NewCode | FDA Route of Administration | | |
| C38250 | FDA Route of Administration | Intralesional | |

Medication Authorization Type

| Value Set | MedicationAuthorizationType - 2.16.840.1.113883.17.3.11.47 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Channel or mode by which a medication administration is authorized by a licensed clinician |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA17187-8 | LOINC | On-line medical direction |
| LA18654-6 | LOINC | On-scene |
| LA18655-3 | LOINC | Protocol (standing order) |
| LA18656-1 | LOINC | Written orders (patient specific) |

Medication Complication

| Value Set | MedicationComplication - 2.16.840.1.113883.17.3.11.45 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Kind of abnormal effect associated with the administration of a medication | |

| Code | Code System | Print Name |
|---------|-------------|------------|
| LA137-2 | LOINC | None |

| Code | Code System | Print Name |
|----------------|-------------|-----------------------|
| LA15098-9 | LOINC | Nausea |
| LA15099-7 | LOINC | Vomiting |
| LA15424-7 | LOINC | Diarrhea |
| LA17059-9 | LOINC | Other (not listed) |
| LA17392-4 | LOINC | Altered mental status |
| LA17393-2 | LOINC | Apnea |
| LA17394-0 | LOINC | Bradycardia |
| LA17396-5 | LOINC | Нурохіа |
| TMP-LA17397-3a | LOINC | Itching |
| LA17713-1 | LOINC | Injury |
| LA17714-9 | LOINC | Tachycardia |
| LA18266-9 | LOINC | Bradypnea |
| LA18267-7 | LOINC | Tachypnea |
| LA7418-2 | LOINC | Bleeding |
| LA7434-9 | LOINC | Extravasation |
| LA7443-0 | LOINC | Hypotension |
| LA7444-8 | LOINC | Hypertension |
| LA9540-1 | LOINC | Hyperthermia |
| LA9541-9 | LOINC | Hypothermia |
| LA9548-4 | LOINC | Respiratory distress |
| TMP-LA17397-3b | LOINC | Urticaria |

Medication Not Given Reason

| Value Set | MedicationNotGivenReason - 2.16.840.1.113883.17.3.11.92 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Rationale for not adminstering an otherwise indicated medication |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------|
| LA15185-4 | LOINC | Unable to complete |
| LA18921-9 | LOINC | Medication already taken |
| LA18922-7 | LOINC | Medication allergy |
| LA18925-0 | LOINC | Denied by order |
| LA4216-3 | LOINC | Contraindicated |
| LA4389-8 | LOINC | Refused |

Mental Status Finding

| Value Set | MentalStatusFinding - 2.16.840.1.113883.17.3.11.84 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS mental assessment |

| Code | Code System | Print Name |
|-----------|-------------|-------------------------------------|
| LA17286-8 | LOINC | Normal baseline for patient |
| LA17287-6 | LOINC | Combative |
| LA17288-4 | LOINC | Oriented-person |
| LA17289-2 | LOINC | Oriented-place |
| LA17290-0 | LOINC | Oriented-time |
| LA18259-4 | LOINC | Oriented-event |
| LA18260-2 | LOINC | Pharmacologically sedated/paralyzed |
| LA6560-2 | LOINC | Confused |
| LA6630-3 | LOINC | Not done |
| LA7438-0 | LOINC | Hallucinations |
| LA9343-0 | LOINC | Unresponsive |

Method Of ECG Interpretation

| Value Set | MethodOfECGInterpretation - 2.16.840.1.113883.17.3.11.20 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Method for transforming ECG data into a clinical finding |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA18682-7 | LOINC | Computer interpretation |
| LA18683-5 | LOINC | Manual interpretation |
| LA18684-3 | LOINC | Transmission with no interpretation |
| LA18685-0 | LOINC | Transmission with remote interpretation |

Neck Assessment Finding

| Value Set | NeckAssessmentFinding - 2.16.840.1.113883.17.3.11.28 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS neck assessment |

| Code | Code System | Print Name |
|-----------|-------------|---------------------|
| LA17208-2 | LOINC | Bleeding controlled |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17210-8 | LOINC | Decapitation |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17217-3 | LOINC | Jugular vein distention - JVD |
| LA17219-9 | LOINC | Subcutaneous air |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA17612-5 | LOINC | Stridor |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18226-3 | LOINC | Foreign body |
| LA18227-1 | LOINC | Tracheal deviation-right |
| LA18228-9 | LOINC | Tracheal deviation-left |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Neurological Assessment Finding

| Value Set | NeurologicalAssessmentFinding - 2.16.840.1.113883.17.3.11.40 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS neurological assessment |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------|
| LA15899-0 | LOINC | Seizures |
| LA17286-8 | LOINC | Normal baseline for patient |
| LA17291-8 | LOINC | Cerebellar function-abnormal |
| LA17292-6 | LOINC | Cerebellar function-normal |
| LA17293-4 | LOINC | Gait-abnormal |
| LA17294-2 | LOINC | Gait-normal |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------|
| LA17295-9 | LOINC | Hemiplegia-left |
| LA17296-7 | LOINC | Hemiplegia-right |
| LA17297-5 | LOINC | Speech-normal |
| LA17298-3 | LOINC | Speech-slurring |
| LA17299-1 | LOINC | Strength-normal |
| LA17300-7 | LOINC | Strength-symmetric |
| LA17301-5 | LOINC | Tremors |
| LA17302-3 | LOINC | Weakness-facial droop-left |
| LA17303-1 | LOINC | Weakness-facial droop-right |
| LA17304-9 | LOINC | Weakness-left sided |
| LA17305-6 | LOINC | Weakness-right sided |
| LA18261-0 | LOINC | Aphagia |
| LA18262-8 | LOINC | Aphasia |
| LA18263-6 | LOINC | Decerebrate posturing |
| LA18264-4 | LOINC | Decorticate posturing |
| LA18265-1 | LOINC | Strength-asymmetric |
| LA6630-3 | LOINC | Not done |

Non Drug Allergy Type

| Value Set | NonDrugAllergyType - 2.16.840.1.113883.17.3.11.83 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kinds of environmental allergens |

| Code | Code System | Print Name |
|-----------|-------------|-------------------------|
| LA137-2 | LOINC | None |
| LA17059-9 | LOINC | Other (not listed) |
| LA18356-8 | LOINC | Chemical |
| LA18357-6 | LOINC | Dander/dust/mold/pollen |
| LA18358-4 | LOINC | Food allergy |
| LA18359-2 | LOINC | Insect sting |
| LA18360-0 | LOINC | Latex |
| LA18361-8 | LOINC | Plant |

Organ System

| Value Set | OrganSystem - 2.16.840.1.113883.17.3.11.77 | |
|-----------|--|--|
|-----------|--|--|

| Code System | LOINC - 2.16.840.1.113883.6.1 |
|-------------|--|
| Definition | Biological systems for the classification of disorders |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA16968-2 | LOINC | Gastrointestinal |
| LA18114-1 | LOINC | General/global |
| LA18277-6 | LOINC | Cardiovascular |
| LA18278-4 | LOINC | CNS/neuro |
| LA18279-2 | LOINC | Endocrine/metabolic |
| LA18281-8 | LOINC | Lymphatic/immune |
| LA18282-6 | LOINC | Musculoskeletal/skin |
| LA18283-4 | LOINC | Pulmonary |
| LA18284-2 | LOINC | Renal |
| LA18285-9 | LOINC | Reproductive |
| LA9534-4 | LOINC | Behavioral / psychiatric disorder |

Patient Condition Change

| Value Set | PatientConditionChange - 2.16.840.1.113883.17.3.11.59 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Change in acuity of patient condition |

| Code | Code System | Print Name |
|-----------|-------------|------------|
| LA11011-6 | LOINC | Worse |
| LA17181-1 | LOINC | Unchanged |
| LA65-8 | LOINC | Improved |

Patient Status

| Value Set | PatientStatus - 2.16.840.1.113883.17.3.11.78 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Patient condition indicating urgency of treatment |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17694-3 | LOINC | Lower acuity (green) |
| LA17695-0 | LOINC | Emergent (yellow) |
| LA17696-8 | LOINC | Critical (red) |
| LA17697-6 | LOINC | Dead without resuscitation efforts (black) |

Pelvis Genitourinary Assessment

| Value Set | PelvisGenitourinaryAssessment - 2.16.840.1.113883.17.3.11.33 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Finding resulting from EMS pelvic and genitourinary assessment | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA14123-6 | LOINC | Unstable |
| LA17208-2 | LOINC | Bleeding controlled |
| LA17209-0 | LOINC | Bleeding uncontrolled |
| LA17213-2 | LOINC | Mass/lesion |
| LA17214-0 | LOINC | Puncture/stab wound |
| LA17215-7 | LOINC | Swelling/bruising/contusion with pain |
| LA17220-7 | LOINC | Swelling/bruising/contusion without pain |
| LA17244-7 | LOINC | Gunshot wound-entry |
| LA17245-4 | LOINC | Gunshot wound-exit |
| LA17248-8 | LOINC | Bleeding-rectal |
| LA17249-6 | LOINC | Bleeding-urethral |
| LA17250-4 | LOINC | Bleeding-vaginal |
| LA17251-2 | LOINC | Genital injury |
| LA17252-0 | LOINC | Pelvic fracture |
| LA17253-8 | LOINC | Pelvic instability |
| LA17254-6 | LOINC | Penile priapism/erection |
| LA17255-3 | LOINC | Pregnant-crowning |
| LA17709-9 | LOINC | Tenderness |
| LA18220-6 | LOINC | Avulsion |
| LA18221-4 | LOINC | Burn, blistering |
| LA18222-2 | LOINC | Burn, charring |
| LA18223-0 | LOINC | Burn, redness |
| LA18224-8 | LOINC | Burn, white/waxy |
| LA18225-5 | LOINC | Deformity |
| LA18226-3 | LOINC | Foreign body |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |
| LA7410-9 | LOINC | Abrasion |
| LA7452-1 | LOINC | Laceration |
| LA7460-4 | LOINC | Pain |

Pregnancy

| Value Set | Pregnancy - 2.16.840.1.113883.17.3.11.42 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Estimation of patient's pregnant status and maturity |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------------------|
| LA17329-6 | LOINC | Yes, confirmed less than 12 weeks |
| LA17330-4 | LOINC | Yes, confirmed 12 to 20 weeks |
| LA17331-2 | LOINC | Yes, confirmed greater than 20 weeks |
| LA17332-0 | LOINC | Possible, unconfirmed |
| LA32-8 | LOINC | No |

Prior Care Provider Role

| Value Set | PriorCareProviderRole - 2.16.840.1.113883.17.3.11.12 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Role of person providing care to a patient before the arrival of EMS personnel | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA18016-8 | LOINC | First responder-fire, law, EMS |
| LA18017-6 | LOINC | Healthcare professional-non-EMS |
| LA18018-4 | LOINC | Lay person-non-family |
| LA18019-2 | LOINC | Other EMS professional - not part of dispatched response |
| LA9277-0 | LOINC | Family member |

Procedure Complication Type

| Value Set | ProcedureComplicationType - 2.16.840.1.113883.17.3.11.58 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Kind of abnormal effect associated with the performance of a procedure | |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------|
| LA137-2 | LOINC | None |
| LA15098-9 | LOINC | Nausea |
| LA15099-7 | LOINC | Vomiting |
| LA15424-7 | LOINC | Diarrhea |
| LA17059-9 | LOINC | Other (not listed) |
| LA17392-4 | LOINC | Altered mental status |

| Code | Code System | Print Name |
|----------------|-------------|-----------------------------------|
| LA17393-2 | LOINC | Apnea |
| LA17394-0 | LOINC | Bradycardia |
| LA17396-5 | LOINC | Нурохіа |
| TMP-LA17397-3a | LOINC | Itching |
| LA17489-8 | LOINC | Esophageal intubation-immediately |
| LA17490-6 | LOINC | Esophageal intubation-other |
| LA17713-1 | LOINC | Injury |
| LA17714-9 | LOINC | Tachycardia |
| LA18267-7 | LOINC | Tachypnea |
| LA18268-5 | LOINC | Portacath |
| LA7418-2 | LOINC | Bleeding |
| LA7434-9 | LOINC | Extravasation |
| LA7443-0 | LOINC | Hypotension |
| LA7444-8 | LOINC | Hypertension |
| LA9540-1 | LOINC | Hyperthermia |
| LA9541-9 | LOINC | Hypothermia |
| LA9548-4 | LOINC | Respiratory distress |
| TMP-LA17397-3b | LOINC | Urticaria |

Protocol

| Value Set | Protocol - 2.16.840.1.113883.17.3.11.73 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Clincal category of formal guideline used to direct care | |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17398-1 | LOINC | Airway |
| LA17491-4 | LOINC | Airway-failed |
| LA17492-2 | LOINC | Airway-obstruction/foreign body |
| LA17494-8 | LOINC | Airway-Rapid Sequence Induction (RSI-Paralytic) |
| LA17495-5 | LOINC | Airway-sedation assisted (nonparalytic) |
| LA17496-3 | LOINC | Cardiac arrest- asystole |
| LA17497-1 | LOINC | Cardiac arrest- pulseless electrical activity |
| LA17498-9 | LOINC | Cardiac arrest- ventricular fibrillation/pulseless ventricular tachycardia |
| LA17499-7 | LOINC | Cardiac arrest-hypothermia-therapeutic |
| LA17500-2 | LOINC | Cardiac arrest-post resuscitation care |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17501-0 | LOINC | Environmental-altitude sickness |
| LA17502-8 | LOINC | Environmental-cold exposure |
| LA17503-6 | LOINC | Environmental-frostbite/cold Injury |
| LA17504-4 | LOINC | Environmental-heat exposure/exhaustion |
| LA17505-1 | LOINC | Environmental-heat stroke/hyperthermia |
| LA17506-9 | LOINC | Environmental-hypothermia |
| LA17507-7 | LOINC | Exposure-airway/inhalation irritants |
| LA17508-5 | LOINC | Exposure-biological/infectious |
| LA17509-3 | LOINC | Exposure-blistering agents |
| LA17510-1 | LOINC | Exposure-carbon monoxide/smoke inhalation |
| LA17511-9 | LOINC | Exposure-chemicals to eye |
| LA17512-7 | LOINC | Exposure-cyanide |
| LA17513-5 | LOINC | Exposure-explosive/blast injury |
| LA17514-3 | LOINC | Exposure-nerve agents |
| LA17515-0 | LOINC | Exposure-radiologic agents |
| LA17516-8 | LOINC | General-back pain |
| LA17517-6 | LOINC | General-behavioral/patient restraint |
| LA17518-4 | LOINC | General-dental problems |
| LA17519-2 | LOINC | General-epistaxis |
| LA17520-0 | LOINC | General-fever |
| LA17521-8 | LOINC | General-individualized patient protocol |
| LA17522-6 | LOINC | General-indwelling medical devices/equipment |
| LA17523-4 | LOINC | General-IV access |
| LA17524-2 | LOINC | General-medical device malfunction |
| LA17525-9 | LOINC | General-pain control |
| LA17526-7 | LOINC | General-spinal immobilization/clearance |
| LA17527-5 | LOINC | General-universal patient care/initial patient contact |
| LA17528-3 | LOINC | Injury-amputation |
| LA17529-1 | LOINC | Injury-bites and envenomations-land |
| LA17530-9 | LOINC | Injury-bites and envenomations-marine |
| LA17531-7 | LOINC | Injury-bleeding/hemorrhage control |
| LA17532-5 | LOINC | Injury-burns-thermal |
| LA17533-3 | LOINC | Injury-cardiac arrest |
| LA17534-1 | LOINC | Injury-crush syndrome |
| LA17535-8 | LOINC | Injury-diving emergencies |
| LA17536-6 | LOINC | Injury-drowning/near drowning |

| Code | Code System | Print Name |
|-----------|-------------|--|
| LA17537-4 | LOINC | Injury-electrical injuries |
| LA17538-2 | LOINC | Injury-extremity |
| LA17539-0 | LOINC | Injury-eye |
| LA17540-8 | LOINC | Injury-head |
| LA17541-6 | LOINC | Injury-impaled object |
| LA17542-4 | LOINC | Injury-multisystem |
| LA17543-2 | LOINC | Injury-spinal cord |
| LA17544-0 | LOINC | Medical-abdominal pain |
| LA17545-7 | LOINC | Medical-allergic reaction/anaphylaxis |
| LA17546-5 | LOINC | Medical-altered mental status |
| LA17547-3 | LOINC | Medical-bradycardia |
| LA17548-1 | LOINC | Medical-cardiac chest pain |
| LA17549-9 | LOINC | Medical-diarrhea |
| LA17550-7 | LOINC | Medical-hyperglycemia |
| LA17551-5 | LOINC | Medical-hypertension |
| LA17552-3 | LOINC | Medical-hypoglycemia/diabetic emergency |
| LA17553-1 | LOINC | Medical-hypotension/shock (non-trauma) |
| LA17554-9 | LOINC | Medical-influenza-like Illness/ upper respiratory infection |
| LA17555-6 | LOINC | Medical-nausea/vomiting |
| LA17556-4 | LOINC | Medical-newborn/ neonatal resuscitation |
| LA17557-2 | LOINC | Medical-overdose/poisoning/toxic ingestion |
| LA17558-0 | LOINC | Medical-pulmonary edema/CHF |
| LA17559-8 | LOINC | Medical-respiratory distress/asthma/COPD/croup/ reactive airway disease |
| LA17560-6 | LOINC | Medical-seizure |
| LA17561-4 | LOINC | Medical-ST-elevation myocardial infarction (STEMI) |
| LA17562-2 | LOINC | Medical-stroke/TIA |
| LA17563-0 | LOINC | Medical-supraventricular tachycardia (including atrial fibrillation) |
| LA17564-8 | LOINC | Medical-syncope |
| LA17565-5 | LOINC | Medical-ventricular tachycardia (with pulse) |
| LA17566-3 | LOINC | OB/GYN-childbirth/labor/delivery |
| LA17567-1 | LOINC | OB/GYN-eclampsia |
| LA17568-9 | LOINC | OB/GYN-gynecologic emergencies |
| LA17569-7 | LOINC | OB/GYN-pregnancy related emergencies |
| LA17570-5 | LOINC | OB/GYN-post-partum hemorrhage |

| Code | Code System | Print Name |
|-----------|-------------|------------------------|
| LA18269-3 | LOINC | General-cardiac arrest |
| LA46-8 | LOINC | Other |
| LA6630-3 | LOINC | Not done |

Protocol Age Category

| Value Set | ProtocolAgeCategory - 2.16.840.1.113883.17.3.11.86 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Group of patient ages |

| Code | Code System | Print Name |
|-----------|-------------|----------------|
| LA17571-3 | LOINC | General |
| LA17572-1 | LOINC | Adult only |
| LA17573-9 | LOINC | Pediatric only |

Provider Adverse Event Type

| Value Set | ProviderAdverseEventType - 2.16.840.1.113883.17.3.11.72 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of adverse event affecting a care provider |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA137-2 | LOINC | None |
| LA17059-9 | LOINC | Other (not listed) |
| LA17402-1 | LOINC | Death-cardiac arrest |
| LA17403-9 | LOINC | Death-injury related |
| LA17404-7 | LOINC | Death-other (not listed) |
| LA17405-4 | LOINC | Exposure-airborne respiratory/biological/aerosolized secretions |
| LA17406-2 | LOINC | Exposure-body fluid contact to broken skin |
| LA17407-0 | LOINC | Exposure-body fluid contact with eye |
| LA17408-8 | LOINC | Exposure-body fluid contact with intact skin |
| LA17409-6 | LOINC | Exposure-body fluid contact with mucosal surface |
| LA17410-4 | LOINC | Exposure-needle stick with body fluid injection |
| LA17411-2 | LOINC | Exposure-needle stick without body fluid injection |
| LA17412-0 | LOINC | Exposure-toxin/chemical/hazmat |
| LA17413-8 | LOINC | Injury-lifting/back/musculoskeletal |
| LA17414-6 | LOINC | Injury-other (not listed) |

Provider Response Role

| Value Set | ProviderResponseRole - 2.16.840.1.113883.17.3.11.80 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Role filled by an EMS professional |

| Code | Code System | Print Name |
|-----------|-------------|-------------------------------------|
| LA18707-2 | LOINC | Driver/pilot-response |
| LA18708-0 | LOINC | Driver/pilot-transport |
| LA18709-8 | LOINC | Other crew member response role |
| LA18710-6 | LOINC | Other patient caregiver-at scene |
| LA18711-4 | LOINC | Other patient caregiver-transport |
| LA18712-2 | LOINC | Primary patient caregiver-at scene |
| LA18713-0 | LOINC | Primary patient caregiver-transport |

Provider Role

| Value Set | ProviderRole - 2.16.840.1.113883.17.3.11.46 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Class of person providing care to an EMS patient, including the patient |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA15276-1 | LOINC | Student |
| LA18695-9 | LOINC | Critical care paramedic |
| LA18696-7 | LOINC | 2009 advanced emergency medical technician (AEMT) |
| LA18697-5 | LOINC | 2009 emergency medical responder (EMR) |
| LA18698-3 | LOINC | 2009 emergency medical technician (EMT) |
| LA18699-1 | LOINC | 2009 paramedic |
| LA18700-7 | LOINC | First responder |
| LA18701-5 | LOINC | EMT-basic |
| LA18702-3 | LOINC | EMT-intermediate |
| LA18703-1 | LOINC | EMT-paramedic |
| LA18704-9 | LOINC | Other healthcare professional |
| LA18705-6 | LOINC | Other non-healthcare professional |
| LA18706-4 | LOINC | Community paramedicine |
| LA18714-8 | LOINC | Patient/lay person |
| LA4687-5 | LOINC | Physician |
| LA9297-8 | LOINC | Respiratory therapist |

| Code | Code System | Print Name |
|----------|-------------|------------|
| LA9401-6 | LOINC | Nurse |

Provider Role Level

| Value Set | ProviderRoleLevel - 2.16.840.1.113883.17.3.11.81 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Class of person providing care to an EMS patient, excluding the patient |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA15276-1 | LOINC | Student |
| LA18695-9 | LOINC | Critical care paramedic |
| LA18696-7 | LOINC | 2009 advanced emergency medical technician (AEMT) |
| LA18697-5 | LOINC | 2009 emergency medical responder (EMR) |
| LA18698-3 | LOINC | 2009 emergency medical technician (EMT) |
| LA18699-1 | LOINC | 2009 paramedic |
| LA18700-7 | LOINC | First responder |
| LA18701-5 | LOINC | EMT-basic |
| LA18702-3 | LOINC | EMT-intermediate |
| LA18703-1 | LOINC | EMT-paramedic |
| LA18704-9 | LOINC | Other healthcare professional |
| LA18705-6 | LOINC | Other non-healthcare professional |
| LA18706-4 | LOINC | Community paramedicine |
| LA4687-5 | LOINC | Physician |
| LA9297-8 | LOINC | Respiratory therapist |
| LA9401-6 | LOINC | Nurse |

Race and Ethnicity - CDC

| Value Set | Race and Ethnicity - CDC |
|-----------|--------------------------|
|-----------|--------------------------|

Race Category

| Value Set | RaceCategory - 2.16.840.1.114222.4.11.836 | |
|-----------|---|--|
|-----------|---|--|

| Code | Code System | Print Name |
|--------|--------------------------|----------------------------------|
| 1002-5 | Race and Ethnicity - CDC | American Indian or Alaska Native |
| 2028-9 | Race and Ethnicity - CDC | Asian |
| 2054-5 | Race and Ethnicity - CDC | Black or African American |

| Code | Code System | Print Name |
|--------|--------------------------|---|
| 2076-8 | Race and Ethnicity - CDC | Native Hawaiian or Other Pacific Islander |
| 2131-1 | Race and Ethnicity - CDC | Other Race |
| 2106-3 | Race and Ethnicity - CDC | White |

Reason Procedure not Performed

| Value Set | Reason Procedure not Performed - 2.16.840.1.113883.17.3.11.95 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Rationale for not completing an otherwise indicated procedure |

| Code | Code System | Print Name |
|-----------|-------------|--------------------|
| LA15185-4 | LOINC | Unable to complete |
| LA18925-0 | LOINC | Denied by order |
| LA4216-3 | LOINC | Contraindicated |
| LA4389-8 | LOINC | Refused |

Reason Procedure not Performed Superset

| Value Set | Reason Procedure not Performed Superset - 2.16.840.1.113883.17.3.11.100 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Rationale for not completing an otherwise indicated procedure, including CPR |

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA15185-4 | LOINC | Unable to complete |
| LA18925-0 | LOINC | Denied by order |
| LA4216-3 | LOINC | Contraindicated |
| LA4389-8 | LOINC | Refused |
| LA17063-1 | LOINC | Considered futile |
| LA17064-9 | LOINC | DNR orders |
| LA17065-6 | LOINC | Signs of circulation |

Registry Type

| Value Set | RegistryType - 2.16.840.1.113883.17.3.11.74 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of research repository in which a patient record might be included |

| Code | Code System | Print Name |
|-----------|-------------|------------------------|
| LA17057-3 | LOINC | Drowning |
| LA17058-1 | LOINC | Trauma |
| LA17059-9 | LOINC | Other (not listed) |
| LA17398-1 | LOINC | Airway |
| LA17399-9 | LOINC | Spinal cord injury |
| LA17400-5 | LOINC | STEMI/acute cardiac |
| LA17401-3 | LOINC | Traumatic brain injury |
| LA7318-4 | LOINC | Burn |
| LA9535-1 | LOINC | Cardiac arrest |
| LA9553-4 | LOINC | Stroke/CVA |

Response Delay Type

| Value Set | ResponseDelayType - 2.16.840.1.113883.17.3.11.51 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of circumstance delaying an EMS response |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA17059-9 | LOINC | Other (not listed) |
| LA17583-8 | LOINC | Scene safety (not secure for EMS) |
| LA17585-3 | LOINC | Crowd |
| LA17586-1 | LOINC | Directions/unable to locate |
| LA17587-9 | LOINC | Distance |
| LA17588-7 | LOINC | HazMat |
| LA17590-3 | LOINC | Staff delay |
| LA17591-1 | LOINC | Traffic |
| LA17592-9 | LOINC | Vehicle crash involving this unit |
| LA17593-7 | LOINC | Vehicle failure of this unit |
| LA17594-5 | LOINC | Weather |
| LA18081-2 | LOINC | None/no delay |
| LA18270-1 | LOINC | Rendezvous transport unavailable |
| LA18271-9 | LOINC | Route obstruction (e.g., train) |
| LA18301-4 | LOINC | Diversion |

Resuscitation Not Attempted Reason

Value Set ResuscitationNotAttemptedReason - 2.16.840.1.113883.17.3.11.90

| Definition | Rationale for not attempting to resuscitate a patient | |
|------------|---|--|
|------------|---|--|

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA17063-1 | | Considered futile |
| LA17064-9 | | DNR orders |
| LA17065-6 | | Signs of circulation |

Resusctitation Discontinue Reason

| Value Set | ResusctitationDiscontinueReason - 2.16.840.1.113883.17.3.11.62 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Rationale for aborting attempt to resuscitate a patient | |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17078-9 | LOINC | DNR |
| LA17079-7 | LOINC | Medical control order |
| LA17080-5 | LOINC | Obvious signs of death |
| LA17081-3 | LOINC | Protocol/policy requirements completed |
| LA17082-1 | LOINC | Return of spontaneous circulation (pulse or BP noted) |
| LA18204-0 | LOINC | Physically unable to perform |

Return Of Spontaneous Circulation

| Value Set | ReturnOfSpontaneousCirculation - 2.16.840.1.113883.17.3.11.15 | |
|-------------|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Timeframe for return of circulation to a patient | |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17075-5 | LOINC | Yes, prior to arrival at the ED |
| LA17076-3 | LOINC | Yes, at arrival at the ED |
| LA17077-1 | LOINC | Yes, sustained for 20 consecutive minutes |
| LA32-8 | LOINC | No |

Rx Norm

| Value Set |
|-----------|
|-----------|

Safety Equipment Type

| Value Set | SafetyEquipmentType - 2.16.840.1.113883.17.3.11.7 | |
|-------------|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Kind of safety equipment | |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------------|
| LA137-2 | LOINC | None |
| LA17375-9 | LOINC | Child booster seat |
| LA17376-7 | LOINC | Helmet worn |
| LA17377-5 | LOINC | Infant car seat forward facing |
| LA17378-3 | LOINC | Infant car seat rear facing |
| LA17379-1 | LOINC | Lap belt with shoulder belt |
| LA17380-9 | LOINC | Lap belt without shoulder belt |
| LA17382-5 | LOINC | Protective non-clothing gear |
| LA46-8 | LOINC | Other |
| LA9381-0 | LOINC | Shoulder belt |
| LA9391-9 | LOINC | Eye protection |
| LA9392-7 | LOINC | Protective clothing |
| LA9393-5 | LOINC | Personal flotation device |

Scene Delay Type

| Value Set | SceneDelayType - 2.16.840.1.113883.17.3.11.52 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of circumstance delaying EMS operations on scene |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA17059-9 | LOINC | Other (not listed) |
| LA17585-3 | LOINC | Crowd |
| LA17586-1 | LOINC | Directions/unable to locate |
| LA17587-9 | LOINC | Distance |
| LA17588-7 | LOINC | HazMat |
| LA17590-3 | LOINC | Staff delay |
| LA17591-1 | LOINC | Traffic |
| LA17592-9 | LOINC | Vehicle crash involving this unit |
| LA17593-7 | LOINC | Vehicle failure of this unit |
| LA17594-5 | LOINC | Weather |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------|
| LA17595-2 | LOINC | Extrication |
| LA17596-0 | LOINC | Safety-crew/staging |
| LA17597-8 | LOINC | Safety-patient |
| LA18081-2 | LOINC | None/no delay |
| LA18272-7 | LOINC | Awaiting air unit |
| LA18273-5 | LOINC | Awaiting ground unit |
| LA18275-0 | LOINC | Patient access |
| LA18276-8 | LOINC | Triage/multiple patients |
| LA7540-3 | LOINC | Language barrier |

Service Level

| Value Set | ServiceLevel - 2.16.840.1.113883.17.3.11.70 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Level of EMS service as defined by CMS |

| Code | Code System | Print Name |
|-----------|-------------|--------------------------|
| LA18102-6 | LOINC | ALS, level 1 |
| LA18103-4 | LOINC | ALS, level 1 emergency |
| LA18104-2 | LOINC | ALS, level 2 |
| LA18105-9 | LOINC | BLS |
| LA18106-7 | LOINC | BLS, emergency |
| LA18107-5 | LOINC | Fixed wing (airplane) |
| LA18108-3 | LOINC | Paramedic intercept |
| LA18109-1 | LOINC | Specialty care transport |
| LA18110-9 | LOINC | Rotary wing (helicopter) |

Service Type

| Value Set | ServiceType - 2.16.840.1.113883.17.3.11.79 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Category of service requested of an EMS agency | |

| Code | Code System | Print Name |
|-----------|-------------|----------------------|
| LA17150-6 | LOINC | Standby |
| LA18715-5 | LOINC | 911 response (scene) |
| LA18716-3 | LOINC | Intercept |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------------|
| LA18717-1 | LOINC | Interfacility transport |
| LA18718-9 | LOINC | Medical transport |
| LA18719-7 | LOINC | Mutual aid |
| LA18720-5 | LOINC | Public assistance/other not listed |

Skin Assessment

| Value Set | SkinAssessment - 2.16.840.1.113883.17.3.11.25 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding resulting from EMS skin assessment |

| Code | Code System | Print Name |
|-----------|-------------|--------------------|
| LA15475-9 | LOINC | Cold |
| LA17197-7 | LOINC | Clammy |
| LA17198-5 | LOINC | Cyanotic |
| LA17199-3 | LOINC | Dry |
| LA17200-9 | LOINC | Red (erythematous) |
| LA17201-7 | LOINC | Flushed |
| LA17202-5 | LOINC | Hot |
| LA17203-3 | LOINC | Jaundiced |
| LA17204-1 | LOINC | Lividity |
| LA17205-8 | LOINC | Mottled |
| LA17206-6 | LOINC | Pale |
| LA17207-4 | LOINC | Warm |
| LA18217-2 | LOINC | Diaphoretic |
| LA18218-0 | LOINC | Poor turgor |
| LA18219-8 | LOINC | Tenting |
| LA6626-1 | LOINC | Normal |
| LA6630-3 | LOINC | Not done |

Stroke Scale

| Value Set | StrokeScale - 2.16.840.1.113883.17.3.11.88 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Type of instrument used to evaluate for stroke |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17110-0 | LOINC | Cincinnati |
| LA17111-8 | LOINC | Los Angeles |
| LA17112-6 | LOINC | Miami emergency neurologic deficit (MEND) |
| LA17113-4 | LOINC | NIH |
| LA18300-6 | LOINC | Other stoke scale type |
| LA3774-2 | LOINC | Massachusetts |

Stroke Scale Interpretation

| Value Set | Stroke Scale Interpretation - 2.16.840.1.113883.17.3.11.93 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Finding based on a stroke scale instrument |

| Code | Code System | Print Name | |
|-----------|-------------|----------------|--|
| LA17109-2 | LOINC | Non-conclusive | |
| LA6576-8 | LOINC | Positive | |
| LA6577-6 | LOINC | Negative | |

Transport Delay Type

| Value Set | TransportDelayType - 2.16.840.1.113883.17.3.11.53 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of circumstance delaying EMS transport |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA17059-9 | LOINC | Other (not listed) |
| LA17585-3 | LOINC | Crowd |
| LA17586-1 | LOINC | Directions/unable to locate |
| LA17587-9 | LOINC | Distance |
| LA17588-7 | LOINC | HazMat |
| LA17589-5 | LOINC | Safety |
| LA17590-3 | LOINC | Staff delay |
| LA17591-1 | LOINC | Traffic |
| LA17592-9 | LOINC | Vehicle crash involving this unit |
| LA17593-7 | LOINC | Vehicle failure of this unit |
| LA17594-5 | LOINC | Weather |
| LA18081-2 | LOINC | None/no delay |

| Code | Code System | Print Name |
|-----------|-------------|----------------------------------|
| LA18270-1 | LOINC | Rendezvous transport unavailable |
| LA18271-9 | LOINC | Route obstruction (e.g., train) |
| LA18301-4 | LOINC | Diversion |

Transport Method

| Value Set | TransportMethod - 2.16.840.1.113883.17.3.11.65 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Physical mode of patient transport |

| Code | Code System | Print Name |
|-----------|-------------|----------------------------------|
| LA17168-8 | LOINC | Ground-ambulance |
| LA17169-6 | LOINC | Air medical-fixed wing |
| LA17170-4 | LOINC | Air medical-rotor craft |
| LA17171-2 | LOINC | Ground-ATV or rescue vehicle |
| LA17172-0 | LOINC | Ground-bariatric |
| LA17173-8 | LOINC | Ground-mass casualty bus/vehicle |
| LA17174-6 | LOINC | Ground-wheelchair van |
| LA17175-3 | LOINC | Ground-other not listed |
| LA17176-1 | LOINC | Water-boat |

Transportation Mode

| Value Set | TransportationMode - 2.16.840.1.113883.17.3.11.66 | |
|-------------|---|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Urgency of transport | |

| Code | Code System | Print Name |
|-----------|-------------|-------------------------------------|
| LA17177-9 | LOINC | Emergent (immediate response) |
| LA17178-7 | LOINC | Emergent downgraded to non-emergent |
| LA17179-5 | LOINC | Non-emergent upgraded to emergent |
| LA17180-3 | LOINC | Non-emergent |

Trauma Center Criteria

| Value Set | TraumaCenterCriteria - 2.16.840.1.113883.17.3.11.3 | |
|-------------|--|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 | |
| Definition | Patient findings used to determine appropriate destination | |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17337-9 | LOINC | Glasgow Coma Score less than 14 |
| LA17338-7 | LOINC | Respiratory rate < 10 or >29 or (<20 in infant < one year) |
| LA17339-5 | LOINC | Systolic blood pressure less than 90 |
| LA17340-3 | LOINC | Amputation proximal to wrist and ankle |
| LA17341-1 | LOINC | Crushed, degloved, or mangled extremity |
| LA17342-9 | LOINC | Flail chest |
| LA17343-7 | LOINC | Open or depressed skull fracture |
| LA17344-5 | LOINC | Paralysis |
| LA17345-2 | LOINC | Pelvic fracture(s) |
| LA17346-0 | LOINC | Penetrating injury to head, neck, torso, and extremities proximal to elbow and knee |
| LA17347-8 | LOINC | Two or more proximal long-bone fractures |

Turn Around Delay Type

| Value Set | TurnAroundDelayType - 2.16.840.1.113883.17.3.11.54 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Kind of circumstance delaying EMS readiness after an incident |

| Code | Code System | Print Name |
|-----------|-------------|-----------------------------------|
| LA17059-9 | LOINC | Other (not listed) |
| LA17587-9 | LOINC | Distance |
| LA17590-3 | LOINC | Staff delay |
| LA17592-9 | LOINC | Vehicle crash involving this unit |
| LA17593-7 | LOINC | Vehicle failure of this unit |
| LA17594-5 | LOINC | Weather |
| LA17598-6 | LOINC | Clean-up |
| LA17599-4 | LOINC | Decontamination |
| LA17600-0 | LOINC | Documentation |
| LA17601-8 | LOINC | ED overcrowding/transfer of care |
| LA17602-6 | LOINC | Equipment/supply replenishment |
| LA17603-4 | LOINC | Transport unavailable |
| LA18081-2 | LOINC | None/no delay |
| LA18270-1 | LOINC | Rendezvous transport unavailable |
| LA18271-9 | LOINC | Route obstruction (e.g., train) |
| LA7497-6 | LOINC | Equipment failure |

Unit Response Role

| Value Set | UnitResponseRole - 2.16.840.1.113883.17.3.11.82 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Role unit plays in response to an incident |

| Code | Code System | Print Name |
|-----------|-------------|------------------------------------|
| LA17574-7 | LOINC | Air transport |
| LA17575-4 | LOINC | Ground transport |
| LA17576-2 | LOINC | Non-transport (care or assistance) |
| LA17577-0 | LOINC | Rescue |
| LA17578-8 | LOINC | Supervisor (administrative only) |

Vehicle Impact Area

| Value Set | VehicleImpactArea - 2.16.840.1.113883.17.3.11.5 |
|-------------|---|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Direction from which a vehicle is struck |

| Code | Code System | Print Name |
|-----------|-------------|------------|
| LA10137-0 | LOINC | 5 |
| LA10138-8 | LOINC | 6 |
| LA10139-6 | LOINC | 7 |
| LA10140-4 | LOINC | 8 |
| LA10141-2 | LOINC | 9 |
| LA13942-0 | LOINC | 10 |
| LA14557-5 | LOINC | 11 |
| LA14558-3 | LOINC | 12 |
| LA6112-2 | LOINC | 1 |
| LA6113-0 | LOINC | 2 |
| LA6114-8 | LOINC | 3 |
| LA6115-5 | LOINC | 4 |

Vehicle Passenger Location

| Value Set | VehiclePassengerLocation - 2.16.840.1.113883.17.3.11.6 |
|-------------|--|
| Code System | LOINC - 2.16.840.1.113883.6.1 |
| Definition | Location of a passenger within a vehicle |

| Code | Code System | Print Name |
|-----------|-------------|---|
| LA17361-9 | LOINC | Front seat-left side (or motorcycle driver) |
| LA17362-7 | LOINC | Front seat-right side |
| LA17363-5 | LOINC | Front seat-middle |
| LA17364-3 | LOINC | Second seat-left side (or motorcycle passenger) |
| LA17365-0 | LOINC | Second seat-middle |
| LA17366-8 | LOINC | Second seat-right side |
| LA17367-6 | LOINC | Third row-left side (or motorcycle passenger) |
| LA17368-4 | LOINC | Third row-right side |
| LA17369-2 | LOINC | Third row-middle |
| LA17370-0 | LOINC | Sleeper section of cab (truck) |
| LA17371-8 | LOINC | Passenger in other enclosed passenger or cargo area (non-trailing unit such as a bus, etc.) |
| LA17372-6 | LOINC | Passenger in unenclosed passenger or cargo area (non-trailing unit such as a pickup, etc.) |
| LA17373-4 | LOINC | Trailing unit |
| LA17374-2 | LOINC | Riding on vehicle exterior (non-trailing unit) |
| LA4489-6 | LOINC | Unknown |

Chapter

7

Appendices

Topics:

- Object Identifiers for US State Departments of Motor Vehicles
- Nulls and Negative Action Values
- UCUM Unit Mapping
- NEMSIS Routes Mapped to FDA Routes of Administration

Object Identifiers for US State Departments of Motor Vehicles

These OIDs have been assigned to US state DMVs by HL7 for the purpose of providing namespaces for driver's license numbers.

| OID | State Administrator | |
|--------------------------|---|--|
| 2.16.840.1.113883.4.3.1 | Alabama Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.2 | Alaska Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.4 | Arizona Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.5 | Arkansas Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.6 | California Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.8 | Colorado Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.9 | Connecticut Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.10 | Delaware Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.11 | District of Columbia Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.12 | Florida Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.13 | Georgia Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.15 | Hawaii Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.16 | Idaho Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.17 | Illinois Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.18 | Indiana Bureau for Motor Vehicles (BMV) | |
| 2.16.840.1.113883.4.3.19 | Iowa Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.20 | Kansas Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.21 | Kentucky Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.22 | Louisiana Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.23 | Maine Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.24 | Maryland Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.25 | Massachusetts Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.26 | Michigan Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.27 | Minnesota Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.28 | Mississippi Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.29 | Missouri Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.30 | Montana Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.31 | Nebraska Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.32 | Nevada Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.33 | New Hampshire Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.34 | New Jersey Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.35 | New Mexico Motor Vehicle Bureau | |
| 2.16.840.1.113883.4.3.36 | New York Motor Vehicle Bureau | |

| 2.16.840.1.113883.4.3.37 | North Carolina Motor Vehicle Bureau |
|--------------------------|-------------------------------------|
| 2.16.840.1.113883.4.3.38 | North Dakota Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.39 | Ohio Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.40 | Oklahoma Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.41 | Oregon Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.42 | Pennsylvania Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.44 | Rhode Island Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.45 | South Carolina Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.46 | South Dakota Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.47 | Tennessee Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.48 | Texas Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.49 | Utah Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.50 | Vermont Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.51 | Virginia Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.53 | Washington Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.54 | West Virginia Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.55 | Wisconsin Motor Vehicle Bureau |
| 2.16.840.1.113883.4.3.56 | Wyoming Motor Vehicle Bureau |

Nulls and Negative Action Values

This table maps NEMSIS null and negative action values to the appropriate values and structures in the HL7 CDA specification.

| | NEMSIS Negative Action Values | Type | NullFlavo | orCase | Solution |
|----|----------------------------------|------|--------------|---------------------------------------|--|
| 1 | Unable to Complete | null | NI | observation | Observation.value = null (NI); obs.text = "unable to complete" |
| 2 | Unable to Complete | null | NI | medication | SBADM.value = null (NI); SBADM.text = "unable to complete" |
| 3 | Unable to Complete | null | NI | procedure | PROC.value = null (NI); PROC.text = "unable to complete" |
| 4 | Refused | null | ASKU (NT) | observation (including history) | Observation.value = null (ASKU) |
| 7 | Refused | neg | | medication given | negate specific medication; put "refused" value in MedicationNotAdministeredReason observation |
| 9 | Refused | neg | | procedure performed | negate specific procedure; put "refused" value in ReasonProcedureNotAttempted observation |
| 10 | Exam finding not present | null | NAV | observation | Observation.value = null (NAV) |

| 101 |
|-----|
| |

| 11 No known drug allergies | none | | observation: negation value | Use Boolean observation ExistenceOfDrugAllergy |
|---|------|----|-----------------------------------|--|
| 12 None reported | none | | observation: alcohol | Use Boolean observation ExistenceOfDrugUseIndication |
| 16 No anticoagulants or bleeding disorder | none | | medication | Use Boolean observation PatientOnAnticoagulants; negate HistoryOfCondition observation for D66, D67, D68 |
| 18 Contraindication noted | neg | | medication, procedure | negate specific procedure or medication; use related reason observation to record reason |
| 19 Denied by order | neg | | medication, procedure | negate specific procedure or medication; use related reason observation to record reason |
| 20 Medication allergy | neg | | medication | negate specific procedure or medication; use related reason observation to record reason |
| 21 Medication already taken | neg | | medication | negate specific procedure or medication; use related reason observation to record reason |
| Null Values | | | | |
| 22 Not Applicable | null | NA | | null: NA |
| 23 Not Recorded | null | NI | | null: NI; add detail to obs.text or proc.text |
| 24 Not Reported | null | NI | | null: NI; add detail to obs.text or proc.text |

UCUM Unit Mapping

This appendix provides UCUM codes for units provided by NEMSIS specifications. Note that "liters" is always uppercase "L": the character "1" signifies the numeral "one."

| NEMSIS Question | NEMSIS Code | Description | PQ QTY | PQ Units (UCUM) | Supporting values |
|--------------------|----------------|--|-----------|--------------------|--|
| emedications.06 | 3706001 | Grams | Yes | g | |
| emedications.06 | 3706003 | Inches | Yes | [in_i] | |
| emedications.06 | 3706005 | International Units | Yes | [iU] | |
| emedications.06 | 3706007 | Keep Vein Open (To Keep Open) | No | | substanceAdministration.value.nullFlavor = QS (sufficient quantity); codeSystem = 2.16.840.1.113883.5.1008 |
| emedications.06 | 3706009 | Liters | Yes | L | |
| emedications.06 | 3706011 | Liters Per Minute | Yes | L/min | |
| emedications.06 | 3706013 | MDI Puffs | Yes | 1 | substanceAdministration.administrationUnitCode = PUFF; codeSystem =2.16.840.1.113883.1.11.14570 |
| emedications.06 | 3706015 | Micrograms | Yes | ug | |
| emedications.06 | 3706017 | Micrograms per Kilogram per Minute | Yes | ug/kg/min | |

| emedications.06 | 3706019 | Milliequivalents | Yes | meq | |
|-----------------|---------|--|-----|-----------|--|
| emedications.06 | 3706021 | Milligrams | Yes | mg | |
| emedications.06 | 3706023 | Milligrams Per Kilogram Per Minute | Yes | mg/kg/min | |
| emedications.06 | 3706025 | Milliliters | Yes | mL | |
| emedications.06 | 3706027 | Milliliters Per Hour | Yes | mL/h | |
| emedications.06 | 3706029 | Other | Yes | 1 | substanceAdministration.value.units = OTH; codeSystem = 2.16.840.1.113883.5.1008 |
| ehistory.14 | 3114001 | cm | Yes | cm | |
| ehistory.14 | 3114003 | gms | Yes | g | |
| ehistory.14 | 3114005 | gtts (drops) | Yes | 1 | substanceAdministration.administrationUnitCode = DROP; codeSystem = 2.16.840.1.113883.1.11.14420 |
| ehistory.14 | 3114007 | inches | Yes | [in_i] | |
| ehistory.14 | 3114009 | iu | Yes | [iU] | |
| ehistory.14 | 3114011 | kvo (keep vein open) | No | | substanceAdministration.value.nullFlavor = QS (sufficient quantity); codeSystem = 2.16.840.1.113883.5.1008 |
| ehistory.14 | 3114013 | l/min (fluid administration) | Yes | L/min | |
| ehistory.14 | 3114015 | liters | Yes | L | |
| ehistory.14 | 3114017 | LPM (gas administration) | Yes | L/min | |
| ehistory.14 | 3114019 | mcg | Yes | ug | |
| ehistory.14 | 3114021 | mcg/kg/min | Yes | ug/kg/min | |
| ehistory.14 | 3114023 | mcg/min | Yes | ug/min | |
| ehistory.14 | 3114025 | meq | Yes | meq | |
| ehistory.14 | 3114027 | metered dose | Yes | 1 | substanceAdministration.value.units = OTH; codeSystem = 2.16.840.1.113883.5.1008 |
| ehistory.14 | 3114029 | mg | Yes | mg | |
| ehistory.14 | 3114031 | mg/kg | Yes | mg/kg | |
| ehistory.14 | 3114033 | mg/kg/min | Yes | mg/kg/min | |
| ehistory.14 | 3114035 | mg/min | Yes | mg/min | |
| ehistory.14 | 3114037 | ml | Yes | mL | |
| ehistory.14 | 3114039 | ml/hr | Yes | mL/h | |
| ehistory.14 | 3114041 | other (Not Listed) | Yes | 1 | substanceAdministration.value.units = OTH; codeSystem = 2.16.840.1.113883.5.1008 |
| ehistory.14 | 3114043 | puffs | Yes | 1 | substanceAdministration.administrationUnitCode = PUFF; codeSystem =2.16.840.1.113883.1.11.14570 |

| ehistory.14 | 3114045 | units/hr | Yes | 1/h |
|---------------|---------|----------|-----|-----|
| epatient.16 | 2516001 | Days | Yes | d |
| epatient.16 | 2516003 | Hours | Yes | h |
| epatient.16 | 2516005 | Minutes | Yes | min |
| epatient.16 | 2516007 | Months | Yes | mo |
| epatient.16 | 2516009 | Years | Yes | a |
| esituation.06 | 2806001 | Seconds | Yes | s |
| esituation.06 | 2806003 | Minutes | Yes | min |
| esituation.06 | 2806005 | Hours | Yes | h |
| esituation.06 | 2806007 | Days | Yes | d |
| esituation.06 | 2806009 | Weeks | Yes | wk |
| esituation.06 | 2806011 | Months | Yes | mo |
| esituation.06 | 2806013 | Years | Yes | a |

NEMSIS Routes Mapped to FDA Routes of Administration

This appendix maps NEMSIS routes of administration to FDA routes. It also specifies how information implicit in NEMSIS values but not specific to routes may be modeled in the CDA structure.

| NEMSIS value | Standard System | Standard Code | Standard Text |
|-----------------------------|--|---------------|-----------------------------|
| Endotracheal tube | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38208 | ENDOTRACHEAL |
| Gastrostomy/Feeding Tube | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38246 | INTRAGASTRIC |
| Gastrostomy tube | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38246 | INTRAGASTRIC |
| Inhalation | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38216 | RESPIRATORY (INHALATION) |
| Intraarterial | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38222 | INTRA-ARTERIAL |
| Intranasal | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38284 | NASAL |
| Intramuscular | FDA Route of Administration: 2.16.840.1.113883.3.2 | C28161 | INTRAMUSCULAR |
| Intraocular | FDA Route of Administration: 2.16.840.1.113883.3.2 | C38255 | INTRAOCULAR |

| NEMSIS value | Standard System | Standard Code | Standard Text | |
|------------------------|--|---------------------|-----------------------------|--|
| Non-Rebreather Mask | | | RESPIRATORY (INHALATION) | SubstanceAdministration/ Participant/ typeCode=""DEV"" (device) SubstanceAdministration/ Participant/ ParticipantRole/ classCode=""MANU"" (manufaction product) SubstanceAdministration/ Participant/ ParticipantRole/ Device/code @ value = ""427591007"" @codeSystem = ""2.16.840.1.113883.6.5"" @displayName=""nonrebreather oxygen mask"" |
| Ophthalmic | FDA Route of Administration: 2.16.840.1.113883.3 | C38287 | OPHTHALMIC | |
| Oral | FDA Route of Administration: 2.16.840.1.113883.3 | C38288 | ORAL | |
| Other/miscellaneous | FDA Route of Administration: 2.16.840.1.113883.3 | C38290 .26.1.1.1 | OTHER | |
| Otic | FDA Route of Administration: 2.16.840.1.113883.3 | C38192 .26.1.1.1 | AURICULAR (OTIC) | |
| Re-breather mask | FDA Route of Administration: 2.16.840.1.113883.3 | C38216 .26.1.1.1 | RESPIRATORY (INHALATION) | SubstanceAdministration/ Participant/ typeCode=""DEV"" (device) SubstanceAdministration/ Participant/ ParticipantRole/ classCode=""MANU"" (manufactory product) SubstanceAdministration/ Participant/ ParticipantRole/ Device/code @ value = ""425926003"" @codeSystem = ""2.16.840.1.113883.6 5"" @displayName=""partial rebreather oxygen mask"" |
| Rectal | FDA Route of Administration: 2.16.840.1.113883.3 | C38295 | RECTAL | |

| NEMSIS value | Standard System | Standard Code | Standard Text | | |
|--------------|--|---------------------|-----------------------------|--|--|
| Subcutaneous | FDA Route of Administration: 2.16.840.1.113883.3 | C38299 .26.1.1.1 | SUBCUTANEOUS | | |
| Sublingual | FDA Route of Administration: 2.16.840.1.113883.3 | C38300 .26.1.1.1 | SUBLINGUAL | | |
| Topical | FDA Route of Administration: 2.16.840.1.113883.3 | C38304 | TOPICAL | | |
| Tracheostomy | FDA Route of Administration: 2.16.840.1.113883.3 | C38308 | TRANSTRACHEAL | | |
| Transdermal | FDA Route of Administration: 2.16.840.1.113883.3 | C38305 | TRANSDERMAL | | |
| Urethral | FDA Route of Administration: 2.16.840.1.113883.3 | C38271 | URETHRAL | | |
| Ventimask | FDA Route of Administration: 2.16.840.1.113883.3 | C38216 .26.1.1.1 | RESPIRATORY (INHALATION) | SubstanceAdministration/ Participant/ typeCode=""DEV"" (device) SubstanceAdministration/ Participant/ ParticipantRole/ classCode=""MANU"" (manufac product) SubstanceAdministration/ Participant/ ParticipantRole/ Device/code @ value = ""428285009"" @codeSystem = ""2.16.840.1.113883.6.5"" @displayName=""Venturi mask"" | |
| Wound | FDA Route of Administration: 2.16.840.1.113883.3 | C38250 | INTRALESIONAL | | |

- HL7 Implementation Guide: CDA Release 2 Continuity of Care Document (CCD) A CDA implementation of ASTM E2369-05 Standard Specification for Continuity of Care Record[©] (CCR) April 01, 2007 available through HL7.
- HL7 Implementation Guide for CDA Release 2 Quality Reporting Document Architecture (QRDA) Draft Standard for Trial Use March 2009. Available at: *Quality Reporting Document Architecture (QRDA)*
- HL7 Implementation Guide for CDA Release 2 CDA for Public Health Case Reports (PHCR) Informative Standard October 2009. Available through *HL7*.
- HL7 Implementation Guide for CDA Release 2: NHSN Healthcare Associated Infection (HAI) Reports, Release 2 Draft Standard for Trial Use January 2009 Available at: NHSN Healthcare Associated Infection (HAI) Reports
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A, (Editors). HL7 Clinical Document Architecture, Release 2.0. ANSI-approved HL7 Standard; May 2005. Ann Arbor, Mich.: Health Level Seven, Inc. Available through *HL7* or if an HL7 member with the following link: *CDA Release 2 Normative Web Edition*.
- LOINC®: Logical Observation Identifiers Names and Codes, Regenstrief Institute.
- SNOMED CT®: SNOMED Clinical Terms SNOMED International Organization.
- Extensible Markup Language, www.w3.org/XML.
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A., HL7 Clinical Document Architecture, Release 2. J Am Med Inform Assoc. 2006;13:30-39. Available at: http://www.jamia.org/cgi/reprint/13/1/30.
- Using SNOMED CT in HL7 Version 3; Implementation Guide, Release 1.5. Available through *HL7* or if an HL7 member with the following link: *Using SNOMED CT in HL7 Version 3*
- National Emergency Medical Services Information System (NEMSIS) Data Dictionary, version 3. Available at <u>NEMSIS.org</u>
- HL7 EMS Domain Analysis Model, to be published in 2013, but available to members on the HL7 wiki HL7 wiki.