Experiment No: 04

Experiment Name: Operation of signals and Transformation of Independent variable.

<u>Objective</u>: To perform various operation like adding dc level, multiplication, subtraction on dependent variable and shifting, scaling, reversing on the independent variable.

Software Requirement: MATLAB

Theory: Signals have two parameter :1) Amplitude 2) Time. The amplitude of the signals can be modified by addition, multiplication, division, squaring etc. Suppose y(t) is signal where time is the independent variable. Let us perform some basic operation on y(t).

Suppose,
$$y(t) = 4t$$

$$y1(t) = 4t + 3(Addition)$$

$$y2(t) = 4t - 2 ext{ (Substraction)}$$

$$y3(t) = 4t*4 ext{ (multiplication)}$$

In the above equation, only dependent variable is modified. We can also modify the independent variable.

Again ,
$$y(t) = 2\sin(wt)$$

$$y1(t) = 2\sin(wt+2); \text{ (shifting of a signal to left)}$$

$$y2(t) = 2\sin(wt-2); \text{ time reversal of a signal)}$$


$$y3(t) = 2\sin(wt*2); \text{ (scaling of a signal) (}$$

Matlab Program:

- t = -5 : 0.001:5;
- y1 = 4*t;
- y3 = 4*t 2;
- y4 = 4*t * 4;
- subplot(221);
- title('Main Signal','Color','r');
- xlabel('Time','Color','g');
- ylabel('Amplitude','Color','b');
- grid on;
- plot(t,y1);

- y2 = 4*t + 3;
- subplot(222);
- title('Additional Signal','Color','r')
- xlabel('Time','Color','g');
- ylabel('Amplitude','Color','b');
- grid on;
- plot(t,y2);
- y3 = 4*t -2;
- subplot(223);
- title('Subtractional Signal','Color','r')
- xlabel('Time','Color','g');
- ylabel('Amplitude','Color','b');
- grid on;
- plot(t,y3);
- y4 = 4*t*4;
- subplot(224);
- title('Multiplication Signal','Color','r')
- xlabel('Time','Color','g');
- ylabel('Amplitude','Color','b');
- grid on;
- plot(t,y4);


Diagram:



Operation on dependent variable:

```
\rightarrow t = -5 : 0.001:5;
> y1 = 2*sin(w*t);
\triangleright subplot(221);
title('Main Signal','Color','r');
xlabel('Time','Color','g');
ylabel('Amplitude','Color','b');
> grid on;
\triangleright plot(t,y1);
\rightarrow y2 = 2*sin(w*t + 2);
\triangleright subplot(222);
title('Addition Signal','Color','r');
xlabel('Time','Color','g');
ylabel('Amplitude','Color','b');
> grid on;
\triangleright plot(t,y2);
\rightarrow y3 = 2*sin(w*t - 2);
➤ subplot(223);
title('Subtraction Signal','Color','r');
xlabel('Time','Color','g');
ylabel('Amplitude','Color','b');
grid on;
\triangleright plot(t,y3);
\rightarrow y4 = 2*sin(w*t * 2);
\triangleright subplot(224);
title(Multiplication Signal','Color','r');
xlabel('Time','Color','g');
ylabel('Amplitude','Color','b');
grid on;
\triangleright plot(t,y4);
```

Diagram:



Discussion:

In our MATLAB experiment, we found that changing signals had predictable effects on their features, like amplitude and frequency. Basic operations aligned with expectations. Time and frequency transformations, using MATLAB, showed intuitive impacts on signal behavior, emphasizing the practical value of MATLAB for engineers.