**Problem Statement:** Write a Java program to create a vehicle class hierarchy. The base class should be Vehicle, with subclasses Truck, Car and Motorcycle. Each subclass should have properties such as make, model, year, and fuel type.

#### Source Code:

## Output:

```
Truck Details:
Maker: Ford
Truck Model: F-150
Release Year: 2022
Fuel Type: Gasoline
Capacity In Ton's: 2
Car Details:
Maker: Toyota
Car Model: Camry
Release Year: 2023
Fuel Type: Hybrid
Number of Doors: 4
Motorcycle Details:
Maker: Harley-Davidson
Motorcycle Model: Sportster
Release Year: 2021
Fuel Type: Gasoline
Has Fairing: Yes
```

**Problem Statement :** Write a Java program to create a class called Animal with a method named move (). Create a subclass called Cheetah that overrides the move () method to run.

## Source Code:

```
For Multiple Files, Custom Library and
 1 ▼ class Animal {
       public void move() {
 2 *
          System.out.println("The animal moves.");
 3
4
5 }
7 ▼ class Cheetah extends Animal {
       @Override
8
9 +
        public void move() {
10
           System.out.println("The cheetah runs at high speed.");
11
12 }
13
14 * public class Main {
15 ▼ public static void main(String[] args) {
         Animal genericAnimal = new Animal();
Cheetah cheetah = new Cheetah();
genericAnimal.move();
cheetah.move();
16
17
18
19
20
21 }
22
```

## Output:

```
The animal moves.
The cheetah runs at high speed.
```

**Problem Statement :** Write a Java Program to Create a Basic Java Thread(by implementing Runnable Interface) that prints from number 1 to 10.

## **Source Code:**

```
1 ▼ class A implements Runnable {
       public void run() {
 2 *
           for (int i = 1; i \leftarrow 10; i++) {
 3 ₩
            System.out.println("Thread is running: " + i + " Times");
 4
 5
 6
        }
    }
 7
 8
9 ▼ public class Main {
10 * public static void main(String[] args) {
         A myRunnable = new A();
11
            Thread myThread = new Thread(myRunnable);
12
           myThread.start();
13
14
15
16
```

## **Output:**

```
Thread is running: 1 Times
Thread is running: 2 Times
Thread is running: 3 Times
Thread is running: 4 Times
Thread is running: 5 Times
Thread is running: 6 Times
Thread is running: 7 Times
Thread is running: 8 Times
Thread is running: 9 Times
Thread is running: 9 Times
Thread is running: 10 Times
```

#### **Problem Statement:**

You are designing a simple program to calculate and display the areas of different shapes. Implement the necessary classes and interfaces to achieve this functionality using Java interfaces.

Create an interface named Shape with the following method:

double calculateArea(): This method calculates and returns the area of the shape.

Create two classes that implement the Shape interface:

Circle: This class should have an additional attribute: radius (double): The radius of the circle.

Rectangle: This class should have two additional attributes: width (double): The width of the rectangle.

height (double): The height of the rectangle.

Implement the calculateArea() method in both the Circle and Rectangle classes to calculate and return the respective areas.

Define the Shape interface and implement it in the Circle and Rectangle classes. Demonstrate the usage of interfaces by creating instances of both shapes and calculating their areas. Ensure that your implementation highlights the concept of interfaces, method implementation, and polymorphism in Java.

#### Source Code:

2 \* interface Shape { double calculateArea(); 3 4 } 6 ▼ class Circle implements Shape { private double radius; 8 9 + public Circle(double radius) { this.radius = radius; 10 11 12 @Override 13 14 \* public double calculateArea() { return Math.PI \* radius \* radius; 15 15 16 } 18 19 ▼ class Rectangle implements Shape { private double width; 20 private double height; 21 22 public Rectangle(double width, double height) { 23 = 24 this.width = width; this.height = height; 25 26 27 28 \* public double calculateArea() { return width \* height; 29 30 31 } 32 33 \* public class Main { public static void main(String[] args) { 34 ₹ 35 Circle circle = new Circle(5.0); Rectangle rectangle = new Rectangle(4.0, 6.0);
System.out.println("Area of Circle: " + circle.calculateArea());
System.out.println("Area of Rectangle: " + rectangle.calculateArea()); 36 37 38 39 40 Shape shape1 = circle; Shape shape2 = rectangle; 41 42 System.out.println("Area of Shape (Circle): " + shape1.calculateArea()); 43 System.out.println("Area of Shape (Rectangle): " + shape2.calculateArea()); 44 45

## **Output:**

46 47

```
Area of Circle: 78.53981633974483
Area of Rectangle: 24.0
Area of Shape (Circle): 78.53981633974483
Area of Shape (Rectangle): 24.0
```

**Problem Statement:** Create a Number Guessing Game in Java.

# **Source Code & Output:**

