



ENCS4370- Computer Architecture

Spring Semester 2022/2023

Project#1

A Simple Dictionary-based Compression and Decompression

Tool in MIPS Assembly

Deadline: May 18, 2023

1. Project Overview

In this project, you are required to implement a simple dictionary-based compression and decompression tool in MIPS assembly language using MARS simulator.

The dictionary-based compression is a lossless compression technique that relies on finding patterns in data. In the compressed file, a shorter code is used to substitute for the pattern. In this project, and for simplicity, we will have (assume) the following:

1. A unique binary code is assigned to each word in the uncompressed file. Thus, the compressed file will consist of binary codes only
2. The code size is 16-bit. This will allow us to encode up to 65,536 unique words
3. The uncompressed file is a text file that contains Unicode characters, i.e., each character is 16-bit
4. Your compression/decompression tool will have a dictionary stored in a text file called **dictionary.txt**. The binary code of the values of the dictionary starts from 0x0000.
5. Initially, assume the dictionary is empty. The dictionary is filled over time when more and more compression operations are performed.
6. The tool is **case-sensitive**, i.e., project and Project will have different codes in the dictionary
7. Special characters, such as, spaces, punctuation marks, \$, #, etc. are treated as words, and hence each one will have a code in the dictionary

Example:

Assume you are asked to compress the following text. Assume the dictionary is empty, i.e., this is the first time the tool is used.

“We are studding computer architecture. Computer architecture is an important course in computer engineering. In this course, we are studying many useful topics.”

The dictionary will look like this:

Code	Word
0x0000	We
0x0001	Space ‘ ’
0x0002	are
0x0003	studying
0x0004	computer
0x0005	architecture
0x0006	.
0x0007	Computer
0x0008	is
0x0009	an
0x000A	important
0x000B	course
0x000C	in
0x000D	engineering
0x000E	In
0x000F	this
0x0010	,
0x0011	we
0x0012	many
0x0013	useful
0x0014	topics
0x0015	\n

In this example, the compressed file will look like this

0x0000
0x0001
0x0002
0x0001
0x0003
0x0001
0x0004
0x0001
0x0005
0x0006
0x0001
0x0007
0x0001
0x0005
0x0001
0x0008
0x0001
0x0009
0x0001
0x000A
0x0001
0x000B
0x0001
0x000C
0x0001
0x0004
0x0015
0x000D
0x0006
0x0001
0x000E
0x0001
0x000F
0x0001
0x000B
0x0010
0x0001
0x0011

0x0001
0x0002
0x0001
0x0003
0x0001
0x0012
0x0001
0x0013
0x0001
0x0014
0x0006

The uncompressed file size = Number of characters x 16 (size of the Unicode)

$$= 160 \times 16 = 2560 \text{ bits} = 320 \text{ bytes}$$

The compressed file size = Number of binary codes x 16 (code size)

$$= 49 * 16 = 784 \text{ bits} = 98 \text{ bytes}$$

File Compression Ratio = uncompressed file size / compressed file size

$$= 2560 / 784 = \mathbf{3.265}$$

This means that the compressed file is smaller than the corresponding uncompressed file by 3.265 times

2. Program Menu (Program usage flow):

The following menu is displayed to the user in an infinite loop.

1. The program asks the user if the dictionary.txt file exist or not
2. If yes, the program asks the user to enter the path of dictionary.txt, read this path, and load the dictionary into an appropriate data structure.
3. If no, the program creates a new empty dictionary.txt
4. The program asks the user whether he or she wants to do compression or decompression
 - c, compress, or compression means compression.
 - d, decompress, decompression means decompression
 - q or quit means quit the program
 - The options above are case-insensitive
 - Any other option, the program prints the appropriate error message

5. In the case of compression,
 - The program asks the user to enter the path of the file to be compressed
 - The program reads the file and compresses it by substituting the appropriate codes from the dictionary
 - If the program encounters a word in the input file that does not exist in the dictionary, then the program appends it to the dictionary and uses its new code in the compression operation
 - The program computes the compression ratio and prints it on the screen
 - The program writes the compressed data in the compressed file
 - The program saves changes on the dictionary
6. In the case of decompression,
 - The program asks the user to enter the path of the file to be decompressed
 - If the file has codes that do not exist in the dictionary, an appropriate error message is displayed
 - The program decompresses the file by substituting the correct words from the dictionary
 - The program writes the decompressed data in the uncompressed file

Teamwork:

You can work on this project in teams of up to two students only

Submission

You need to submit the complete MIPS assembly files

Grading Criteria

Criteria	Grade
Code Structure, Organization, and Documentation	10%
User Interface (Menu)	5%
Program Running Properly	25%
Reading/Writing from/to Text Files	10%
Maintaining Dictionary	10%
Performing Compression	15%
Performing Decompression	15%
Calculating Compression Ratio	10%
Total	100%