

GTK bits and pieces

Hamilton Python Users Group

Ian Stewart

13 July 2020

<https://github.com/HamPUG/meetings/tree/master/2020/2020-07-13/gtk>

GTK bits and pieces: Update

- GTK (formerly GTK+, GNOME ToolKit, GIMP ToolKit)
- GTK3 currently at release 3.24 – released 2018-09-03.
- Ubuntu LTS 18.04 to 20.04 upgrade. Change in GTK version.
- GTK Version 3.90 started in 2017.
- 3.92, 3.94, 3.96, 3.98 ~ Feb 2020.
- GTK4 expected around Oct 2020.

GTK bits and pieces: Image Embedding Tool

GTK bits and pieces: Image Embedding Tool

Embedding Images as Base 64 text inside your main python program.

- Avoids having to distribute the image file.
- Image can also be used as the favicon
- Refer to: <https://github.com/HamPUG/meetings/tree/master/2020/2020-07-13/gtk/image-embedding-tool>
- See images embedded in the `image_embedding_tool.py` code.

GTK bits and pieces: Image Embedding Tool

Current method:

- Convert image to Base64.
- Embed base 64 text as a constant. `B64_IMAGE =`
- Launch python program and read variable.
- Decode base64 and save image to file in /tmp folder
- Use `GTK.Image.new_from_file()` to get Image.
- Use this image as favicon or logo, etc.

Desired Method

- Convert image to Base64.
- Embed base64 text as a constant. `B64_IMAGE =`
- Launch python program and read variable.
- Decode base64 and save image in memory (Pixbuf?)
- Use this memory based image as favicon or logo, etc.

GTK bits and pieces: `MessageDialog()`

GTK bits and pieces: MessageDialog()

```
def input_dialog(self, title="Heading", text="Enter Data",  
                  default_response="", visible=True):
```

```
# Define a little helper function
```

```
def entry_callback(entry):
```

Function in a function. Called by "Enter" key on Entry widget.

```
    # After pressing Enter on entry, then force OK response.
```

```
    dialog.response(Gtk.ResponseType.OK)
```

Response like an "OK" button

```
dialog = Gtk.MessageDialog(parent = self,  
                             modal = True, destroy_with_parent = True,  
                             message_type = Gtk.MessageType.QUESTION,  
                             buttons = Gtk.ButtonsType.NONE,  
                             title = title)
```

```
dialog.format_secondary_text(text)
```

```
...continues...
```

GTK bits and pieces: MessageDialog()


...continued...

```
# Create an entry widget
entry = Gtk.Entry()
entry.set_text(default_response)
entry.set_visibility(visible)

entry.connect("activate", entry_callback)

dialog.vbox.pack_start(entry, expand=False, fill=False, padding=0)
entry.show()

# Run the dialog
if dialog.run() == Gtk.ResponseType.OK:
    text = entry.get_text()
    dialog.destroy()
    return text
```



Blocking. Waiting for the fake “OK” button

GTK bits and pieces: MessageDialog()

- Demo MessageDialog.
- Demo MessageDialog with a Timer. i.e. A Pop-up message.

```
time_out = random.randint(1, 5)
```

```
def timeout_now():  
    dialog.response(Gtk.ResponseType.OK)
```

```
GLib.timeout_add_seconds(timeout, timeout_now)
```

- Demo MessageDialog with a Timer and some CSS.
- Link:

https://github.com/HamPUG/meetings/upload/master/2020/2020-07-13/gtk/dialog_demo

GTK bits and pieces: GTK Enums and FLAGS

GTK bits and pieces: Constants, Enums and Flags

- Gtk.* 1428 Attributes (constants, enums, flags, methods, etc.)
- Gtk.XXXXX. 263 Constants.
Gtk.BINARY_AGE, Gtk.HSV, Gtk.INPUT_ERROR
- Gtk.Yyyyyy. 938 Classes
Gtk.AboutDialog, Gtk.AboutDialogClass, Gtk.AboutDialogPrivate
- Gtk.Yyyyyy.XXXXX 121 Classes that have Enums/Flags
Gtk.Align.BASELINE, Gtk.Align.CENTER, Gtk.Align.END
- Gtk.Yyyyyy.XXXXX 665 Enums/Flags in the 121 Classes.

GTK bits and pieces: Constants, Enums and Flags

Program to extract constants, enums and flags.

`get_module_classes_constants.py`

Returns two csv files:

`Gtk_class.csv`

...is a list of all the classes for Gtk.

`Gtk_constant.csv`

...is a list of all constants, enums or flags. As well as the Gtk class name it includes a `type()` and an `eval()` For examples:

`Gtk.MAJOR_VERSION,<class 'int'>,3`

`Gtk.Align.CENTER,<class 'gi.repository.Gtk.Align'>,<enum GTK_ALIGN_CENTER
of type Gtk.Align>`

GTK bits and pieces: Constants, Enums and Flags

The program...

```
get_module_classes_constants.py
```

...may be edited to retrieve the two csv files for other python modules. See line 45 of the program. For example the sys and os modules csv files may be generated by changing...

```
module_list = ["Gtk"]
```

to...

```
module_list = ["sys", "os"]
```

GTK bits and pieces: Questions?