

V:issue:lizer

Exploring Requirements Clarification in Online Communication over Time

Eric Knauss, Daniela Damian
SEGAL, University of Victoria, Victoria B.C., Canada
knauss@computer.org, danielad@cs.uvic.ca

Abstract—This demo introduces V:ISSUE:LIZER, a tool for exploring online communication and analysing clarification of requirements over time. V:ISSUE:LIZER enables managers to identify hotspots in current development activities, to analyze communication problems, and to identify developers that are knowledgeable about domain or project related issues through visualizations. Our preliminary evaluation shows that V:ISSUE:LIZER offers managers valuable information for their decision making.

Keywords-requirements clarification patterns; distributed requirements engineering; communication of requirements

TODO LIST

| | |
|--|---|
| Remove all todos | 1 |
| don't understand: other projects use wi or tickets or tasks - Jira . . | 1 |
| +examples + refs | 1 |
| more introduction of patterns | 3 |
| could not read comment on this para | 3 |
| Dana, feel free to improve conclusion | 3 |
| Dana, please review conclusion | 4 |
| There is a number of people we should acknowledge. | 4 |
| Remove all todos | |

I. INTRODUCTION

Large software projects often need to collaborate across geographically distributed sites and depend on online communication to perform requirements related activities. More and more teams employ agile approaches that aim at discovering requirements iteratively and rely on frequent communication instead of requirements documentation. In such approaches, requirements are defined in the form of user stories, and ongoing discussions around these user stories serve as the main mechanism to clarify the meaning of requirements and to coordinate their implementation [1]. Recording such discussions and decisions in online project repositories is an emerging best practice, not only in large and distributed projects [2]. IBM®'s Rational Team Concert® project, with a large distributed team, is an example in which management mandates the recording of all decisions in the project repository for future use in the project [3]. Consequently, online project repositories contain a wealth of requirements-related communication.

When stakeholders continue to *clarify* the requirement because it is ambiguous, incomplete, or has frequent changes,

the expected evolution of a requirement from an initial idea, through clarification, to design and full implementation, often stagnates. As a result, its implementation can be delayed or sometimes never get started. Current requirements management tools offer little support for identifying requirements with progression problems, thereby lowering the project manager's ability to intervene in a timely manner.

In this demo we present a novel tool for analyzing online communication that helps managers to differentiate between healthy and problematic patterns of communication associated with an individual requirement. Our V:ISSUE:LIZER tool helps managers to analyze the content of stakeholder communication about a particular requirement, identify specific instances of *clarifying* communication, and examine the trajectory of clarifications (i.e. amount and progression) throughout the lifetime of a requirement. V:ISSUE:LIZER can visualize social networks that allow to identify experts for given topics.

We conducted a preliminary evaluation in two ways. Firstly, we evaluated V:ISSUE:LIZER's ability to correctly identify communication instances concerned with clarification and it's ability to derive meaningful visualizations of the clarification trajectory [4]. Secondly, we showed V:ISSUE:LIZER's visualizations to software managers and asked them, whether the visualization was useful, if it did offer information they would have missed otherwise, and what actions they would perform based on the feedback, if any. This feedback lead to the development of additional features, e.g. social network analysis.

II. BACKGROUND AND RELATED WORK

In this paper, we use the term *requirements discussion* to refer to a thread of online communication that is related to a given requirement. A requirements discussion consists of *discussion events*, i.e. contributions to the discussion. We are particularly interested in *clarification events*, which is a discussion event in which the discussant seeks to improve the understanding of the requirement by either asking for clarification or by offering additional information that make the requirement clearer. Many software projects use online tools to store requirements discussions, e.g. issue trackers or task management systems like bugzilla, or jira. In such projects, requirements are distinguished by a certain type of

don't understand: other projects use wi or tickets or tasks

+examples + refs




Figure 1: Screenshot: the main window of the V:ISSUE:LIZER shows a list of issues (e.g. user stories) and their clarification trajectories.

issue (e.g. *user story*, *enhancement*) and the requirements discussion is stored as a series of comments to this issue.

Issues in such systems crosscut both the technical aspects of a software project and social aspects of collaboration and communication [5]. Thus, giving managers the ability of finding the right tasks at the right time can be crucial to the success of a project. Treude and Storey identified the lack of visualizations as one of the most important shortcomings of today's task management systems [6]. They also found that dashboards that report on the state of a task management system can become pivotal to task prioritization in critical project phases.

Systems like Bugzilla can play a key role in managing software projects, as Ellis et al. [7] report based on results from interviews of how developers use Bugzilla. The motivation for their study was the design of a visualization tool for tasks. Their visualization reveals social and historical patterns in tasks, but it does not focus on exploration clarification activities.

Many related studies focus on mining and analyzing quantitative data to reveal information about the evolution of the system or to predict future behaviours but only few works are concerned with visualizing and exploring this information space. Treude et al. [8] present the workitemexplorer, a related tool that allows the exploration of information stored in a task management system. Compared to this work, V:ISSUE:LIZER allows the analysis of a specialized aspect in this information space, i.e. the analysis of online communication related to clarification of requirements.

III. V:ISSUE:LIZER

V:ISSUE:LIZER is an interactive tool that allows users to dynamically explore the discussion of requirements in online repositories with a focus on highlighting the difference between clarification and implementation related communication. The main assumption behind the visualizations is that clarification is most important for software projects, but a

predominance of clarification late during the implementation of a requirement can indicate that the team does not have a sufficient understanding of the underlying requirement.

The main window shows a list of requirements on the left (e.g. workitems in jazz, items in jira, issues in other systems) (see Figure 1). V:ISSUE:LIZER adds visualizations to the selected discussions in the centre or in an extra window. These visualizations help to assess the communication through discussion events (e.g. comments) related to these requirements. The panel on the right allows users to adjust parameters of the visualization. Most importantly, the resolution of time intervals for the visualization can be adjusted, either as a fixed number (here: three and eight intervals), or as a fixed time interval (e.g. days, weeks, month). V:ISSUE:LIZER currently supports two different visualizations:

1) *Clarification Trajectories*: This visualization shows how the percentage of clarification events to other discussion events related to a requirement changes over its lifetime. As the visualization of the clarification trajectory (c.f. Figure 2) is a new concept, it needs some explanation. The black line represents the lifetime of the requirement discussion from the creation of the requirement in the system to the last recorded discussion event. Dashed lines divide the lifeline into quarters and help to see in which part of the lifetime discussion occurs. Discussion events are depicted by rectangles. They are shown below the lifeline, if they are clarification events and above the lifeline if not. A grey line shows the sum of clarification. In a classic trajectory with clarification up-front and only implementation related communication in the end, this grey line will start in the bottom left and raise to the upper right corner.

2) *Social Networks*: This visualization shows who is participating in a discussion related to (a set of) requirements(s) and how the actors in the discussion are structured. The developers are presented as nodes (here: anonymized), and connections between nodes are weighted by the amount of

communication both developers share about the requirement in a specific time interval. More over, V:ISSUE:LIZER also integrates information of the automatic analysis of online communication into the social networks, i.e. showing a pie chart with the percentage of clarification and implementation related communication for this developer.

IV. EXAMPLE SCENARIOS

In this section we describe examples that highlight the functionality of the V:ISSUE:LIZER tool.

A. Where are the hotspots in a set of issues?

Often, a clear understanding of requirements only evolves during the development of software. This is especially true (but not limited to) agile software projects, where managers decide to frame only rudimentary requirements and refine the details on the go. For a manager, it is important to know when problematic requirements surface, because they can have a serious impact on the project. V:ISSUE:LIZER helps managers in this scenario as follows:

- 1) The manager loads a set of requirements (e.g. user stories for the current iteration).
- 2) V:ISSUE:LIZER automatically analyzes the discussion events that are related to these requirements and that are available in online communication.
- 3) V:ISSUE:LIZER creates a set of *clarification trajectories* (c.f. Figure 2), one for each requirement.
- 4) V:ISSUE:LIZER also displays suggestive pattern names for distinctive trajectories (e.g. *textbook-example*, *back-to-draft*, *procrastination*, *happy-ending*, c.f. [4]).
- 5) The manager scrolls through the requirements and associated trajectories and decides based on this rich information where to invest more resources to tackle identified problematic requirements.

Typically, there is a number of requirements without pathological findings, e.g. user stories with some clarification in the beginning and other communication events later on that show progress. But there are also suspicious trajectories, e.g. a large amount of clarification late in the iteration, perhaps even after the issue seemed to be solved, or no clarification at all, even though the requirement seems to be complex.

B. Are there any communication breakdowns?

After identifying those hotspots, the manager most likely wants to continue with a closer investigation. Often, he or




Figure 2: Example of a requirements discussion's clarification trajectory




Figure 3: Example of a requirements discussion's social network

she will investigate who participates in a discussion of a requirement and who is not.

- 1) The manager opens the social network analysis view.
- 2) V:ISSUE:LIZER creates the social network for the selected requirement.
- 3) The manager analyzes the network and investigates if structural communication problems exist.

Figure 3 shows the social network for the requirement presented in Figure 2. Note that subgraphs can be matched to specific time intervals (here: three) where all actors of the subgraph communicate. In this example, the manager might conclude that there is no single person who is coordinating the analysis and work related to this requirement, because there is no actor who participates in all relevant time intervals. Thus, the manager decides to assign this responsibility to a more experienced developer.

C. Who is knowledgeable about a given topic?

Integrating the right persons in the loop for an important feature is a crucial ability for managers.

- 1) The manager selects a number of related requirements.
- 2) V:ISSUE:LIZER integrates the social networks of these requirements discussions in a single large network (see Figure 4).
- 3) Based on the pie charts in the social network, the manager identifies candidates with a balanced percentage of clarification and implementation communication.
- 4) The manager looks for central developers.

Central actors with many connections might already have a very high workload, but there exist good candidates that are less central and connect two subnets.

V. PRELIMINARY EVALUATION

Dana, feel free to improve conclusion

In order to evaluate the V:ISSUE:LIZER and its underlying concepts, we need to investigate several things. First we need to show that V:ISSUE:LIZER is able to distinguish between communication events that deal with clarification and other




Figure 4: Example of a social network for a set of requirements discussions

events. Secondly, we need to determine if and when the feedback from our V:ISSUE:LIZER tool is beneficial for practitioners.

A. Ability to identify clarification events

V:ISSUE:LIZER currently uses a Bayesian classifier to identify clarification events, i.e. a supervised machine learning algorithm. In order to evaluate the ability to identify clarification events, we need to show(i) that the classifier reaches an acceptable performance with realistic amount of training and (ii) that this performance is sufficient to generate meaningful trajectories on the fly. We investigated both aspects based on a case study in the IBM Rational Team Concert (RTC) project [4]. RTC is a globally distributed software project and as such employs online communication to an extent that guarantees a sufficient amount of the overall communication to be available.

In order to provide training data, two raters manually classified ca. 1200 communication events with an acceptable inter-rater agreement. Based on this training data, we applied 10-fold cross evaluation and measured a recall of 0.943 and a precision of 0.678, resulting in an acceptable f-measure of 0.789. Especially the high recall leads to acceptable trajectories that are comparable with those constructed based on manual classification (c.f. discussion in [4]).

B. Ability to support decisions of managers

We started to evaluate the ability to support software managers in decision making, using the feedback for continuous improvement. For the first round of evaluation, we presented V:ISSUE:LIZER to four software managers, followed by a semi-structured interview. We were able to interview participants of the VIATEC Software Management Round Table, a local group of software managers that regularly meet in Victoria to exchange experiences. Our interviewees agreed that the clarification trajectories provide significant

information to support decisions on resource allocation and risk management. In addition, they suggested that the V:ISSUE:LIZER could also support project retrospectives and process improvement efforts. The main issue raised by Victoria’s software managers was the need of seeing who was participating in a given requirements related discussion. Accordingly, a trajectory without clarification would be suspicious if no experienced developer participated in its underlying discussion.

As a reaction to this feedback, we integrated the ability to generate social networks into V:ISSUE:LIZER and then talked to five managers of the IBM RTC project and related projects for a second round of evaluation. At IBM, our interviewees agreed that the clarification trajectories together with the associated social network graphs are helpful. Especially, when the software development reaches the *end game*, i.e. a time close to the release where mostly testing and polishing takes place, clarification events would be very suspicious and would indicate a high risk that needs management attention.

VI. CONCLUSION AND FUTURE WORK

Dana, please review conclusion

With V:ISSUE:LIZER we introduced a visualization tool to analyze requirements clarification in online communication over time. Especially agile and distributed projects demand such analysis: agile projects often only sketch requirements in sufficient detail to plan the next iteration and leave the details to be clarified during the development; distributed projects often depend on online communication and challenge their project managers’ ability to assess the shared understanding in the team. Our preliminary evaluation has shown that our visualizations allow managers to identify hotspots, e.g. user stories that are not clear to the team. Furthermore, V:ISSUE:LIZER supports managers in investigating the cause of those hotspots and in identifying suitable actions to disarm problematic or risky situations where the team has insufficient understanding of requirements.

In future work, we will evaluate how practitioners use our tool in their daily work. This will help us to gain further insight on how managers can use information about requirements clarification over time and to quantify the benefits that tools like the V:ISSUE:LIZER can offer.

Such further evaluation should also relate features of online communication (i.e. network centrality, late clarification, no clarification) with typical problems of requirements related discussions, such as feature creep [9] or symmetry of ignorance [10].

ACKNOWLEDGEMENTS

There is a number of people we should acknowledge.

REFERENCES

- [1] L. Cao and B. Ramesh, "Agile requirements engineering practices: An empirical study," *Software, IEEE*, vol. 25, no. 1, pp. 60–67, jan.-feb. 2008.
- [2] J. Aranda, R. Khuwaja, and S. M. Easterbrook, *Discovering the shared understanding dynamics of large software teams*. ACM, 2007, pp. 1–4.
- [3] R. Frost, "Jazz and the eclipse way of collaboration," *IEEE Software*, vol. 24, no. 06, pp. 114–117, 2007.
- [4] E. Knauss, D. Damian, G. Poo-Caamaño, and J. Cleland-Huang, "Detecting and classifying patterns of requirements clarifications," in *Proc. of the 20th Intl. Requirements Engineering Conf. (RE '12)*, Chicago, USA, 2012, pp. 251–260.
- [5] R. E. Kraut and L. A. Streeter, "Coordination in software development," *Commun. ACM*, vol. 38, no. 3, pp. 69–81, 1995.
- [6] C. Treude and M.-A. Storey, "Awareness 2.0: Staying aware of projects, developers and tasks using dashboards and feeds," in *Proc. of the 32th Intl. Conf. on Software Engineering (ICSE'10)*, vol. 1, Zurich, Switzerland, 2010, pp. 365–374.
- [7] J. B. Ellis, S. Wahid, and W. A. Kellogg, "Task and social visualization in software development: Evaluation of a prototype," in *Proc. of the Conf. on Human Factors in Computing Systems (CHI'07)*, San Jose, USA, 2007, pp. 577–586.
- [8] C. Treude, P. Gorman, L. Grammel, and M.-A. Storey, "Workitemexplorer: Visualizing software development tasks using an interactive exploration environment," in *Proc. of the 34th Intl. Conf. on Software Engineering (ICSE'12)*, Zurich, Switzerland, 2012, pp. 1399–1402, formal research dem.
- [9] C. Jones, "Strategies for managing requirements creep," *IEEE Computer*, vol. 29, no. 6, pp. 92–94, 1996.
- [10] G. Fischer, "Social Creativity, Symmetry of Ignorance and Meta-Design," *Knowledge-Based Systems Journal*, 2000.