

Cucumber Report

May 22, 2023, 3:14:24 PM

Start : May 22, 3:08:35.115 PM

End : May 22, 3:14:15.273 PM

Duration : 5 m 40.158 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 7
SKIPPED - 0

PASSED - 15
FAILED - 7
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to HRM Application</u>	5 m 40.158 s	8	1	7	0	22	15	7	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	5	0	5	0	1	0	1	0
@FaceBookLink	1	0	1	0	1	0	1	0
@LinkedInLink	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	8	1	7	0	5 m 40.158 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to HRM Application</u>	<u>Login with valid credentials</u>	3	3	0	0	48.187 s
2	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>	3	2	1	0	36.755 s
3	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>	3	2	1	0	46.705 s
4	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>	3	2	1	0	37.494 s
5	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>	3	2	1	0	43.704 s
6	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>	3	2	1	0	42.251 s
7	<u>Login to HRM Application</u>	<u>Verify FaceBook Icon on Login Page</u>	2	1	1	0	43.307 s
8	<u>Login to HRM Application</u>	<u>Verify LinkedIn Icon on Login Page</u>	2	1	1	0	41.609 s

Login to HRM Application



FAILED	DURATION - 5 m 40.158 s	Scenarios Total - 8 Pass - 1 Fail - 7 Skip - 0		Steps Total - 22 Pass - 15 Fail - 7 Skip - 0	
/ 3:08:35.115 PM // 3:14:15.273 PM /					

Login with valid credentials

PASSED	DURATION - 48.187 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:08:35.128 PM // 3:09:23.315 PM /				
Login to HRM Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	13.741 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	12.469 s
3	Then User should be able to login sucessfully and new page open	PASSED	1.505 s

Login with invalid credentials

FAILED	DURATION - 36.755 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:09:23.381 PM // 3:10:00.136 PM /				
Login to HRM Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	4.912 s
2	When User enters username as "" and password as "abc"	PASSED	0.938 s
3	Then User should be able to see error message "Required"	FAILED	20.072 s

org.openqa.selenium.NoSuchElementException: Unable to locate element: //p[@class='oxd-text oxd-text--p oxd-alert-content-text'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [8ec557cb-37b9-46ba-9b29-2245ea4fc95a, findElement {using=xpath, value="//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:58893, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 40588, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:58893/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 8ec557cb-37b9-46ba-9b29-2245ea4fc95a

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source)
at actions.LoginPageActions.getErrorCredentials(LoginPageActions.java:44)
at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40)
at ?.User should be able to see error message "Required"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25)

* Not displayable characters are replaced by '?'.



Login with invalid credentials

<div>FAILED</div> <div>DURATION - 46.705 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>12.301</td></tr><tr><td>2</td><td>1.066</td></tr><tr><td>3</td><td>20.086</td></tr></tbody></table>	Step	Duration (s)	1	12.301	2	1.066	3	20.086	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
Step	Duration (s)											
1	12.301											
2	1.066											
3	20.086											
/ 3:10:00.150 PM // 3:10:46.855 PM /												
Login to HRM Application												
@InvalidCredentials												

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	12.301 s
2	When User enters username as "admin" and password as ""	PASSED	1.066 s
3	Then User should be able to see error message "Required" org.openqa.selenium.NoSuchElementException: Unable to locate element: //p[@class='oxd-text oxd-text--p oxd-alert-content-text'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [65a2433b-fc43-4380-a3ea-d33d33a81e41, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:58105, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 38664, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:58105/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 65a2433b-fc43-4380-a3ea-d33d33a81e41 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)	FAILED	20.086 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at actions.LoginPageActions.getErrorCredentials(LoginPageActions.java:44) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40) at ?.User should be able to see error message "Required"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25) * Not displayable characters are replaced by '?'. </pre>		



Login with invalid credentials

FAILED	DURATION - 37.494 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:10:46.866 PM // 3:11:24.360 PM /				
Login to HRM Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	5.493 s
2	When User enters username as "" and password as ""	PASSED	0.838 s
3	Then User should be able to see error message "Required" <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //p[@class='oxd-text oxd-text--p oxd-alert-content-text'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [e5b9eadf-3f76-44fd-bca1-694d14c1493a, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:60958, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10844, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:60958/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: e5b9eadf-3f76-44fd-bca1-694d14c1493a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre>	FAILED	20.168 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at actions.LoginPageActions.getErrorCredentials(LoginPageActions.java:44) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:40) at ?.User should be able to see error message "Required"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25) * Not displayable characters are replaced by '?'. </pre>		



Login with invalid credentials

FAILED		DURATION - 43.704 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:11:24.368 PM // 3:12:08.072 PM /						
Login to HRM Application						
@InvalidCredentials						

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	8.597 s
2	When User enters username as "Admin" and password as "admin12\$\$"	PASSED	2.460 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.026 s
	<pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os. </pre>		

#	Step / Hook Details	Status	Duration
	<p>version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [ec6e405f-1243-4625-bab0-2a5ea246ca27, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'}}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:55990, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 31208, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:55990/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: ec6e405f-1243-4625-bab0-2a5ea246ca27</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:38) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:39) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25)</p> <p>* Not displayable characters are replaced by '?'. </p>		



Login with invalid credentials

<div>FAILED</div>	<div>DURATION - 42.251 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:12:08.084 PM // 3:12:50.335 PM /</div>				
<div>Login to HRM Application</div>				
<div>@InvalidCredentials</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	7.206 s
2	When User enters username as "admin\$\$" and password as "admin123"	PASSED	1.353 s
3	Then User should be able to see error message "Invalid credentials" org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [8c2e8537-6700-4b7c-8281-f38b72108e40, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:59596, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 39512, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:59596/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 8c2e8537-6700-4b7c-8281-f38b72108e40 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)	FAILED	20.887 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at actions.LoginPageActions.getErrorMessage(LoginPageActions.java:38) at definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:39) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:25) * Not displayable characters are replaced by '?'. </pre>		



Verify FaceBook Icon on Login Page

<div>FAILED</div> <div>DURATION - 43.307 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:12:50.343 PM // 3:13:33.650 PM /</div>				
<div>Login to HRM Application</div>				
<div>@FaceBookLink</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	8.405 s
2	Then User should be able to see FaceBook Icon <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[6]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [9d9b1b65-0ae4-47b7-b7d7-2d0742ae2eda, findElement {using=xpath, value=//*[@id='social-icons']/a[6]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:53157, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37668, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:53157/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 9d9b1b65-0ae4-47b7-b7d7-2d0742ae2eda at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	20.030 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.isDisplayed(Unknown Source) at actions.LoginPageActions.getFaceBookIcon(LoginPageActions.java:54) at definitions.LoginPageDefinitions.verifyFaceBookIcon(LoginPageDefinitions.java:50) at ?.User should be able to see FaceBook Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:40) * Not displayable characters are replaced by '?'. </pre>		

Verify LinkedIn Icon on Login Page

FAILED		DURATION - 41.609 s			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:13:33.664 PM // 3:14:15.273 PM /						
Login to HRM Application						
@LinkedInLink						

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	7.668 s
2	Then User should be able to see LinkedIn Icon <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@id='social-icons']/a[1]/img For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'HASSEN-HP', ip: '192.168.209.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [bbba973f-7968-4415-821d-48e6bf5acd8a, findElement {using=xpath, value=//*[@id='social-icons']/a[1]/img}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:56795, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, </pre>	FAILED	20.039 s

#	Step / Hook Details	Status	Duration
	<p>moz:processID: 30604, moz:profile: C:\Users\HASSEN\AppData\Loc..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:56795/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: bbba973f-7968-4415-821d-48e6bf5acd8a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source) at actions.LoginPageActions.getLinkedInIcon(LoginPageActions.java:49) at definitions.LoginPageDefinitions.verifyLinkedInIcon(LoginPageDefinitions.java:45) at ?.User should be able to see LinkedIn Icon(file:///C:/Users/HASSEN/eclipse-workspace/extentreports-cucumber-adapter/src/test/resources/features/LoginPage.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		