



document simplicity survey (01)

 ExpertReview score **Fair**

▼ Demographic Block

Question Demographic ...

Thank you for participating in this survey. Please answer several questions below before starting.

demographic 1

▼ Skip to

End of Survey if Information Technology Is Not Selected

Which of the following best describes the sector you primarily work in?

- ☐ Agriculture, Food and Natural Resources
- ☐ Architecture and Construction
- ☐ Arts
- ☐ Business Management & Administration
- ☐ Education & Training
- ☐ Finance
- ☐ Government & Public Administration
- ☐ Medicine
- ☐ Hospitality & Tourism
- ☐ Information Technology
- ☐ Legal
- ☐ Policing
- ☐ Military
- ☐ Manufacturing
- ☐ Marketing & Sales
- ☐ Retail
- ☐ Science, Technology, Engineering & Mathematics
- ☐ Social Sciences
- ☐ Transportation, Distribution & Logistics
- ☐ Other
- ☐ Rather not say

Page Break

demographic 2



If you have worked in the Information Technology industry, please indicate the number of years of your experience

demographic 3



What is your current or most recent job role and responsibility in the Information Technology industry?

 Import from library

Add new question

Add Block

Prolific ID

Prolific Demographic



What is your Prolific ID?
Please note that this response should auto-fill with the correct ID

`#{e://Field/PROLIFIC_PID}`

 Import from library

Add new question

Add Block

My Survey

document simplicity survey

In this survey, you will be provided with one reference sentence, along with several sentences to compare. You need to evaluate the semantic, syntactic and simplicity level of each sentence compared to the reference sentence. The details are as follows:

- Semantic: The sentence retains all semantics of the reference sentence.
- Grammar: The sentence is grammatically correct.
- Simplicity: The sentence is simpler than the reference sentence.

You will evaluate each option on a scale from 1 to 5 from strongly disagree to strongly agree. There are 10 groups of sentences you need to evaluate. Thank you for participating in this survey.

Below we provide some examples with a indicating score just for your reference, please have a look before continue the survey:

Reference Sentence: On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

Strongly Disagree Disagree Neutral Agree Strongly Agree

Semantics Preserving

Reference Sentence: On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

On the right side, you'll find the recovered version of the file (using the found swap file), and the file as it is stored on disk will be found on the left side.



On the left side, you'll find the recovered version of the file and on the right side will contain the file as it is stored on disk.



Grammar Correctness

Reference Sentence: On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of the file (using the found swap file).



Under the left side, you will founded the files as its is stroring on disks and the right side will contains you're recovered versions of the file (using the



Simplicity compared to Reference

Reference Sentence: On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

On the right side, you'll see the diff from the recovered swap file.




On the left side, you'll find the file as



it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

Situated towards the left-hand quadrant, you will discover a representation of the aforementioned digital document precisely as it maintains its existence within the confines of the computer's physical storage medium. Correspondingly, within the diametrically opposite right-hand division, one shall encounter the regenerated rendition of the file in question, its restoration having been successfully accomplished through the utilization of the incidentally unearthed temporary backup copy, colloquially termed a swap file.



Q12

I have read the above examples.

☐ Yes

Page Break

Page Break

Question 1

Reference Sentence: You can also add and remove tags by direct assignment.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence.					
Reference sentence: You can also add and remove tags by direct assignment.					
<code>@user.tag_list.remove(\"awesome, slick\", parse: true)</code> You can also add and remove tags by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It can also add and remove by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<code>@user.tag_list.remove(\"awesome, slick\", parse: true)</code> you can also add objects by passing them.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can also add and remove tags by direct assignment. by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness					
Reference sentence: You can also add and remove tags by direct assignment.					
<code>@user.tag_list.remove(\"awesome, slick\", parse: true)</code> You can also add and remove tags by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It can also add and remove by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<code>@user.tag_list.remove(\"awesome, slick\", parse: true)</code> you can also add objects by passing them.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can also add and remove tags by direct assignment. by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference					
Reference sentence: You can also add and remove tags by direct assignment.					
<code>@user.tag_list.remove(\"awesome, slick\", parse: true)</code> You can also add and remove tags by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It can also add and remove by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<code>@user.tag_list.remove(\"awesome, slick\", parse: true)</code> you can also add objects by passing them.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can also add and remove tags by direct assignment. by direct assignment.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Question 2

Reference sentence: gldispatch/ contains code for libgldispatch, which is responsible for dispatching opengl functions to the correct vendor library.

	Strongly disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence.					
Reference sentence: gldispatch/ contains code for libgldispatch, which is responsible for dispatching opengl functions to the correct vendor library.					
The gldispatch/ contains code for libgldispatch, which is responsible for charitying opengl functions to the correct library.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldispatch/ contains code for libgldispatch.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldispatch/ contains code for libgldispatch, .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldimp is the same way for code.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness					
Reference sentence: gldispatch/ contains code for libgldispatch, which is responsible for dispatching opengl functions to the correct vendor library.					
The gldispatch/ contains code for libgldispatch, which is responsible for charitying opengl functions to the correct library.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldispatch/ contains code for libgldispatch.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldispatch/ contains code for libgldispatch, .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldimp is the same way for code.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference					
Reference sentence: gldispatch/ contains code for libgldispatch, which is responsible for dispatching opengl functions to the correct vendor library.					
The gldispatch/ contains code for libgldispatch, which is responsible for charitying opengl functions to the correct library.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldispatch/ contains code for libgldispatch.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldispatch/ contains code for libgldispatch, .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
gldimp is the same way for code.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Question 3

Reference Sentence: To add your app, tool, or library to the collection, simply fork this github repository, follow the relevant guide below to create a markdown file in the right folder, and submit a pull request.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence. Reference sentence: To add your app, tool, or library to the collection, simply fork this github repository, follow the relevant guide below to create a markdown file in the right folder, and submit a pull request. To fork your fork, create a repository, or fork the appropriate repository, create a pull request. To add your app, tool, tool, or library to the collection, simply add the relevant guide below to create a person in the right hand. To add your app, tool, or library to the collection, simply fork this github repository <url> , follow the relevant guide below to create a markdown file in the right folder, and submit a pull request. To add your app, create a github repository and submit a pull request to the github repository <url>, create a pull request using the github repository.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness Reference sentence: To add your app, tool, or library to the collection, simply fork this github repository, follow the relevant guide below to create a markdown file in the right folder, and submit a pull request. To fork your fork, create a repository, or fork the appropriate repository, create a pull request. To add your app, tool, tool, or library to the collection, simply add the relevant guide below to create a person in the right hand. To add your app, tool, or library to the collection, simply fork this github repository <url>, follow the relevant guide below to create a markdown file in the right folder, and submit a pull request. To add your app, create a github repository and submit a pull request to the github repository <url>, create a pull request using the github repository.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference Reference sentence: To add your app, tool, or library to the collection, simply fork this github repository, follow the relevant guide below to create a markdown file in the right folder, and submit a pull request. To fork your fork, create a repository, or fork the appropriate repository, create a pull request. To add your app, tool, tool, or library to the	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

collection, simply add the relevant guide below to create a person in the right hand.

To add your app, tool, or library to the collection, simply fork this github repository <url>, follow the relevant guide below to create a markdown file in the right folder, and submit a pull request.

To add your app, create a github repository and submit a pull request to the github repository <url>, create a pull request using the github repository.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break

Question 4

Reference Sentence: The librato backend also supports the following optional configuration options under the top-level `librato` hash: `source`: an optional source name to use for all measurements.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<p>The sentence retains all semantics of the reference sentence.</p> <p>Reference sentence: The librato backend also supports the following optional configuration options under the top-level <code>librato</code> hash: <code>source</code>: an optional source name to use for all measurements.</p> <p>The configuration options can also be used for all the following options : <code>librato</code> options : <code>source</code> options: use the attribute to your configuration options.</p> <p>The show also supports the following optional configuration options under the " top - level " - LRB - " Voice " - RRB - .</p> <p>The librato backend also supports the following optional configuration options under the top-level <code>librato</code> hash: <code>source</code>;an optional source name to use for all measurements. hash: <code><code_small></code> .<code></code_small></code><code></code_small></code></p> <p>The librato backend also supports the following optional configuration options under the top-level <code>librato</code> hash: <code>source</code>: an optional source name to use for all measurements.</p>					
<p>Grammar Correctness</p> <p>Reference sentence: The librato backend also supports the following optional configuration options under the top-level <code>librato</code> hash: <code>source</code>: an optional source name to use for all measurements.</p> <p>The configuration options can also be used for all the following options : <code>librato</code> options : <code>source</code> options: use the attribute to your configuration options.</p> <p>The show also supports the following optional configuration options under the " top - level " - LRB - " Voice " - RRB - .</p> <p>The librato backend also supports the following optional configuration options under the top-level <code>librato</code> hash: <code>source</code>;an optional source name to use for all measurements. hash: <code><code_small></code> .<code></code_small></code><code></code_small></code></p> <p>The librato backend also supports the following optional configuration options under the top-level <code>librato</code> hash: <code>source</code>: an optional source name to use for all measurements.</p>					
<p>Simplicity compared to Reference</p> <p>Reference sentence: The librato backend also supports the following optional configuration options under the top-</p>					


level `librato hash`: `source`: an optional source name to use for all measurements.

The configuration options can also be used for all the following options: `librato options` : `source` options: use the attribute to your configuration options .

The show also supports the following optional configuration options under the " top - level " - LRB - " Voice " - RRB - .

The librato backend also supports the following optional configuration options under the top-level `librato hash`: `source`;an optional source name to use for all measurements. `hash`: `<code_small>`: `</code_small>``</code_small>`

The librato backend also supports the following optional configuration options under the top-level `librato hash`: `source`: an optional source name to use for all measurements.



Question 5

Reference Sentence: if a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<p>The sentence retains all semantics of the reference sentence.</p> <p>Reference Sentence: if a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.</p> <p>If a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.</p> <p>If a particular function is supplied it is called on each value, true is returned if any of the calls to get true.</p> <p>If a clear function is supplied it is called on each value, true is returned if any of the calls to see.</p> <p>If a function is called then it returns f_n on each value, then the value is returned of the returned value of the f_n.</p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<p>Grammar Correctness</p> <p>Reference Sentence: if a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.</p> <p>If a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.</p> <p>If a particular function is supplied it is called on each value, true is returned if any of the calls to get true.</p> <p>If a clear function is supplied it is called on each value, true is returned if any of the calls to see.</p> <p>If a function is called then it returns f_n on each value, then the value is returned of the returned value of the f_n.</p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<p>Simplicity compared to Reference</p> <p>Reference Sentence: if a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.</p> <p>If a f_n function is supplied it is called on each value, true is returned if any of the calls to f_n return true.</p> <p>If a particular function is supplied it is called on each value, true is returned if any of the calls to get true.</p> <p>If a clear function is supplied it is called on each value, true is returned if any of the calls to see.</p> <p>If a function is called then it returns f_n on each value, then the value is returned of the returned value of the f_n.</p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Question 6

Reference Sentence: You can access `this.user` from within the function you define, and any returned data will be added to the response body as `data.extra` (coming soon).

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence. Reference Sentence: You can access <code>this.user</code> from within the function you define, and any returned data will be added to the response body as <code>data.extra</code> (coming soon). You can access it from within the body (<code>this.user, data.extra</code> , <code><code_small></code> and <code><code_small></code> parameters will be returned as the response body). You can access <code>this.user</code> from within the function you define, and any returned data will be added to the response body as <code>data.extra</code> (coming soon). You can access from the function you define , and any returned data will be added to the response to the response body as " soon " soon.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness Reference Sentence: You can access <code>this.user</code> from within the function you define, and any returned data will be added to the response body as <code>data.extra</code> (coming soon). You can access it from within the body (<code>this.user, data.extra</code> , <code><code_small></code> and <code><code_small></code> parameters will be returned as the response body). You can access <code>this.user</code> from within the function you define, and any returned data will be added to the response body as <code>data.extra</code> (coming soon). You can access from the function you define , and any returned data will be added to the response to the response body as " soon " soon.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference Reference Sentence: You can access <code>this.user</code> from within the function you define, and any returned data will be added to the response body as <code>data.extra</code> (coming soon). You can access it from within the body (<code>this.user, data.extra</code> , <code><code_small></code> and <code><code_small></code> parameters will be returned as the response body). You can access <code>this.user</code> from within the function you define, and any returned data will be added to the response body	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

as `data.extra` (coming soon).

You can access from the function you define , and any returned data will be added to the response to the response body as " soon " soon.



Page Break

Question 7

Reference Sentence: to update stan-mode when a version of the stan language comes out: replace `stan-lang/stan-functions-*.txt` with the newest version from cmdstan.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence.					
Reference Sentence: to update stan-mode when a version of the stan language comes out: replace <code>stan-lang/stan-functions-*.txt</code> with the newest version from cmdstan.					
To is a stan language.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To update the latest version from a full version of the project , you can use the <code>lang/stan-functions-*.txt</code> option with the <code><code_small></code> option from the <code><code_small></code> and <code><code_small></code> .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A version of the stan language comes out.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To update stan-mode when a version of the stan language comes out: replace <code>stan-lang/stan-functions-*.txt</code> with the <code><code_small></code> from cmdstan.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness					
Reference Sentence: to update stan-mode when a version of the stan language comes out: replace <code>stan-lang/stan-functions-*.txt</code> with the newest version from cmdstan.					
To is a stan language.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To update the latest version from a full version of the project , you can use the <code>lang/stan-functions-*.txt</code> option with the <code><code_small></code> option from the <code><code_small></code> and <code><code_small></code> .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A version of the stan language comes out.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To update stan-mode when a version of the stan language comes out: replace <code>stan-lang/stan-functions-*.txt</code> with the <code><code_small></code> from cmdstan.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference					
Reference Sentence: to update stan-mode when a version of the stan language comes out: replace <code>stan-lang/stan-functions-*.txt</code> with the newest version from cmdstan.					
To is a stan language.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To update the latest version from a full version of the project , you can use the <code>lang/stan-functions-*.txt</code> option with the <code><code_small></code> option from the <code><code_small></code> and <code><code_small></code> .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A version of the stan language comes out.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To update stan-mode when a version of					

to update stan-mode when a version of
the stan language comes out:
replace stan-lang/stan-
functions-*.txt with
the `<code_small>` from cmdstan.



Page Break

Question 8

Reference Sentence: Then you can run tests with `bundle exec rake spec` Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url>

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<p>The sentence retains all semantics of the reference sentence.</p> <p>Reference Sentence: Then you can run tests with <code>bundle exec rake spec</code> Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url></p> <p><code>bundle exec rake spec</code> Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url></p> <p>The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.</p> <p>Whether to get started up , first run: <code>bundle exec rake spec</code> then you can run the following command :<url> - based on <url>- based on <url></p> <p>It is based on : Shet author : dan drabik , lance ivy is based on a day - LRB - the first day - RRB - player to run - LRB - EP - RRB - .</p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<p>Grammar Correctness</p> <p>Reference Sentence: Then you can run tests with <code>bundle exec rake spec</code> Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url></p> <p><code>bundle exec rake spec</code> Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url></p> <p>The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.</p> <p>Whether to get started up , first run: <code>bundle exec rake spec</code> then you can run the following command :<url> - based on <url>- based on <url></p> <p>It is based on : Shet author : dan drabik , lance ivy is based on a day - LRB - the first day - RRB - player to run - LRB - EP - RRB - .</p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<p>Simplicity compared to Reference</p> <p>Reference Sentence: Then you can run tests with <code>bundle exec rake spec</code> Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url></p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>


the original leader/replica plugin: <url>

bundle exec rake spec Author: dan drabik, lance ivy copyright (c) 2012-2019, kickstarter released under the mit license the project is based on: <url> the original leader/replica plugin: <url>

The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.

Whether to get started up , first run: bundle exec rake spec then you can run the following command :<url> - based on <url>- based on <url>

It is based on : Shet author : dan drabik , lance ivy is based on a day - LRB - the first day - RRB - player to run - LRB - EP - RRB - .



Question 9

Reference Sentence: The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com <url>, fontdeck <url> and self-hosted.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence.					
Reference Sentence: The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com <url>, fontdeck <url> and self-hosted.					
The webfont area is able to load fonts from Flash fonts, typekits, ascender, fonts.com, fonts, fonts.com, fontdeck and self-hosted.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The web font loader loader is able to load fonts from google fonts <url>, the web fontdeck <url> and self-hosted.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com fonts.com and fontdeck and and and	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The web font loader font loader is built-based fonts from google fonts <url>, and fonts.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness					
Reference Sentence: The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com <url>, fontdeck <url> and self-hosted.					
The webfont area is able to load fonts from Flash fonts, typekits, ascender, fonts.com, fonts, fonts.com, fontdeck and self-hosted.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The web font loader loader is able to load fonts from google fonts <url>, the web fontdeck <url> and self-hosted.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com fonts.com and fontdeck and and and	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The web font loader font loader is built-based fonts from google fonts <url>, and fonts.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference					
Reference Sentence: The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com <url>, fontdeck <url> and self-hosted.					
The webfont area is able to load fonts from Flash fonts, typekits, ascender, fonts.com, fonts, fonts.com, fontdeck and self-hosted.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The web font loader loader is able to load fonts from google fonts <url>, the web fontdeck <url> and self-hosted.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The webfont loader is able to load fonts from google fonts <url>, typekit <url>, ascender <url>, fonts.com fonts.com and	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

fontdeck and and and

The web font loader font loader is built-based fonts from google fonts <url>, and fonts.

☐

☐

☐

☐

☐

Page Break

Q10



Question 10

Reference Sentence:It's all javascript, so macros and more complex functions are easy to write.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
The sentence retains all semantics of the reference sentence.					
Reference Sentence: It's all javascript, so macros and more complex functions are easy to write.					
It's all javascript, so macros and more complex functions are easy to write.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
However, it's all forms	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It's all javascript functions to javascript, more functions and functions are more.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It's all javascript, so macros and more complex functions are easy to write. and more complex functions .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grammar Correctness					
Reference Sentence: It's all javascript, so macros and more complex functions are easy to write.					
It's all javascript, so macros and more complex functions are easy to write.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
However, it's all forms	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It's all javascript functions to javascript, more functions and functions are more.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It's all javascript, so macros and more complex functions are easy to write. and more complex functions .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Simplicity compared to Reference					
Reference Sentence: It's all javascript, so macros and more complex functions are easy to write.					
It's all javascript, so macros and more complex functions are easy to write.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
However, it's all forms	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It's all javascript functions to javascript, more functions and functions are more.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
It's all javascript, so macros and more complex functions are easy to write. and more complex functions .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break

Q11



Do you have any comments on this survey?



Import from library

Add new question

Add Block



End Block

Q12



Thank you for finishing the survey.

Please copy the code "C16J3XKZ" (without quotes) for Prolific to claim your completion, and then click "submit".



Import from library

Add new question

Add Block

End of Survey

We thank you for your time spent taking this survey.

Your response has been recorded.