



## document simplicity survey (03)



ExpertReview score

Fair

## ▼ Demographic Block

## Question Demographic



Thank you for participating in this survey. Please answer several questions below before starting.

## demographic 1



## ▼ Skip to

End of Survey if Information Technology Is Not Selected

Which of the following best describes the sector you primarily work in?

- ☐ Agriculture, Food and Natural Resources
- ☐ Architecture and Construction
- ☐ Arts
- ☐ Business Management & Administration
- ☐ Education & Training
- ☐ Finance
- ☐ Government & Public Administration
- ☐ Medicine
- ☐ Hospitality & Tourism
- ☐ Information Technology
- ☐ Legal
- ☐ Policing
- ☐ Military
- ☐ Manufacturing
- ☐ Marketing & Sales
- ☐ Retail
- ☐ Science, Technology, Engineering & Mathematics
- ☐ Social Sciences
- ☐ Transportation, Distribution & Logistics
- ☐ Other
- ☐ Rather not say

## demographic 2



If you have worked in the Information Technology industry, please indicate the number of years of your experience

demographic 3



What is your current or most recent job position in the Information Technology industry?



 Import from library

Add new question

Add Block



Prolific ID

Prolific Demographic



What is your Prolific ID?

Please note that this response should auto-fill with the correct ID



 Import from library

Add new question

Add Block



My Survey



# document simplicity survey

In this survey, you will be provided with one reference sentence, along with several sentences to compare. You need to evaluate the semantic, syntactic and simplicity level of each sentence compared to the reference sentence. The details are as follows:

- Semantic: The sentence retains all semantics of the reference sentence.
- Grammar: The sentence is grammatically correct.
- Simplicity: The sentence is easier to understand than the reference sentence.

You will evaluate each option on a scale from 1 to 5 from strongly disagree to strongly agree. There are 10 groups of sentences you need to evaluate. Thank you for participating in this survey.

Below we provide some examples with a indicating score just for your reference, please have a look before continue the survey:

**Reference Sentence:** On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

Strongly Disagree      Disagree      Neutral      Agree      Strongly Agree

## Semantics Preserving

**Reference Sentence:** On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

On the right side, you'll find the recovered version of the file (using the found swap file), and the file as it is stored on disk will be found on the left side.



On the left side, you'll find the recovered version of the file and on the right side will contain the file as it is stored on disk.



## Grammar Correctness

**Reference Sentence:** On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of the file (using the found swap file).



Under the left side, you will find the files as it is stored on disks and the right side will contain your recovered versions of the file (using the



## Simplicity compared to Reference

**Reference Sentence:** On the left side, you'll find the file as it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

On the right side, you'll see the difference from the recovered swap file.




On the left side, you'll find the file as



it is stored on disk and the right side will contain your recovered version of file (using the found swap file).

Situated towards the left-hand quadrant, you will discover a representation of the aforementioned digital document precisely as it maintains its existence within the confines of the computer's physical storage medium. Correspondingly, within the diametrically opposite right-hand division, one shall encounter the regenerated rendition of the file in question, its restoration having been successfully accomplished through the utilization of the incidentally unearthed temporary backup copy, colloquially termed a swap file.



Q12

I have read the above examples.

☐ Yes

---

Page Break

---

Page Break

## Question 1

**Reference Sentence:** In short, the only safe way to reload clojure code is to restart the jvm.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b>					
<b>Reference Sentence:</b> In short, the only safe way to reload clojure code is to restart the jvm.					
In short, the only safe way to reload clojure code is to restart the jvm.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In short, the only safe way to keep the hero is to restart the hero.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The short way to only is to use jvm.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In short, the only safe way to reload clojure code is to restart the jvm. code to restart the jvm. code .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b>					
<b>Reference Sentence:</b> In short, the only safe way to reload clojure code is to restart the jvm.					
In short, the only safe way to reload clojure code is to restart the jvm.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In short, the only safe way to keep the hero is to restart the hero.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The short way to only is to use jvm.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In short, the only safe way to reload clojure code is to restart the jvm. code to restart the jvm. code .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b>					
<b>Reference Sentence:</b> In short, the only safe way to reload clojure code is to restart the jvm.					
In short, the only safe way to reload clojure code is to restart the jvm.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In short, the only safe way to keep the hero is to restart the hero.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The short way to only is to use jvm.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In short, the only safe way to reload clojure code is to restart the jvm. code to restart the jvm. code .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Question 2

**Reference sentence:** Either `Pillow` or it's predecessor `PIL` should work just fine, just make sure that you have one or the other installed.

	Strongly disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b> <b>Reference sentence:</b> Either <code>Pillow</code> or it's predecessor <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  It's trademark should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or it's <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or it's predecessor <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or <code>PIL</code> .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b> <b>Reference sentence:</b> Either <code>Pillow</code> or it's predecessor <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  It's trademark should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or it's <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or it's predecessor <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or <code>PIL</code> .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b> <b>Reference sentence:</b> Either <code>Pillow</code> or it's predecessor <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  It's trademark should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or it's <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or it's predecessor <code>PIL</code> should work just fine, just make sure that you have one or the other installed.  Either <code>Pillow</code> or <code>PIL</code> .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>







Q4



### Question 4

**Reference Sentence:** If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b> <b>Reference Sentence:</b> If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.  If the address from the address, the address of the client is rejected with the post address, it as address.  If a client from ip address is rejected by a post, it is rejected because the prefix matches matches this ip address.  If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b> <b>Reference Sentence:</b> If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.  If the address from the address, the address of the client is rejected with the post address, it as address.  If a client from ip address is rejected by a post, it is rejected because the prefix matches matches this ip address.  If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b> <b>Reference Sentence:</b> If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.  If the address from the address, the address of the client is rejected with the post address, it as address.  If a client from ip address is rejected by a post, it is rejected because the prefix matches matches this ip address.  If a client from ip address 10.1.2.3 submits a post, it is rejected because the prefix 10.1. matches this ip address.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



## Question 5

**Reference Sentence:** If there is a transformer version of a monad, it is a function named by suffixing  $-t$  to the name of the monad; giving the function a monad as an argument returns a new monad.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b>					
<b>Reference Sentence:</b> If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad; giving the function a monad as an argument returns a new monad.					
If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad. ;	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a transformer version of a monad, it is a function named by suffixing it to the name of the monad; giving the function a monad as an argument returns a new monad.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a collection of options $-t$ , then it returns a new function as an argument .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b>					
<b>Reference Sentence:</b> If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad; giving the function a monad as an argument returns a new monad.					
If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad. ;	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a transformer version of a monad, it is a function named by suffixing it to the name of the monad; giving the function a monad as an argument returns a new monad.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a collection of options $-t$ , then it returns a new function as an argument .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b>					
<b>Reference Sentence:</b> If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad; giving the function a monad as an argument returns a new monad.					
If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a transformer version of a monad, it is a function named by suffixing $-t$ to the name of the monad. ;	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If there is a transformer version of a					

monad, it is a function named by suffixing it to the name of the monad; giving the function a monad as an argument returns a new monad.

If there is a collection of options  $\sim t$ , then it returns a new function as an argument .

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break





is downloaded to your local machine and  
consulates for future use. for future use. .

The first time you run `vagrant up`, a  
packaged box containing a virtual machine  
is downloaded to your local machine and  
cached for future use.

The first time you runs, a packaged box  
containing a virtual machine is  
downloaded to your local machine and  
road.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break





## Question 7

**Reference Sentence:** You can then open `lt-cljs-tutorial.cljs` in light table and evaluate it interactively by adding a light table ui connection.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b>					
<b>Reference Sentence:</b> You can then open <code>lt-cljs-tutorial.cljs</code> in light table and evaluate it interactively by adding a light table ui connection.					
This repo is basically a mirror of the original mercurial repo at <code>bitbucket.org &lt;url&gt;</code> . at	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can open and open in a table with the <code>lt-cljs-tutorial.cljs</code> command.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can then open "light table" and "evaluate by adding a light table connection .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can then open <code>lt-cljs-tutorial.cljs</code> in light table and evaluate it interactively by adding a light table ui.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b>					
<b>Reference Sentence:</b> You can then open <code>lt-cljs-tutorial.cljs</code> in light table and evaluate it interactively by adding a light table ui connection.					
This repo is basically a mirror of the original mercurial repo at <code>bitbucket.org &lt;url&gt;</code> . at	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can open and open in a table with the <code>lt-cljs-tutorial.cljs</code> command.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can then open "light table" and "evaluate by adding a light table connection .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can then open <code>lt-cljs-tutorial.cljs</code> in light table and evaluate it interactively by adding a light table ui.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b>					
<b>Reference Sentence:</b> You can then open <code>lt-cljs-tutorial.cljs</code> in light table and evaluate it interactively by adding a light table ui connection.					
This repo is basically a mirror of the original mercurial repo at <code>bitbucket.org &lt;url&gt;</code> . at	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can open and open in a table with the <code>lt-cljs-tutorial.cljs</code> command.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can then open "light table" and "evaluate by adding a light table connection .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
You can then open <code>lt-cljs-tutorial.cljs</code> in light table and evaluate it interactively by adding a light table ui.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break



## Question 8

**Reference Sentence:** This component does the actual rendering of the reports based upon the definitions created in the report designer.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b> <b>Reference Sentence:</b> This component does the actual rendering of the reports based upon the definitions created in the report designer. <code_large> This component does the actual rendering of the reports based upon the definitions created in the report designer. This component does the actual rendering of the reports based upon the definitions created in the report designer. created in the report designer. created in the report designer. created in the report designer. This component does the logic of the lesson of the account in the amazon. This results the actual rendering of the reports of the reports based upon the definitions created in the report designer.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b> <b>Reference Sentence:</b> This component does the actual rendering of the reports based upon the definitions created in the report designer. <code_large> This component does the actual rendering of the reports based upon the definitions created in the report designer. This component does the actual rendering of the reports based upon the definitions created in the report designer. created in the report designer. created in the report designer. created in the report designer. This component does the logic of the lesson of the account in the amazon. This results the actual rendering of the reports of the reports based upon the definitions created in the report designer.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b> <b>Reference Sentence:</b> This component does the actual rendering of the reports based upon the definitions created in the report designer. <code_large> This component does the actual rendering of the reports based upon the definitions created in the report designer. This component does the actual rendering of the reports based upon the definitions created in the report designer. created in the report designer. created in the report designer. created in the report designer. This component does the logic of the	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

lesson of the account in the amazon.

This results the actual rendering of the reports of the reports based upon the definitions created in the report designer.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break



**Reference Sentence:** This should includes a glossary of terms to help lesson authors think through what they expect learners to be unfamiliar with, and to make searching through lessons easier.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b> <b>Reference Sentence:</b> This should includes a glossary of terms to help lesson authors think through what they expect learners to be unfamiliar with, and to make searching through lessons easier.					
This should also includes a glossary of terms to help lesson authors think through what they expecters to be unfamiliar with, and to make searching through lessons easier.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
This should includes a glossary of terms to help lesson authors think through what they expect learners to be unfamiliar with, and to make searching through lessons easier.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
This should be a glossary of terms to help lesson, summarize what lesson authors also to help lesson.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b> <b>Reference Sentence:</b> This should includes a glossary of terms to help lesson authors think through what they expect learners to be unfamiliar with, and to make searching through lessons easier.					
This should also includes a glossary of terms to help lesson authors think through what they expecters to be unfamiliar with, and to make searching through lessons easier.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
This should includes a glossary of terms to help lesson authors think through what they expect learners to be unfamiliar with, and to make searching through lessons easier.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
This should be a glossary of terms to help lesson, summarize what lesson authors also to help lesson.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The purple monkey dishwasher sang shenanigans on the moon with unicorns and marshmallow socks.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b> <b>Reference Sentence:</b> This should includes a glossary of terms to help lesson authors think through what they expect learners to be unfamiliar with, and to make searching through lessons easier.					
This should also includes a glossary of terms to help lesson authors think through what they expecters to be unfamiliar with, and to make searching through lessons easier.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



what they expecters to be unrramiuar with,  
and to make searching through lessons  
easier.

This should includes a glossary of terms to  
help lesson authors think through what  
they expect learners to be unfamiliar with,  
and to make searching through lessons  
easier.

This should be a glossary of terms to help  
lesson, summarize what lesson authors  
also to help lesson.

The purple monkey dishwasher sang  
shenanigans on the moon with unicorns  
and marshmallow socks.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break



## Question 10

**Reference Sentence:** In the case where the connecton is conditionally closed as described above, returns 2 and the error string connection must be closed.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>The sentence retains all semantics of the reference sentence</b>					
<b>Reference Sentence:</b> In the case where the connecton is conditionally closed as described above, returns 2 and the error string connection must be closed.					
In the case where the connecton is conditionally closed as described above, returns 2 and the connection must be closed property.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In the case where thehnecon is conditionally closed as described above, returns to the error and the error string.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In the above case the string, it is assumed where the second argument is 2, and returns the connection must be closed string.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The error is conditionally .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Grammar Correctness</b>					
<b>Reference Sentence:</b> In the case where the connecton is conditionally closed as described above, returns 2 and the error string connection must be closed.					
In the case where the connecton is conditionally closed as described above, returns 2 and the connection must be closed property.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In the case where thehnecon is conditionally closed as described above, returns to the error and the error string.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In the above case the string, it is assumed where the second argument is 2, and returns the connection must be closed string.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The error is conditionally .	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Simplicity compared to Reference</b>					
<b>Reference Sentence:</b> In the case where the connecton is conditionally closed as described above, returns 2 and the error string connection must be closed.					
In the case where the connecton is conditionally closed as described above, returns 2 and the connection must be closed property.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In the case where thehnecon is conditionally closed as described above, returns to the error and the error string.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In the above case the string, it is assumed where the second argument is 2, and returns the connection must be closed string.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The error is conditionally.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Page Break

Q11



Do you have any comments on this survey?

 Import from library

Add new question

Add Block

End Block

Q12



Thank you for finishing the survey.

**Please copy the code "C142Z62Z"** (without quotes) for Prolific to claim your completion, and then click "submit".

 Import from library

Add new question

Add Block

End of Survey

We thank you for your time spent taking this survey.

Your response has been recorded.