# Rajalakshmi Engineering College

Name: Harini Nagarajan

Email: 240701167@rajalakshmi.edu.in

Roll no: 240701167 Phone: 9363551582

Branch: REC

Department: I CSE AG

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

### **Input Format**

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

## **Output Format**

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

#### Sample Test Case

```
Input: 5
10 20 30 40 50
```

Output: 10 20 30 40 50

```
Answer
#include<stdio.h>
#include<stdlib.h>
struct node{
  int id:
  struct node*prev;
  struct node*next;};
struct node*head=NULL;
struct node*tail=NULL;
void insert(int id){
struct node*nnode=(struct node*)malloc(sizeof(node));
  nnode->id=id:
  nnode->next=NULL;
  if(head==NULL){
    nnode->prev=NULL;
    head=nnode:
    tail=nnode;}else{
      tail->next=nnode;
      nnode->prev=tail;
      tail=nnode;
  }}
void display(){
  struct node*temp=head;
while(temp != NULL){
    printf("%d",temp->id)
```

```
240701167
                                                                               240701767
                         240/01/61
       temp=temp->next;}
printf("\n");
}
int main(){
      int N,id;
      scanf("%d",&N);
      for(int i=0;i<N;i++){
        scanf("%d",&id);
        insert(id);
      }
      display();
      return 0;
                          240/01/67
Status : Correct
                                                                        Marks : 10/10
```

240701767

0,40701767

240/01/67

240701167

240701767

240701167

240707167

240707167