BUILD A SIMPLE NEURAL NETWORKS

AIM:

To build a simple neural network using Keras/TensorFlow. PROCEDURE:

- 1. Download and load the dataset.
- 2. Perform analysis and preprocessing of the dataset.
- 3. Build a simple neural network model using Keras/TensorFlow.
- 4. Compile and fit the model.
- 5. Perform prediction with the test dataset.
- 6. Calculate performance metrics.

PROGRAM:

```
import pandas as pd
from numpy import loadtxt
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense

dataset = loadtxt('pima-indians-diabetes-data.csv', delimiter = ',')

X = dataset[:,0:8] y
= dataset[:,8]

model = Sequential()
model.add(Dense(12, input_shape=(8,), activation='relu'))
model.add(Dense(8, activation='relu')) model.add(Dense(1, activation='sigmoid'))

model.compile(loss='binary_crossentropy', optimizer='adam', metrics=['accuracy'])
model.fit(X, y, epochs=150, batch_size=10)
_, accuracy = model.evaluate(X, y)
print('Accuracy: %.2f' % (accuracy*100))
```

ROLL NUMBER: 210701068

OUTPUT

```
from many import loadtxt
from tamourfilm, heres, models import Sequential
         from tensorflow, kares, layers import Cense
 [3] datacet = loadtxt('piss-indiane-diabetec-data.cov', delimiter = ',')
 [8:8, 1 | X * detaurt[:,0:8]
        y = dataset[1,8]
        model.add(Dense(1), input_shapes(8,), activations'relu'))
model.add(Dense(8, activations'relu'))
model.add(Dense(1, activations'signuid'))
       0)\Seftwares\Anaconda\pmus\M\\\Ib\site\packages\\erus\orc\layers\coru\dense.py:87: UserWarning: Oo not pecs an 'imput_shape'/imput_dim' argument to a la
yer. When using Sequential models, profer using an 'imput(shape)' object as the first layer in the model instead.
super().__init__(activity_regularizersactivity_regularizer, **Yhwargs)
 [1] model.compile(lass='binary_crossentropy', optimizer='adam', metrics=['accuracy'])
| model.fit(X, y, epochs=150, batch_size=10)
       77/77 Epach 2/150
77/77 =
                              Im 2mm/atmp : accuracy: 8.6337 : Igas: 28.1332
                              0: Ims/step - occuracy: 0.5327 - lose: 3.0242
       Epoch 3/150
77/77
                                  0s 2ms/step - accuracy/ 8-5500 - loss: 1-6982
       Epoch 4/150
77/77
Epoch 5/150
                              8s 2ms/step - accuracy: 8.5913 - loss: 1.1881
        77/77 -
                                8s 2ms/step : accuracy; 8.5897 - loss; 1.7584
       Epoch 6/158
77/77
Epoch 7/158
                                      - 0: 2ms/stap - eccuracy: 8.6226 - Ioss: 0.9522
       9s 2ms/step - accuracy: 8.0655 - loss: 1.0050
                                9e les/step - accuracy: 0.62H - loss: 1.8535
        Froch 9/150
        27/77 ---
                                    0: ins/stap : accuracy: 0.6301 : loss: 0.6142
          , eccuracy = model.evaluate(X, y)
       print('Accuracy: %.26' & (accuracy*100))
                                   - #s 739xs/step - accuracy: 0.7159 - loss: 0.5900
        Accuracy: 71.22
```