# Rajalakshmi Engineering College

Name: HARI PRASANNA S

Email: 241501064@rajalakshmi.edu.in

Roll no: 241501064 Phone: 9042038178

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 7\_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. What is the result of the following NumPy operation?

import numpy as np arr = np.array([1, 2, 3]) r = arr + 5 print(r)

Answer

[6 7 8]

Status: Correct Marks: 1/1

2. What is the output of the following NumPy code?

import numpy as np

```
arr = np.array([1, 2, 3, 4, 5])
r = arr[2:4]
print(r)
```

**Answer** 

[3 4]

Status: Correct Marks: 1/1

3. Which NumPy function is used to find the indices of the maximum and minimum values in an array?

Answer

argmax() and argmin()

Status: Correct Marks: 1/1

4. What will be the output of the following code snippet?

import numpy as np
arr = np.array([1, 2, 3])
result = np.concatenate((arr, arr))
print(result)

Answer

[123123]

Status: Correct Marks: 1/1

5. Which NumPy function is used to calculate the standard deviation of an array?

**Answer** 

numpy.std()

Status: Correct Marks: 1/1

6. Minimum number of argument we require to pass in pandas series?

**Answer** 

Status: Wrong Marks: 0/1

7. What will be the output of the following code?

import pandas as pnd pnd.Series([1,2], index= ['a','b','c'])

**Answer** 

Value Error

Marks : 1/1 Status: Correct

8. What is the output of the following NumPy code snippet?

import numpy as np arr = np.array([1, 2, 3, 4, 5])r = arr[arr > 2]print(r)

**Answer** 

[3 4 5]

Marks : 1/1 Status: Correct

9. Which function is used to create a Pandas DataFrame?

Answer

pd.DataFrame()

Marks: 1/1 Status: Correct

10. Which NumPy function is used to create an identity matrix?

Answer

numpy.eye()

Marks : 0/1 Status: Wrong

11. What is the primary purpose of Pandas DataFrame?

## Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

12. What does the np.arange(10) function in NumPy do?

# Answer

Creates an array with values from 0 to 10

Marks: 0/1 Status: Wrong

13. What is the primary data structure used in NumPy for numerical computations?

### Answer

Array

Marks : 1/1 Status: Correct

14. Which of the following is a valid way to import NumPy in Python?

#### Answer

import numpy as np

Status: Correct Marks: 1/1

15. What does NumPy stand for?

Answer

Marks : 1/1 Status: Correct

16. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

```
data = {'Name': ['Tom', 'Jack', 'nick', 'juli'],
  'marks': [99, 98, 95, 90]}
df = pd.DataFrame(data, index=['rank1',
         'rank2',
         'rank3',
         'rank4'])
print(df)
Answer
rank2
```

Status: Correct Marks: 1/1

241501064

17. What is the purpose of the following NumPy code snippet?

```
import numpy as np
arr = np.zeros((3, 4))
   print(arr)
```

Answer

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

18. What is the output of the following code?

```
import numpy as np
   a = np.arange(10)
print(a[2:5])
```

Answer	A150106A	, 06A	, 06A
[2, 3, 4]	15010	15010	15070
Status: Correct	2ª.	2 <sup>A</sup> .	Marks : 1/1
19. In NumPy, h array arr?	now do you access th	he first element of a o	ne-dimensional
Answer			
arr[0]			
Status: Correct	. 0:	. N:	Marks : 1/1
20. The import	ant data structure of	f pandas is/are	24750706
Answer			
Both Series and D	ata Frame		

24,150,1064

Status: Correct

241501064

247507064

0A150106A

Marks: 1/1

241501064

24,150,1064

241501064

241501064