


## 8. Change "timeval" to "timeval2".

The dialog should now look like this:



## 9. Click the Make Table box to check it and then click Load.

The data is loaded and a new table is created to show the data.

## 10. Click the close button of the new table window.

A dialog is presented asking if you want to create a recreation macro.

## 11. Click the No Save button.

The data we just loaded is still available in Igor. A table is just a way of viewing data and is not necessary for the data to exist.

The Load Delimited Text menu item that you used is a shortcut that uses default settings for loading delimited text. Later, when you load your own data files, choose Data→Load Waves→Load Waves so you can see all of the options.

## Appending to a Graph

## 1. If necessary, click in Graph0 to bring it to the front.

The Graph menu is available only when the target window is a graph.

## 2. Choose the Graph→Append Traces to Graph menu item.

The Append Traces dialog appears. It is very similar to the New Graph dialog that you used to create the graph.

## 3. In the Y Waves list, select voltage\_1 and voltage\_2.

## 4. In the X Wave list, select timeval2.

## 5. Click Do It.

Two additional traces are appended to the graph. Notice that they are also appended to the Legend.

## 6. Position the cursor over one of the traces in the graph and double-click.

The Modify Trace Appearance dialog appears with the trace you double-clicked already selected.

## 7. If necessary, select voltage\_1 in the list of traces.