

WebQuiz Prototype

Work in progress...



Green arrows indicate where you should click to continue with the prototype. If there are more than one arrows then you can click either.

EASY, QUICK, INTERACTIVE QUIZZES


Login to start making amazing quizzes!

[Login](#)

If the Quiz Maintainer does not have an account, one can be registered here

Register

User fills in both
text boxes



The diagram illustrates a registration form with three input fields:

- Email Address: A text input field.
- Password: A text input field.
- Confirm Password: A text input field.

A blue bracket on the left side of the diagram groups the "Email Address" and "Password" fields, indicating they must be filled together.

Start Register

Register

Click the button
once forms are
filled

Error case

User fills in both
text boxes

Register

Email Address

Password

Confirm Password

Register



Please Enter a Valid Email
and Password (min 8 characters)



An error message
will be returned if
either box is left
blank

Click the button
once forms are
filled

Register

Email Address

Password



Confirm Password

Register

Register

Email Address

Password

Confirm Password



Register

Register

Email Address

Password

Confirm Password

Register





EASY, QUICK, INTERACTIVE QUIZZES

Login to start making amazing quizzes!



Login

Login

Email Address

Password

Login



Error Case

Login

Email Address

Password

Login



Please Enter a Valid Email
and Password (min 8 characters)



Login

Email Address



Password

Login

Login

Email Address

Password



Login

Login

Email Address

Password

Login





Email or Password is Incorrect



Login

Email Address**Password****Login**

Login

Email Address



Password

Login

Login

Email Address

Password


Login

Login

Email Address

Password

Login





Welcome xyz

Don't wait, Let's make a quiz!

Create Quiz

Start Quiz
Creation



Login Successful!



Close success
message





Start Quiz
Creation

Welcome xyz

Don't wait, Let's make a quiz!

Create Quiz



Start Quiz
Creation

**Quiz Title****Quiz Description****Default Time for Each Question**

00:30

Next

**Quiz Title**Please Enter a Quiz Title
and Description**Quiz Description**Close error
message**Next**

**Quiz Title**

JavaScript Quiz 1

Quiz Description**Default Time for Each Question**

00:30

Next

**Quiz Title**

JavaScript Quiz 1

Quiz Description

This quiz will consist of Multiple Choice and True or False questions relating to JavaScript

Default Time for Each Question

00:30

Next



[← Back](#)

Question type

 Multiple Choice

Question

Mark



Answers



Upload an Image



Choose Image

00:30

Next

Save



1



Error case

[← Back](#)

Question type

 Multiple ChoicePlease Fill in Question and Mark
and At least 2 Answers

Question

Mark



Answers



Upload an Image



Choose Image

00:30

Next

Save



1



[← Back](#)

Question type

 Multiple Choice

Question

What is console.log()?

Mark



Answers



< >



< >

Upload an Image



Choose Image

00:30

Next

Save



1



[← Back](#)

Question type

 Multiple Choice

Question

What is console.log()?

Mark

10

Answers



< >



< >

Upload an Image



Choose Image

00:30

Next

Save



1



[← Back](#)

Question type

 Multiple Choice

Question

What is console.log()?

Mark

10

Answers

 Outputs text to the DOM

Upload an Image



00:30

Next

Save



1



[← Back](#)

Question type

Multiple Choice



Question

Mark

What is console.log()? [< >](#)

10

Answers



Outputs text to the DOM



Outputs values between the () to the console



Upload an Image



Choose Image



00:30

Next

Save



1





Multiple Choice



Question

Mark

What is console.log()?



10

Answers



Outputs text to the DOM



Outputs values between the () to the console



Initialises Variables



Upload an Image



Choose Image

00:30

Next

Save



1



Question

Mark

What is console.log()? < >

10

Answers

Outputs text to the DOM < >

Outputs values between the () to the console < >



Initialises Variables < >

Breaks out of loops < >

Upload an Image



Choose Image

00:30

Next

Save



Question

Mark

What is console.log()? < >

10

Answers

- Outputs text to the DOM < >
- Outputs values between the () to the console < >
- Initialises Variables < >
- Breaks out of loops < >

Upload an Image



Choose Image



00:30

Next

Save



Question

Mark

What is console.log()? < >

10

Answers

Outputs text to the DOM < >

Outputs values between the () to the console < >

Initialises Variables < >

Breaks out of loops < >

Upload an Image



multiple_choice_image.jpg

00:30

Next

Save



1



Question

Mark

What is console.log()? < >

10

Answers

Outputs text to the DOM < >

Outputs values between the () to the console < >

Initialises Variables < >

Breaks out of loops < >

Upload an Image



multiple_choice_image.jpg

00:20

Next

Save



1



[← Back](#)

Question type

 Multiple Choice

Question

Mark



Answers



Upload an Image



Choose Image

00:30

Next

Save



1

2



[← Back](#)

Question type

 Multiple Choice True or False

Question:

Mark:



Answers



Upload an Image



Choose Image

00:30

Next

Save



1

2



[← Back](#)

Question type

 True or False

Question

Mark



Answer

True

False

Upload an Image



Choose Image

00:30

Next

Save

Error case



1

2



[← Back](#)

Question type

 True or False

Please Fill in Question and Mark and Indicate if Question is True or False

Question

Mark



Answer

[True](#)[False](#)

Upload an Image



Choose Image

00:30

[Next](#)[Save](#)

1

2



[← Back](#)

Question type

 True or False

Question

Variables can be made using var < >

Mark



Answer

Upload an Image



Choose Image

00:30



1

2



[← Back](#)

Question type

 True or False ▾

Question

Variables can be made using var < >

Mark

5

Answer

True

False



Upload an Image

 Choose Image

00:30

Next

Save



1

2



[← Back](#)

Question type

 True or False ▾

Question

Variables can be made using var < >

Mark

5

Answer



True

False

Upload an Image



Choose Image

00:30

Next

Save



1

2



[← Back](#)

Question type

 True or False ▾

Question

Variables can be made using var < >

Mark

5

Answer

TrueFalse

Upload an Image



00:30

Next

Save



1

2



[← Back](#)

Question type

 True or False ▾

Question

Variables can be made using var < >

Mark

5

Answer

True**False**

Upload an Image

 true_false_image.jpg

00:30

Next

Save



[← Back](#)

Question type

 True or False ▾

Question

Variables can be made using var < >

Mark

5

Answer

True**False**

Upload an Image



true_false_image.jpg

00:10

Next**Save**

1

2



[← Back](#)

Question type

 Multiple Choice

Question

Mark



Answers



Upload an Image



Choose Image

00:30

Next

Save



1

2

3



[← Back](#)

Question type

 Multiple Choice

Question

How do you do a for loop in JS 

Mark



Answers



< >



< >

Upload an Image



Choose Image

00:30

Next

Save

<

1

2

3

>

[← Back](#)

Question type

 Multiple Choice

Question

How do you do a for loop in JS < >

Mark

15

Answers



< >



< >

Upload an Image



Choose Image

00:30

Next

Save



1

2

3



Question type

 Multiple Choice ▾

Question

How do you do a for loop in JS < >

Mark

15

Answers

```
if(1==val) {  
    console.log("Test");  
}
```

 < > < >

Upload an Image



00:30

Next

Save

Answers

if(1==val) {
 console.log("Test"); <>
}

loop {
 console.log("Test"); <>
}

<> 

Upload an Image

Choose Image

00:30

Next

Save

loop {
 console.log("Test");
}

for(i=0; i < 10; i++) {
 console.log("Test");
}

< >



Upload an Image

Choose Image

00:30

Next

Save



1

2

3



```
loop {
    console.log("Test");
}
```

```
for(i=0; i < 10; i++) {
    console.log("Test");
}
```

```
while(i<10) {
    console.log("Test");
    i++;
}
```

Upload an Image

 Choose Image

00:30

Next

Save

loop {
 console.log("Test"); <>
}

for(i=0; i < 10; i++) {
 console.log("Test"); <>
}

while(i<10) {
 console.log("Test"); <>
 i++;
}

Upload an Image

 Choose Image



00:30

Next

Save

`for(i=0; i < 10; i++) {
 console.log("Test"); <>
}`

`for(i=0; i < 10; i++) {
 console.log("Test"); <>
}`

`while(i<10) {
 console.log("Test"); <>
 i++;
}`

Upload an Image

 loop_image_.jpg

00:30

Next

Save



1

2

3



console.log("Test"); < >
 }

 for(i=0; i < 10; i++) {
 console.log("Test"); < >
 }

 while(i<10) {
 console.log("Test"); < >
 i++;
 }

Upload an Image

 loop_image_.jpg

00:40

Next

Save

[← Back](#)

Question type

 Multiple Choice

Question

Mark



Answers



Upload an Image



Choose Image

00:30

Next

Save



1

2

3

4



[← Back](#)

Question type

 Multiple Choice True or False

Question:

Mark:



Answers



Upload an Image



Choose Image

00:30

Next

Save



1

2

3

4



[← Back](#)

Question type

 True or False

Question

Mark



Answer

True

False

Upload an Image



Choose Image

00:30

Next

Save



1

2

3

4



[← Back](#)

Question type

 True or False

Question

1 === '1'

Mark



Answer

Upload an Image



Choose Image

00:30



1

2

3

4



[← Back](#)

Question type

 True or False

Question

1 === '1'

Mark

15

Answer

 TrueFalse

Upload an Image



Choose Image

00:30

Next

Save



1

2

3

4



[← Back](#)

Question type

 True or False ▾

Question

1 === '1'

Mark

< >

15

Answer

True

False

Upload an Image



Choose Image

00:30

Next

Save



1

2

3

4



[← Back](#)

Question type

 True or False ▾

Question

1 === '1'

Mark

15

Answer

 True

False

Upload an Image

 Choose Image

00:30

Next

Save



1

2

3

4



[← Back](#)

Question type

 True or False ▾

Question

1 === '1'

Mark



15

Answer

True

False

Upload an Image



True_False_image2.jpg

00:30

Next

Save

[← Back](#)

Question type

 Multiple Choice

Question

Mark



Answers



Upload an Image



Choose Image

00:30

Next

Save



1

2

3

4

5





Preview Questions Before Saving

1

Edit

Edit Question

What is console.log()

00:20



Delete Question



A

Outputs text to the DOM

B

Outputs values between
the () to the console ✓

C

Initialises Variables

D

Breaks out of loops



1

2

3

4



+



Add question

Save



Preview Questions Before Saving

2

Edit



Variables can be made using var

00:10

"Bob"



true



35



True ✓

False



1

2

3

4





Preview Questions Before Saving

3

Edit



How do you do a for loop in JS

00:20



A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```



D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```



1

2

3

4



+





Preview Questions Before Saving

4

Edit

 $1 === '1'$

00:30



====

True

False ✓



Preview Questions Before Saving


1

Edit



Variables can be made using var

00:10



True ✓

False

Undo Delete



Quizzes



Order by: Ascending 



JavaScript Quiz 1			
Python Quiz 1			

 Import



Order by:

- Ascending ▲
- Descending
- Date Ascending
- Date Descending

JavaScr ↗   

Python Quiz 1 ↗   

 Import



Order by:

Descending



Python Quiz 1



JavaScript Quiz 1

 Import



Order by: Descending ▲

Ascending Date Ascending Date Descending

Python Quiz 1   

JavaScript Quiz 1   

 Import



Order by:

Date Ascending ▾



Python Quiz 1



JavaScript Quiz 1

 Import



Order by: Date Ascending ▲

Ascending
Descending
Date Descending

Python Course	  
JavaScript Quiz 1	  

 Import



Order by: Date Descending ▾

JavaScript Quiz 1			
Python Quiz 1			
Import			



Order by:

Date Descending ▲

JavaScr

Ascending

Descending

Date Ascending



Python Quiz 1

 Import

Start Quiz Menu



Order by:

Ascending



JavaScript Quiz 1




Start

Python Quiz 1



Start

 Import

Start Quiz

 12

Use Timer



Turn off timer

JavaScript Quiz 1

This quiz will consist of Multiple Choice and True or False questions relating to JavaScript

Code: **190-534-996**

<https://webquiz.co.uk/190534996>

 Copy

Has everyone joined?

Start!

Start quiz

Change between participant and Quiz Master

 12

Use Timer



JavaScript Quiz 1

This quiz will consist of Multiple Choice and True or False questions relating to JavaScript

Code: **190-534-996**

<https://webquiz.co.uk/190534996>

 Copy

Has everyone joined?

Start!

Start quiz

Change between participant and Quiz Master

JavaScript Quiz 1

This quiz will consist of Multiple Choice and True or False questions relating to JavaScript

Please wait for the Quiz Master to start the quiz!

Change between participant and Quiz Master

Question 1



1

What is console.log()

00:20

```
1 Sep 15:53 .
2 Sep 15:53 ..
3 Sep 2015 bin -> usr/bin
4 Sep 09:31 boot
5 Sep 15:50 dev
6 Sep 09:32 etc
7 Sep 15:52 home
8 Sep 2015 lib -> usr/lib
9 Sep 2015 lib64 -> usr/lib64
10 Jul 10:01 lost+found
11 Jun 22:45 mnt
12 Sep 15:53 opt
13 Sep 15:53 update -> /home/encrypte
14 Sep 08:15 root
15 Sep 15:50 run
16 Sep 2015 srv
17 Sep 15:53 tmp -> /usr/bin
18 Aug 15:53 var
19 Aug 16:25 www
```

A Outputs text to the DOM

B Outputs values between the () to the console

C Initialises Variables

D Breaks out of loops



! End Quiz



Change between participant and Quiz Master



1

What is console.log()



```
total 1232
  . Sep 15:53 ..
  . Sep 2015 bin -> usr/bin
  . Sep 09:31 boot
  . Sep 15:50 dev
  . Sep 09:32 etc
  . Sep 15:52 home
  . Sep 2015 lib -> usr/lib
  . Sep 2015 lib64 -> usr/lib
  . Jul 10:01 lost+found
  . Aug 22:45 opt
  . Sep 2015 proc
  . Sep 15:52 private -> /home/encrypted
  . Aug 15:37 root
  . Sep 15:56 run
  . Sep 2015 sbin -> usr/bin
  . Sep 15:51 sys
  . Aug 22:45 var
  . Aug 22:45 www 45-45
```

A Outputs text to the DOM

B Outputs values between the () to the console

C Initialises Variables

D Breaks out of loops

End Quiz

>

Change between participant and Quiz Master

Participant view Question 1

1

00:20

A Outputs text to the DOM**B** Outputs values between the () to the console**C** Initialises Variables**D** Breaks out of loops[Switch to Question view](#) Change between participant and Quiz Master



1

What is console.log()

00:20

```
mp@mp-OptiPlex-5070:~$ ls -l
total 124
. Sep 15:53 .
9. Sep 2015 bin -> usr/bin
19. Sep 09:31 boot
21. Sep 15:50 dev
21. Sep 09:32 etc
21. Sep 15:52 home
7 30. Sep 2015 lib -> usr/lib
lib64 -> usr/lib
23. Jul 10:01 lost+found
25. Aug 22:45 opt
29. Sep 2015 proc
21. Sep 15:52 private -> /home/encrypted
509 21. Aug 15:37 root
7 30. Sep 15:56 run
4008 21. Sep 2015 sbin -> usr/bin
4009 21. Sep 15:51 sys
4009 21. Sep 15:51 var
4009 21. Sep 15:39 user
14 4009 21. Sep 15:25 var
4009 21. Sep 15:44 var
```

A

Outputs text to the DOM

B

Outputs values between
the () to the console

C

Initialises Variables

D

Breaks out of loops

Switch to Answer view

Change between
participant and Quiz Master



1

What is console.log()

```
15:53:25 Sep 15:53 ..  
1. Sep 2015 bin -> usr/bin  
2. Sep 09:31 boot  
21. Sep 15:50 dev  
19. Sep 09:32 etc  
21. Sep 15:52 home  
30. Sep 2015 lib -> usr/lib  
23. Jul 10:01 lib64 -> usr/lib  
96. Sep 15:50 lost+found  
95. Sep 15:50 opt  
95c. Sep 15:50 private -> /home/encrypte  
4996. Sep 15:50 root  
560. Sep 15:37 root  
4996. Sep 2015 run -> /usr/bin  
21. Sep 15:50 srv -> /usr/bin  
3000. Sep 15:45 var  
9999. Jul 10:25 var
```

- | | | | |
|---|-------------------------|---|--|
| A | Outputs text to the DOM | B | Outputs values between the () to the console |
| C | Initialises Variables | D | Breaks out of loops |

Switch to Answer view

Change between participant and Quiz Master

1

A Outputs text to the DOM**B** Outputs values between
the () to the console**C** Initialises Variables**D** Breaks out of loops[Switch to Question view](#)Change between
participant and Quiz Master


Question 2



2

Variables can be made using var

00:10



True

False

Case where need to end quiz early

End Quiz




Change between participant and Quiz Master



2

Variables can be made using var



True

False

Case where need to end quiz early

End Quiz



Change between participant and Quiz Master

Participant view Question 2

2

00:10

True

False


Switch to Question viewChange between
participant and Quiz Master



2

Variables can be made using var

00:10



True

False

Switch to Answer view

Change between
participant and Quiz Master


2

True**False**[Switch to Question view](#)[Change between participant and Quiz Master](#)



2

Variables can be made using var



True

False

Switch to Answer view

Change between
participant and Quiz Master

Question 3



3

How do you do a for loop in JS

00:40



A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```

D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```

End Quiz

Change between
participant and Quiz Master



3

How do you do a for loop in JS

00:40



A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```

D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```

End Quiz

Change between
participant and Quiz Master

Participant view Question 3

3

00:40

A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```

D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```

[Switch to Question view](#)

Change between
participant and Quiz Master



3

How do you do a for loop in JS

00:40



A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```

D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```

[Switch to Answer view](#)[Change between participant and Quiz Master](#)

3

A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```

D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```

[Switch to Question view](#)

Change between
participant and Quiz Master



3

How do you do a for loop in JS



A

```
if(1==val) {  
    console.log("Test");  
}
```

B

```
loop {  
    console.log("Test");  
}
```

C

```
for(i=0; i < 10; i++) {  
    console.log("Test");  
}
```

D

```
while(i<10) {  
    console.log("Test");  
    i++;  
}
```

[Switch to Answer view](#)[Change between participant and Quiz Master](#)

Question 4



4

 $1 === '1'$

00:30

====

True

False

 End QuizChange between
participant and Quiz Master



4

 $1 === '1'$

====

True

False

 End QuizChange between
participant and Quiz Master

Participant view Question 4

4

00:30

True**False**[Switch to Question view](#)[Change between participant and Quiz Master](#)



4

 $1 === '1'$

00:30

====

True

False

Switch to Answer viewChange between
participant and Quiz Master

4

True**False**[Switch to Question view](#)[Change between participant and Quiz Master](#)



4

 $1 === '1'$

====

True

False

[Switch to Answer view](#)
Change between
participant and Quiz Master

Results

Your total marks is **45/45**

100%

Your total marks is **10/10**

100%

Your total marks is **10/45**

22%