CBSE Annual Examination (2014-2015)
Class XII
Chemistry

**Series: SSO/01**   **Code: 56 /1/3/D**

Roll no.

General Instructions :

(i)   All the questions are compulsory.
(ii) Question numbers 1 to 5 are very short answer questions carrying 1 mark each.
(iii) Question numbers 6 to 10 are short answer question carrying 2 marks each.
(iv) Question numbers 11 to 22 are also short answer questions carrying 3 marks each
(v)   Question number 23 is a value based questions carrying 4 marks.
(vi) Question numbers 24 to 26 are long answer questions carrying 5 marks each.
(vii) Use long tables, if necessary. Use of calculator is not allowed.

1. Out of $BaCl_2$ and KCl, which one is more effective in causing coagulation of a negatively charged colloidal Sol? Give reason.   1

2. What is the formula of a compound in which the element Y forms ccp lattice and atoms of X occupy 1/3rd of tetrahedral voids ?

3. What is the basicity of H_3PO_4 ?   1

4. Write the IUPAC name of the given compound :   1

5. Which would undergo S reaction faster in the following pair and why?   1

$$CH_3 - CH_2 - Br \text{ and } CH_3 - \overset{CH_3}{\underset{Br}{\overset{|}{\underset{|}{C}}}} - CH_3$$

6. What is meant by positive deviations from Raoult's law? Give an example. What is the sign of Δ_{mix} for positive deviation?   2

OR

Define azeotropes. What type of azeotrope is formed by positive deviation from Raoult's law? Give an example.

7.

(a) Following reactions occur at cathode during the electrolysis of aqueous silever chloride solution:

$$Ag^+(aq) + e^- \longrightarrow Ag(s) \qquad E° = +0.80V$$

$$H^+(aq) + e^+ \longrightarrow \frac{1}{2}H_2(g) \qquad E° = 0.00V$$

2

On the basis of their standard reduction electrode potential $(E°)$ values, which reaction is feasible at the cathode and why?

(b) Define limiting molar conductivity. Why conductivity of an electrolyte solution decreases with the decrease in concentration?

8. What are transition elements? Write two characteristics of the transition elements.   2

9.

a) Write down the IUPAC name the following complex :

   $[Cr(NH_3)_2 Cl_2 (en)]Cl$ (en = ethylenediamine)   2

b) Write the formula for the following complex:

   Pentaamminenitrito-o-Cobalat(III).

10. Name the reagents used in the following reactions: 2

a) $CH_3 - CO - CH_3 \xrightarrow{\ ?\ } CH_3 - \underset{|}{CH} - CH_3$
   $\qquad\qquad\qquad\qquad\qquad\qquad OH$

b) $C_6H_5 - CH_2 - CH_3 \xrightarrow{\ ?\ } C_6H_5 - COO^- K^+$

11. Write the names and structures of the monomers of the following polymers: 3
a) Nylon-6,6
b) PHBV
c) Neoprene

12. Predict the products of the following reactions :

a) $CH_3 - \underset{|}{C} = O \xrightarrow[(ii)\ KOH/Glycol,\Delta]{(i)\quad H_2N-NH_3} ?$
   $\quad\ CH_3$

b) $C_6H_5 - CO - CH_3 \xrightarrow{NaOH/I_2} ? + ?$

c) $CH_3COONa \xrightarrow[\Delta]{NaOH/CaO} ?$

13.

a) Write the mechanism of the following reaction :

   $2CH_3CH_2OH \xrightarrow{H+} CH_3CH_2 - O - CH_2CH_3$

b) Write the equation involved in the acetylation of Salicylic acid.

14. Which one of the following is a disaccharide : Starch, Maltse, Fructose, Glucose ? 3

(ii) What is difference between fibrous protein and globular protein ?

(iii)Write the name of vitamin whose deficiency causes bone deformities in children.

15. Give reasons :

(a) n-ButyI bromide has higher boiling point than t-buty1 bromide.

(b) Recemic mixture is optically inactive.

(c) The presence of nitro group $(-NO_2)$ at o/p positions increses the reactivity of haloarenes towards nucleophilic substitution reactions.

16. 3.9 g of benzoic acid dissolved in 49 g of benzene shows a depression in freezing point of 1.62 K. Calculate in the van't Hoff factor and predict the nature of solute (associated or dissociated).

(Given: Molar mass of benzonic acid = 122 $g \, mol^{-1}$, K_f for benzene = $4.9 \, K \, kg \, mol^{-1}$)

17. (i) Indicate the principle behind the method used for the refining of zinc.

(ii) What is the role of silica in the extraction of copper?

(iii) Which form of the iron is the purest form of commercial iron?

18. An element with molar mass 27 g mol^{-1} forms a cubic unit cell with edge length

$4.05 \times 10^{-8} cm$. If its density is $2.7 \, g \, cm^{-3}$, what is the nature of the cubic unit cell?

19. (a) How would you account for the following:

(i) Actinoid contraction is greater than lanthanoid contraction.

(ii) Transition metals form coloured compounds.

(b) Complete the following equation:

$2MnO_4^- + 6H^+ + 5NO_2^- \rightarrow$

20. (i) Draw the geometrical isomers of complex $[Pt(NH_3)_2 Cl_2]$.

(ii) On the basis of crystal field throry. Write the electronic configuration for d^4 ion if $\Delta_o < P$.

(iii) Write the hybridization and magnetic behaviour of the complex $[Ni(CO)_4]$.

(At.no. of Ni = 28)

21. Calculate emf of the following cell at 25 ^{0} C :

$Fe \, | \, Fe^{2+}(0.001M) \, || \, H_2(g)(1 \, bar) \, | \, Pt(s)$

$E^0(Fe^{2+} \, | \, Fe) = -0.44 \, V \, E^0(H^+ \, | \, H_2) = 0.00V$

22.   Give reasons for the following observations :

        (i) Leather gets hardened after tanning.

        (ii) Lyophiclic sol is more stable than lyophobic sol.

        (iii) It is necessary to remove CO when ammonia is prepared by Haber's process.

23.   Mr. Roy, the principal of one reputed school organized a seminar in which he invited parents and principals to discuss the serious issue of diabetes and depression in students. They all resolved this issue by strictly banning the junk food in schools and to introduce healthy snacks and drinks like soup, lassi, milk etc. in school canteens. They also decided to make compulsory half and hour physical activities for the students in the morning assembly daily. After six months, Mr. Roy conducted the health survey in most of the schools and discovered a tremendous improvement in the health of students.

        After reading the above passage, answer the following:

        (i)   What are the values (at least two) displayed by Mr. Roy?
        (ii)   As a students, how can you spread awareness about this issue?
        (iii)   What are tranquilizers? Give an example.
        (iv)   Why is use of aspartame limited to cold foods and drinks?

24.   For the hydrolysis of methy1 acetate in aqueous solution, the following results were obtained :

t/s	0	30	60
$[CH_3COOOCH_3$/mol L^{-1}	0.60	0.30	0.15

        (i)   Show that it follows pseudo first order reaction, as the concentration of water remains constant.
        (ii)   Calculate the average rate of reaction between the time interval 30 to 60 seconds.
                (Given log2= 0.3010, log 4 = 0.6021)

OR

    (a) For a reaction $A + B \rightarrow$, the rate is given by

    Rate $= k[A][B]^2$

        (i)   How is rate of reaction affected if the concentration of B is doubled?
        (ii)   What is the overall order of reaction if A is present in large excess?

    (b) A first order reaction takes 30 minutes of 50% completion. Calculate the time required for 90% completion of this reaction.

            (log 2 = 0.3010)

25.   (a) Account for the following:

        (i) Acidic character increases from HF to HI.

(ii)There is large difference between the melting and boiling points or oxygen and sulphur.

(iii)Nitrogen does not form pentahalide.

(b)   Draw the structures of the following:

(i) ClF_3

(ii) XeF_4

OR

(i)   Which allotrope of phosphorus is more reactive and why?   5

(ii)   How the supersonic jet aeroplanes are responsible for the depletion of ozone layers?

(iii) F_2 has lower bond dissociation enthalpy than Cl_2. Why?

(iv)   Which noble gas is used in filling balloons for meteorological observations?

(v)   Complete the equation :
$$XeF_2 + PF_5 \longrightarrow$$

26.   An aromatic compound 'A' of molecular formula C_7H_7ON undergoes a series of reactions as shown below. Write the structures of A, B, C, D and E in the following reactions :


OR

(a) Write the structures of main products when aniline reacts with the following reagents:

(i) Br_2 water

(ii)   HCl

(iii) $(CH_3CO)_2O$ / pyridine

(b) Arrange the following in the increasing order of their boiling point:
$$C_2H_5NH_2, C_2H_5OH, (CH_3)_3N$$

(c) Give a simple chemical test to distinguish between the following pair of compounds:
$$(CH_3)_2NH \ and \ (CH_3)_3N$$