

JAVA means DURGA SOFT

SCJP / OCPJP

Question Bank

Chapter 13 : Inner Classes



DURGA M.Tech

(Sun certified & Realtime Expert)

Ex. IBM Employee

Trained Lakhs of Students
for last 14 years across INDIA

India's No.1 Software Training Institute

DURGASOFT

www.durgasoft.com Ph: 9246212143 ,8096969696

13.Inner Classes

Q: 01 Given:

```
10. class Line {  
11. public static class Point {}  
12. }  
13.  
14. class Triangle {  
15. // insert code here  
16. }
```

Which code, inserted at line 15, creates an instance of the Point class defined in Line?

- A. Point p = new Point();
- B. Line.Point p = new Line.Point();
- C. The Point class cannot be instantiated at line 15.
- D. Line l = new Line(); l.Point p = new l.Point();

Answer: B

Q: 02 Given:

```
11. static class A {  
12. void process() throws Exception { throw new Exception(); }  
13. }  
14. static class B extends A {  
15. void process() { System.out.println("B "); }  
16. }  
17. public static void main(String[] args) {  
18. A a = new B();  
19. a.process();  
20. }
```

What is the result?

- A. B
- B. The code runs with no output.
- C. An exception is thrown at runtime
- D. Compilation fails because of an error in line 15.
- E. Compilation fails because of an error in line 18.
- F. Compilation fails because of an error in line 19.

Answer: F

Q: 03 Given:

```
1. package geometry;  
2. public class Hypotenuse {  
3. public InnerTriangle it = new InnerTriangle();  
4. class InnerTriangle {  
5. public int base;  
6. public int height;  
7. }  
8. }
```

Which statement is true about the class of an object that can reference the variable base?

- A. It can be any class.

DURGA's SCJP Material

- B. No class has access to base.
- C. The class must belong to the geometry package.
- D. The class must be a subclass of the class Hypotenuse.

Answer: C

Q: 04 Given:

```
10. class Line {  
11. public class Point { public int x,y;  
12. public Point getPoint() { return new Point(); }  
13. }  
14. class Triangle {  
15. public Triangle() {  
16. // insert code here  
17. }  
18. }
```

Which code, inserted at line 16, correctly retrieves a local instance of a Point object?

- A. Point p = Line.getPoint();
- B. Line.Point p = Line.getPoint();
- C. Point p = (new Line()).getPoint();
- D. Line.Point p = (new Line()).getPoint();

Answer: D

www.durgasoftonlinetraining.com



**Online Training
Pre Recorded Video
Classes Training
Corporate Training**

**Ph: +91-8885252627, 7207212427
+91-7207212428**

 **USA Ph : 4433326786**

E-mail : durgasoftonlinetraining@gmail.com