

Assignment 1

CS20BTECH11028

Download all python codes from

<https://github.com/Harsha24112002/AI1103/tree/main/Assignment-1/codes>

and latex-tikz codes from

<https://github.com/Harsha24112002/AI1103/tree/main/Assignment-1>

QUESTION (2.14)

A die is thrown twice and the sum of the numbers appearing is observed to be 6. What is the conditional probability that the number 4 has appeared at least once?

SOLUTION(2.14):

Let $A \in \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$ be a random variable representing the sum of outcomes when a die is thrown twice.

Let $B \in \{0, 1, 2\}$ be a random variable that represents the number of times 4 occurs in two throws.

We need the conditional probability of event $(B \geq 1)$ given that $(A = 6)$ has occurred.

$$\Pr((B \geq 1) | (A = 6)) = \frac{\Pr((A = 6) \cap (B \geq 1))}{\Pr(A = 6)} \quad (0.0.1)$$

We have that,

$$\Pr(A = n) = \begin{cases} 0 & n \leq 1 \\ \frac{n-1}{36} & 2 \leq n \leq 7 \\ \frac{13-n}{36} & 8 \leq n \leq 12 \\ 0 & n \geq 13 \end{cases} \quad (0.0.2)$$

Therefore using equation (0.0.2) we can write that,

$$\Pr(A = 6) = \frac{5}{36} \quad (0.0.3)$$

From binomial distribution we can write ,

$$\Pr(B \geq 1) = \Pr(B = 1) + \Pr(B = 2) \quad (0.0.4)$$

$$= \binom{2}{1} \left(\frac{1}{6}\right) \left(\frac{5}{6}\right) + \binom{2}{2} \left(\frac{1}{6}\right)^2 \quad (0.0.5)$$

$$= \frac{11}{36} \quad (0.0.6)$$

The event $((A = 6) \cap (B \geq 1))$ is such that the sum should be six 6 with atleast one 4.

There are only two possible cases $\{4,2\}, \{2,4\}$ out of 36 possible cases.

Hence,

$$\Pr((A = 6) \cap (B \geq 1)) = \frac{2}{36}. \quad (0.0.7)$$

Substituting equations (0.0.3),(0.0.7) in (0.0.1) , we get

$$\begin{aligned} \Pr((B \geq 1) | (A = 6)) &= \frac{\frac{2}{36}}{\frac{5}{36}} \\ &= \frac{2}{5}. \end{aligned} \quad (0.0.8)$$

Hence the probability of occurring atleast one 4 when the sum of the numbers is 6 when a die is thrown twice is $\frac{2}{5}$.