

# Matrices in Geometry - 10.7.84

EE25BTECH11035 Kushal B N

## Problem Statement

Let  $2x^2 + y^2 - 3xy = 0$  be the equation of pair of tangents drawn from the origin **O** to a circle of radius 3 with the centre in the first quadrant. If **A** is one of the points of contact, find the length of  $OA$ . (JEE 2001)

## Solution

Given, The equation of pair of tangents

$$y^2 - 3xy + 2x^2 = 0 \quad (1)$$

Radius  $r = 3$

Factorising the given equation of pair of tangents

$$(y - x)(y - 2x) = 0 \quad (2)$$

The direction vectors of the two tangent lines from the origin

$$\mathbf{m}_1 = \begin{pmatrix} 1 \\ 1 \end{pmatrix} \quad (3)$$

$$\mathbf{m}_2 = \begin{pmatrix} 1 \\ 2 \end{pmatrix} \quad (4)$$

## Solution

Now, let  $2\phi$  be the angle between the two tangent lines.

$$\mathbf{m}_1^T \mathbf{m}_2 = \begin{pmatrix} 1 & 1 \end{pmatrix} \begin{pmatrix} 1 \\ 2 \end{pmatrix} = 3 \quad (5)$$

$$\|\mathbf{m}_1\| = \sqrt{\mathbf{m}_1^T \mathbf{m}_1} = \sqrt{2} \quad (6)$$

$$\|\mathbf{m}_2\| = \sqrt{\mathbf{m}_2^T \mathbf{m}_2} = \sqrt{5} \quad (7)$$

$$\cos 2\phi = \frac{\mathbf{m}_1^T \mathbf{m}_2}{\|\mathbf{m}_1\| \|\mathbf{m}_2\|} = \frac{3}{\sqrt{2}\sqrt{5}} = \frac{3}{\sqrt{10}} \quad (8)$$

$$\Rightarrow \tan 2\phi = \frac{\sqrt{1 - \cos^2 2\phi}}{\cos 2\phi} = \frac{1/\sqrt{10}}{3/\sqrt{10}} = \frac{1}{3} \quad (9)$$

## Solution

Let the centre of the circle be **C**, so that in the right-angled triangle  $\triangle OAC$ , we have (as  $AC = r = 3$ )

$$\tan \phi = \frac{AC}{OA} = \frac{3}{OA} \quad (10)$$

$$\tan 2\phi = \frac{2 \tan \phi}{1 - \tan^2 \phi} \quad (11)$$

Let  $t = \tan \phi$

$$\frac{1}{3} = \frac{2t}{1 - t^2} \quad (12)$$

$$\implies t^2 + 6t - 1 = 0 \quad (13)$$

## Solution

Solving the above quadratic equation using the quadratic formula, we get

$$t = -3 \pm \sqrt{10} \quad (14)$$

Now, the angle being acute implies that  $\tan \phi > 0$ , so

$$\tan \phi = \sqrt{10} - 3 \quad (15)$$

$$\Rightarrow OA = \frac{3}{\tan \phi} = \frac{3}{\sqrt{10} - 3} \quad (16)$$

Rationalising the denominator, we get

$$\boxed{OA = 9 + 3\sqrt{10}} \quad (17)$$

## Final Answer

∴ The length of  $OA$  is equal to  $9 + 3\sqrt{10}$  units.




Figure: Plot for 10.7.84