## 7.4.26

EE25BTECH11019 – Darji Vivek M.

## Question

#### **Question:**

If two distinct chords, drawn from the point (p,q) on the circle

$$x^2 + y^2 = px + qy$$

(where  $pq \neq 0$ ) are bisected by the X-axis, then which of the following is true?

- $p^2 = q^2$
- $p^2 = 8q^2$
- 3  $p^2 < 8q^2$
- $p^2 > 8q^2$

#### Solution

Let

$$\mathbf{P} = \begin{pmatrix} p \\ q \end{pmatrix}, \qquad \mathbf{c} = \frac{1}{2}\mathbf{P}, \qquad r = \frac{1}{2}\sqrt{\mathbf{P}^{\top}\mathbf{P}}.$$
 (1)

Hence, the circle in vector form is  $\|\mathbf{x} - \mathbf{c}\| = r$ .

Let the midpoint of a chord through  $\mathbf{P}$  lying on the x-axis be

$$\mathbf{M} = \begin{pmatrix} h \\ 0 \end{pmatrix}, \tag{2}$$

and the other end of the chord be

$$\mathbf{B} = 2\mathbf{M} - \mathbf{P}.\tag{3}$$

Since **B** lies on the circle,

$$(\mathbf{B} - \mathbf{c})^{\top} (\mathbf{B} - \mathbf{c}) = r^2. \tag{4}$$

### Solution

Substitute  $\mathbf{B} = 2\mathbf{M} - \mathbf{P}$  and  $\mathbf{c} = \frac{1}{2}\mathbf{P}$ :

$$\left(2\mathbf{M} - \frac{3}{2}\mathbf{P}\right)^{\top} \left(2\mathbf{M} - \frac{3}{2}\mathbf{P}\right) = \frac{1}{4}\mathbf{P}^{\top}\mathbf{P}.$$
 (5)

Expand and simplify:

$$4\mathbf{M}^{\top}\mathbf{M} - 6\mathbf{M}^{\top}\mathbf{P} + \frac{9}{4}\mathbf{P}^{\top}\mathbf{P} = \frac{1}{4}\mathbf{P}^{\top}\mathbf{P}$$
 (6)

$$\implies 4\mathbf{M}^{\mathsf{T}}\mathbf{M} - 6\mathbf{M}^{\mathsf{T}}\mathbf{P} + 2\mathbf{P}^{\mathsf{T}}\mathbf{P} = 0. \tag{7}$$

With 
$$\mathbf{M} = \begin{pmatrix} h \\ 0 \end{pmatrix}$$
,

$$\mathbf{M}^{\mathsf{T}}\mathbf{M} = h^2, \qquad \mathbf{M}^{\mathsf{T}}\mathbf{P} = ph.$$

Substitute:

$$4h^2 - 6ph + 2\mathbf{P}^{\mathsf{T}}\mathbf{P} = 0.$$

Divide by 2:

$$2h^2 - 3ph + \mathbf{P}^{\mathsf{T}}\mathbf{P} = 0.$$

#### Solution

For two distinct chords, this quadratic in *h* must have two distinct real roots:

$$\Delta = 9p^2 - 8\mathbf{P}^{\mathsf{T}}\mathbf{P} > 0 \tag{8}$$

$$=9p^2-8(p^2+q^2)>0$$
 (9)

$$\implies p^2 - 8q^2 > 0. \tag{10}$$

$$p^2 > 8q^2$$

Hence, option (d) is correct.

# C Code: parallel\_funcs.c

```
https://github.com/vivekd03/ee1030-2025/blob/main/ee25btech11019/matgeo/7.4.26/codes/14.c
```

## Python: Plotting Lines

https://github.com/vivekd03/ee1030-2025/blob/main/ee25btech11019/matgeo/7.4.26/codes/14.py

# Pyhton plot

