

MATGEO Presentation: 4.7.51

S.Harsha Vardhan Reddy
ee25btech11054,
IIT Hyderabad.

October 10, 2025

1 Problem

2 Solution

- Finding the Normal Vector
- Finding the Plane Equation

3 Plot

Problem Statement

Find the equation of the plane passing through the point $(-1, 3, 2)$ and perpendicular to each of the planes $x + 2y + 3z = 5$ and $3x + 3y + z = 0$.

Normal Vectors and Conditions

The normal vectors to the given planes are $\mathbf{n}_1 = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$ and $\mathbf{n}_2 = \begin{pmatrix} 3 \\ 3 \\ 1 \end{pmatrix}$.

Let the normal vector of the required plane be $\mathbf{n} = \begin{pmatrix} n_1 \\ n_2 \\ n_3 \end{pmatrix}$. Since the required plane is perpendicular to both given planes, its normal vector $\mathbf{n}$ must be orthogonal to both $\mathbf{n}_1$ and $\mathbf{n}_2$. This gives the following homogeneous system of linear equations:

$$\mathbf{n}_1^\top \mathbf{n} = n_1 + 2n_2 + 3n_3 = 0 \quad (3.1)$$

$$\mathbf{n}_2^\top \mathbf{n} = 3n_1 + 3n_2 + n_3 = 0 \quad (3.2)$$

Solving the System

To solve this system, we form the augmented matrix and reduce it.

$$\left(\begin{array}{ccc|c} 1 & 2 & 3 & 0 \\ 3 & 3 & 1 & 0 \end{array} \right) \xrightarrow{\text{Row Reduce}} \left(\begin{array}{ccc|c} 1 & 0 & -7/3 & 0 \\ 0 & 1 & 8/3 & 0 \end{array} \right)$$

From the reduced form, we have:

$$n_1 - \frac{7}{3}n_3 = 0 \implies n_1 = \frac{7}{3}n_3$$

$$n_2 + \frac{8}{3}n_3 = 0 \implies n_2 = -\frac{8}{3}n_3$$

Determining the Normal Vector

The solution space for $\mathbf{n}$ is spanned by the vector $\begin{pmatrix} 7/3 \\ -8/3 \\ 1 \end{pmatrix}$.

We can choose any non-zero scalar multiple of this vector for our normal. Letting the free variable $n_3 = -3$ gives a simple integer vector:

$$\mathbf{n} = \begin{pmatrix} -7 \\ 8 \\ -3 \end{pmatrix} \quad (3.3)$$

Equation of the Plane

The equation of the required plane passes through the point $\mathbf{P}_0 = \begin{pmatrix} -1 \\ 3 \\ 2 \end{pmatrix}$ and has the normal vector $\mathbf{n}$. The equation is $\mathbf{n}^\top \mathbf{p} = \mathbf{n}^\top \mathbf{P}_0$.

$$c = (-7 \quad 8 \quad -3) \begin{pmatrix} -1 \\ 3 \\ 2 \end{pmatrix} = 7 + 24 - 6 = 25 \quad (3.4)$$

Thus, the equation of the plane is:

$$(7 \quad -8 \quad 3) \begin{pmatrix} x \\ y \\ z \end{pmatrix} = -25 \quad (3.5)$$

Plot

Intersection of Planes and Required Perpendicular Plane

