

Object Oriented Caesar Cipher

Constructors

Constructors: Initializing Objects

```
public class CaesarCipher {  
    private String alphabet;  
    private String shiftedAlphabet;
```

```
    public CaesarCipher(int key) {  
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";  
        shiftedAlphabet = alphabet.substring(key) +  
                           alphabet.substring(0,key);  
    }
```

.....

Constructors: Initializing Objects

```
public class CaesarCipher {  
    private String alphabet;  
    private String shiftedAlphabet;  
    public CaesarCipher(int key) {  
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";  
        shiftedAlphabet = alphabet.substring(key) +  
                           alphabet.substring(0,key);  
    }  
    .....  
}
```

Constructors: Initializing Objects

```
public class CaesarCipher {  
    private String alphabet;  
    private String shiftedAlphabet;  
    public CaesarCipher(int key) {  
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";  
        shiftedAlphabet = alphabet.substring(key) +  
            alphabet.substring(0,key);  
    }  
    .....  
}
```

Constructors: Initializing Objects

```
public class CaesarCipher {  
    private String alphabet;  
    private String shiftedAlphabet;  
    public CaesarCipher(int key) {  
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";  
        shiftedAlphabet = alphabet.substring(key) +  
                           alphabet.substring(0,key);  
    }  
    .....  
}
```


Constructors: Not Normal Methods

- Constructors: not normal methods
 - Do not call directly
 - Called as part of creating an object with `new`
- Do not write any constructors?
 - Compiler provides default:
 - `public CaesarCipher() { }`

Constructors: Not Normal Methods


- Constructors: not normal methods
 - Do not call directly
 - Called as part of creating an object with `new`
- Do not write any constructors?
 - Compiler provides default:
 - `public CaesarCipher() { }`

Constructors: Not Normal Methods

- Constructors: not normal methods
 - Do not call directly
 - Called as part of creating an object with `new`
- Do not write any constructors?
 - Compiler provides default:
 - `public CaesarCipher() { }`

Constructors: Initializing Objects

```
public class CaesarCipher { cc  
    private String alphabet;  
    private String shiftedAlphabet;  
    public CaesarCipher(int key) {  
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";  
        shiftedAlphabet = alphabet.substring(key) +  
            alphabet.substring(0,key);  
    }  
}
```

.....
 CaesarCipher cc = new CaesarCipher(22);

Constructors: Initializing Objects

```
public class CaesarCipher {
```

cc

alphabet

shiftedAlphabet

```
    private String alphabet;
```

```
    private String shiftedAlphabet;
```


```
    public CaesarCipher(int key) {
```

```
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
```

```
        shiftedAlphabet = alphabet.substring(key) +  
                               alphabet.substring(0,key);
```

```
    }
```

.....



```
CaesarCipher cc = new CaesarCipher(22);
```

Constructors: Initializing Objects

```
public class CaesarCipher {  
    private String alphabet;  
    private String shiftedAlphabet;  
    public CaesarCipher(int key) {  
        → alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";  
        shiftedAlphabet = alphabet.substring(key) +  
            alphabet.substring(0,key);  
    }
```

cc

key 22

alphabet

shiftedAlphabet

.....

```
CaesarCipher cc = new CaesarCipher(22);
```

Constructors: Initializing Objects

```
public class CaesarCipher {
```

```
    private String alphabet;
```

```
    private String shiftedAlphabet;
```

```
    public CaesarCipher(int key) {
```

```
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
```

```
        → shiftedAlphabet = alphabet.substring(key) +  
                               alphabet.substring(0,key);
```

```
    }
```

.....

```
CaesarCipher cc = new CaesarCipher(22);
```

cc

key 22

alphabet

shiftedAlphabet

A B C ...

Constructors: Initializing Objects

```
public class CaesarCipher {
```


```
    private String alphabet;
```

```
    private String shiftedAlphabet;
```

```
    public CaesarCipher(int key) {
```

```
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
```

```
        shiftedAlphabet = alphabet.substring(key) +  
                               alphabet.substring(0,key);
```



.....

```
CaesarCipher cc = new CaesarCipher(22);
```

cc

key 22

alphabet

shiftedAlphabet

A B C ...

W X Y ...

Constructors: Initializing Objects

```
public class CaesarCipher {
```

```
    private String alphabet;
```

```
    private String shiftedAlphabet;
```

```
    public CaesarCipher(int key) {
```

```
        alphabet = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
```

```
        shiftedAlphabet = alphabet.substring(key) +  
                               alphabet.substring(0,key);
```

```
    }
```

.....

```
CaesarCipher cc = new CaesarCipher(22);
```

cc

alphabet

shiftedAlphabet

A B C ...

W X Y ...