

AI ASSISTED CODING

ASSIGNMENT-5.1 AND 6

NAME: Harshitha Guda

H.T.No.:2303A51102

Task 1:

Employee Data: Create Python code that defines a class named 'Employee' with the following attributes: 'empid', 'empname', 'designation', 'basic_salary', and 'exp'. Implement a method 'display_details()' to print all employee details. Implement another method 'calculate_allowance()' to determine additional allowance based on experience:

- If 'exp > 10 years' → allowance = 20% of 'basic_salary'
- If '5 ≤ exp ≤ 10 years' → allowance = 10% of 'basic_salary'
- If 'exp < 5 years' → allowance = 5% of 'basic_salary'

Finally, create at least one instance of the 'Employee' class, call the 'display_details()' method, and print the calculated allowance.

```
1 class Employee:
2     def __init__(self,empid, empname, designation,basic_salary,exp):
3         self.empid = empid
4         self.empname = empname
5         self.designation = designation
6         self.basic_salary = basic_salary
7         self.exp = exp
8     def display_details(self):
9         print(f"Employee ID: {self.empid}")
10        print(f"Employee Name: {self.empname}")
11        print(f"Designation: {self.designation}")
12        print(f"Basic Salary: {self.basic_salary}")
13        print(f"Experience: {self.exp} years")
14    def calculate_allowance(self):
15        if self.exp >10:
16            allowance = 0.20* self.basic_salary
17        elif 5<= self.exp <=10:
18            allowance = 0.10* self.basic_salary
19        elif self.exp <5:
20            allowance = 0.05* self.basic_salary
21        return allowance
22 emp=Employee(1102, "Rita", "Software Engineer", 80000, 9)
23 emp.display_details()
24 allowance = emp.calculate_allowance()
25 print(f"Allowance: {allowance}")
26
```

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL** PORTS

```
PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
Employee ID: 1102
Employee Name: Rita
Designation: Software Engineer
Basic Salary: 80000
Experience: 9 years
Allowance: 8000.0
```

Task 2:

Electricity Bill Calculation- Create Python code that defines a class named `ElectricityBill` with attributes: `customer_id`, `name`, and `units_consumed`. Implement a method `display_details()` to print customer details, and a method `calculate_bill()` where:

- Units $\leq 100 \rightarrow ₹5$ per unit
- 101 to 300 units $\rightarrow ₹7$ per unit
- More than 300 units $\rightarrow ₹10$ per unit

Create a bill object, display details, and print the total bill amount.

```
27 class ElectricityBill:
28     def __init__(self, customer_id, name, units_consumed):
29         self.customer_id = customer_id
30         self.name = name
31         self.units_consumed = units_consumed
32     def display_details(self):
33         print(f"Customer ID: {self.customer_id}")
34         print(f"Customer Name: {self.name}")
35         print(f"Units Consumed: {self.units_consumed}")
36     def calculate_bill(self):
37         if self.units_consumed <= 100:
38             bill_amount = self.units_consumed * 5
39         elif 101 <= self.units_consumed <= 300:
40             bill_amount = (100 * 5) + (self.units_consumed - 100) * 7
41         else:
42             bill_amount = (100 * 5) + (100 * 7) + (self.units_consumed - 300) * 10
43         return bill_amount
44 bill = ElectricityBill(101, "John", 340)
45 bill.display_details()
46 bill_amount = bill.calculate_bill()
47 print(f"Total Bill Amount: {bill_amount}")
48
```

PROBLEMS	OUTPUT	DEBUG CONSOLE	TERMINAL	PORTS
PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py Customer ID: 101 Customer Name: John Units Consumed: 340 Total Bill Amount: 1600				

Task 3:

Product Discount Calculation- Create Python code that defines a class named `Product` with attributes: `product_id`, `product_name`, `price`, and `category`. Implement a method `display_details()` to print product details. Implement another method `calculate_discount()` where:

- Electronics $\rightarrow 10\%$ discount
- Clothing $\rightarrow 15\%$ discount
- Grocery $\rightarrow 5\%$ discount

Create at least one product object, display details, and print the final price after discount.

```

50 class Product:
51     def __init__(self, product_id, product_name, price, category):
52         self.product_id = product_id
53         self.product_name = product_name
54         self.price = price
55         self.category = category
56     def display_details(self):
57         print(f"Product ID: {self.product_id}")
58         print(f"Product Name: {self.product_name}")
59         print(f"Price: {self.price}")
60         print(f"Category: {self.category}")
61     def calculate_discount(self):
62         if self.category.lower() == "electronics":
63             discount = 0.10 * self.price
64         elif self.category.lower() == "clothing":
65             discount = 0.15 * self.price
66         elif self.category.lower() == "groceries":
67             discount = 0.05 * self.price
68         return discount
69 product = Product(100, "Speaker", 50000, "Electronics")
70 product.display_details()
71 discount = product.calculate_discount()
72 print(f"Final Price: {product.price - discount}")
73 product = Product(101, "Cargo", 2000, "Clothing")
74 product.display_details()
75 discount = product.calculate_discount()
76 print(f"Final Price: {product.price - discount}")

```

```

PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
Product ID: 100
Product Name: Speaker
Price: 50000
Category: Electronics
Final Price: 45000.0
Product ID: 101
Product Name: Cargo
Price: 2000
Category: Clothing
Final Price: 1700.0
PS C:\Users\gudah>

```

Task 4:

Book Late Fee Calculation- Create Python code that defines a class named `LibraryBook` with attributes: `book_id`, `title`, `author`, `borrower`, and `days_late`. Implement a method `display_details()` to print book details, and a method `calculate_late_fee()` where:

- Days late $\leq 5 \rightarrow ₹5$ per day
- 6 to 10 days late $\rightarrow ₹7$ per day
- More than 10 days late $\rightarrow ₹10$ per day

Create a book object, display details, and print the late fee.

```

79 class LibraryBook:
80     def __init__(self,book_id,title,author,borrower,days_late):
81         self.book_id = book_id
82         self.title = title
83         self.author = author
84         self.borrower = borrower
85         self.days_late = days_late
86     def display_details(self):
87         print(f"Book ID: {self.book_id}")
88         print(f"Title: {self.title}")
89         print(f"Author: {self.author}")
90         print(f"Borrower: {self.borrower}")
91         print(f"Days Late: {self.days_late}")
92     def calculate_late_fee(self):
93         if self.days_late <=5:
94             late_fee = self.days_late * 5
95         elif 6 <= self.days_late <=10:
96             late_fee = self.days_late * 7
97         else:
98             late_fee = self.days_late * 10
99         return late_fee
100 book = LibraryBook(101, "The Great Gatsby", "F. Scott Fitzgerald", "Bob Johnson", 5)
101 book.display_details()
102 late_fee = book.calculate_late_fee()
103 print(f"Late Fee: {late_fee}")
104

```

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL** PORTS

```

PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/ATAC/Lab_assignment_5_1.py
Book ID: 101
Title: The Great Gatsby
Author: F. Scott Fitzgerald
Borrower: Bob Johnson
Days Late: 5
Late Fee: 25
PS C:\Users\gudah>

```

Task 5:

Student Performance Report - Define a function `student_report(student_data)` that accepts a dictionary containing student names and their marks. The function should:

- Calculate the average score for each student
- Determine pass/fail status (pass ≥ 40)
- Return a summary report as a list of dictionaries

Use Copilot suggestions as you build the function and format the output.

```

106 def student_report(student_marks):
107     report=[]
108     for name,marks in student_marks.items():
109         avg_marks= sum(student_marks.values())/len(student_marks)
110         if marks>=40:
111             status="Pass"
112         else:
113             status="Fail"
114         report.append({"name": name, "marks": marks, "average": avg_marks, "status": status})
115     return report
116 marks={"Alice":85, "Bob":35, "Charlie":55, "David":70, "Eva":90}
117 report=student_report(marks)
118 print(report)

```

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL** PORTS

```

PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/ATAC/Lab_assignment_5_1.py
[{'name': 'Alice', 'marks': 85, 'average': 67.0, 'status': 'Pass'}, {'name': 'Bob', 'marks': 35, 'average': 67.0, 'status': 'Fail'}, {'name': 'Charlie', 'marks': 55, 'average': 67.0, 'status': 'Pass'}, {'name': 'David', 'marks': 70, 'average': 67.0, 'status': 'Pass'}, {'name': 'Eva', 'marks': 90, 'average': 67.0, 'status': 'Pass'}]

```

Task 6:

Taxi Fare Calculation-Create Python code that defines a class named 'TaxiRide' with attributes: 'ride_id', 'driver_name', 'distance_km', and 'waiting_time_min'. Implement a method 'display_details()' to print ride details, and a method 'calculate_fare()' where:

- ₹15 per km for the first 10 km
- ₹12 per km for the next 20 km
- ₹10 per km above 30 km
- Waiting charge: ₹2 per minute

Create a ride object, display details, and print the total fare.

```
121 class TaxiRide:
122     def __init__(self,ride_id,driver_name,distance_km,waiting_time_min):
123         self.ride_id = ride_id
124         self.driver_name = driver_name
125         self.distance_km = distance_km
126         self.waiting_time_min = waiting_time_min
127     def display_details(self):
128         print(f"Ride ID: {self.ride_id}")
129         print(f"Driver Name: {self.driver_name}")
130         print(f"Distance (km): {self.distance_km}")
131         print(f"Waiting Time (min): {self.waiting_time_min}")
132     def calculate_fare(self):
133         if self.distance_km <=10:
134             fare = self.distance_km * 15
135         elif 11 <= self.distance_km <=30:
136             fare = (10 * 15) + (self.distance_km - 10) * 12
137         else:
138             fare = (10 * 15) + (20 * 12) + (self.distance_km - 30) * 10
139         fare += self.waiting_time_min * 2
140         return fare
141 ride = TaxiRide(501, "Charlie Brown", 25, 10)
142 ride.display_details()
143 fare = ride.calculate_fare()
144 print(f"Total Fare: {fare}")
```

PROBLEMS	OUTPUT	DEBUG CONSOLE	TERMINAL	PORTS
----------	--------	---------------	----------	-------

```
PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
Ride ID: 501
Driver Name: Charlie Brown
Distance (km): 25
Waiting Time (min): 10
Total Fare: 350
```

Task 7:

Statistics Subject Performance - Create a Python function 'statistics_subject(scores_list)' that accepts a list of 60 student scores and computes key performance statistics. The function should return the following:

- Highest score in the class
- Lowest score in the class
- Class average score
- Number of students passed (score \geq 40)
- Number of students failed (score $<$ 40)

Allow Copilot to assist with aggregations and logic

```
147 def statistics_subject(score_list):
148     total = sum(score_list)
149     average = total / len(score_list)
150     highest = max(score_list)
151     lowest = min(score_list)
152     passed = 0
153     failed = 0
154     for i in score_list:
155         if i >= 40:
156             passed += 1
157         else:
158             failed += 1
159     print(f"Number of Students Passed: {passed}")
160     print(f"Number of Students Failed: {failed}")
161     return { "average": average, "highest": highest, "lowest": lowest }
162 scores = [ 28, 49, 33, 72, 15, 60, 95, 40, 53, 81, 22, 47, 68, 79, 34, 91, 44, 58, 73, 38, 66, 84, 29, 50, 77, 92, 41, 36, 65, 80, 54, 87, 30, 69, 45, 71, 39, 83, 59, 74 ]
163 stats = statistics_subject(scores)
164 print(stats)
165
166
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS Python + -

PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
Number of Students Passed: 46
Number of Students Failed: 14
{'average': 58.6, 'highest': 95, 'lowest': 15}

Lab 5: Ethical Foundations – Responsible AI Coding Practices

Task Description #8 (Transparency in Algorithm Optimization)

Task: Use AI to generate two solutions for checking prime numbers:

- Naive approach(basic)
- Optimized approach

Prompt:

“Generate Python code for two prime-checking methods and explain how the optimized version improves performance.”

Expected Output:

- Code for both methods.
- Transparent explanation of time complexity.
- Comparison highlighting efficiency improvements.

```
167 #generate two programs naive approach and optimized approach to check if given number is prime or not also calculate time and space complexities of both programs
168 import time
169 # Naive Approach
170 def is_prime_naive(n):
171     if n <= 1:
172         return False
173     for i in range(2, n):
174         if n % i == 0:
175             return False
176     return True
177 start_time = time.time()
178 number = 29
179 result_naive = is_prime_naive(number)
180 end_time = time.time()
181 print(f"Naive Approach: Is {number} prime? {result_naive}")
182 print(f"Time taken (Naive): {end_time - start_time} seconds")
183 # Time Complexity: O(n)
184 # Space Complexity: O(1)
185
186
187
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS Python + -

PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
Naive Approach: Is 29 prime? True
Time taken (Naive): 1.5497207641601562e-05 seconds
Optimized Approach: Is 29 prime? True
Time taken (Optimized): 1.0967254638671875e-05 seconds

```

189 # Optimized Approach
190 def is_prime_optimized(n):
191     if n <= 1:
192         return False
193     if n <= 3:
194         return True
195     if n % 2 == 0 or n % 3 == 0:
196         return False
197     i = 5
198     while i * i <= n:
199         if n % i == 0 or n % (i + 2) == 0:
200             return False
201         i += 6
202     return True
203 start_time = time.time()
204 result_optimized = is_prime_optimized(number)
205 end_time = time.time()
206 print(f"Optimized Approach: Is {number} prime? {result_optimized}")
207 print(f"Time taken (Optimized): {end_time - start_time} seconds")
208 # Time Complexity: O(√n)
209 # Space Complexity: O(1)

```

Task Description #9 (Transparency in Recursive Algorithms)

Objective: Use AI to generate a recursive function to calculate Fibonacci numbers.

Instructions:

1. Ask AI to add clear comments explaining recursion.
2. Ask AI to explain base cases and recursive calls.

Expected Output:

- Well-commented recursive code.
- Clear explanation of how recursion works.
- Verification that explanation matches actual execution.

```

213 #generate python code that develop fibonacci sequence using recursion
214 #Provide well commented explanation of each step
215 def fibonacci(n):
216     # Base case: if n is 0 or 1, return n
217     if n <= 1:
218         return n
219     else:
220         # Recursive case: return the sum of the two preceding numbers
221         return fibonacci(n - 1) + fibonacci(n - 2)
222 # Number of terms in the Fibonacci sequence
223 num_terms = 10
224 print(f"Fibonacci sequence up to {num_terms} terms:")
225 for i in range(num_terms):
226     print(fibonacci(i), end=" ")
227 # The above code defines a recursive function to generate Fibonacci numbers.
228
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\gudah> & C:/Python314/python.exe c:/Users/gudah/OneDrive/Documents/AIAC/Lab_assignment_5_1.py
Fibonacci sequence up to 10 terms:
0 1 1 2 3 5 8 13 21 34

```

Task Description #10 (Transparency in Error Handling)

Task: Use AI to generate a Python program that reads a file and processes data.

Prompt:

“Generate code with proper error handling and clear explanations for each exception.”

Expected Output:

- Code with meaningful exception handling.
- Clear comments explaining each error scenario.
- Validation that explanations align with runtime behavior.

```
229 #generate a program that reads a file and process the data
230 #Generate code with proper error handling and clear explanations for each exception.
231 def read_file(file_path):
232     try:
233         # Attempt to open the file
234         with open(file_path, 'r') as file:
235             data = file.read()
236             print("File content successfully read.")
237             return data
238     except FileNotFoundError:
239         # Handle the case where the file does not exist
240         print(f"Error: The file at {file_path} was not found.")
241     except PermissionError:
242         # Handle the case where there are permission issues
243         print(f"Error: You do not have permission to read the file at {file_path}.")
244     except Exception as e:
245         # Handle any other exceptions that may occur
246         print(f"An unexpected error occurred: {e}")
247 file_path = 'example.txt' # Specify the path to your file here
248 file_content = read_file(file_path)
249 if file_content:
250     print("File Content:")
251     print(file_content)
```

```
File content successfully read.
File Content:
Hello Everyone
Welcome to AI Assisted Coding class
Third year second semester
SR University
Lets work with files as part of lab assignment
```