	✓ O'S O'S O'S O'S O'S O'S	2
3	STUDENT REPORTS SET LOS SET LO	CSOGS
DE		S S S S S S S S S S S S S S S S S S S
& PA	Name & Company of the	0
, Soo State Time	HARSHITHA T	063
, E	Roll Number	223003
305	ODDOGGGG	
₃ BR ¹ 3C ⁵	(PERÍMENT AND	- Bakky
T:al		csos
csob's	CHOCOLATE JAR A CONTROL OF A CO	63 ARINGS
	You are given an integer array of size N, representing jars of chocolates. Three students A, B, and C respectively, will pick chocolates one by one from each chocolate jar, till the jar is empty, and then repeat the same with the rest of the jars. Your task is to fine and return an integer value representing the total number of chocolates that student A will have, after all the	- 63
3BR23C5	Note: Once a jar is done A will start taking the chocolates from the new jar.	BRI
.5	Input Format :	2633BR7
B	input1: An integer value N representing the number of jars.	
1305063	input2: An integer array representing the quantity of chocolates in each jar.	3BR13CS
	Output Format:	3BR
,0633BR7	Return an integer value representing the total number of chocolates that student A will have, after all the chocolates are picked.	60
,0	Example:	305063
c,S	Input:	
3BR13C5	3	BRI
	10 20 30)0633BRJ
63	Output:	
1305063	21	2)32°53
	Explanation:	
3BR1	Jar 1: 10 chocolates -> A-4, B-3,C-3	(
	Jar 2: 20 chocolates -> A-7, B-7, C-6	Carlos.
	Jar 3: 30 chocolates -> A-10, B-10,C-10	333
	so A gets a total of 4+7+10=21 chocolates.	સ
S	Source Code: 38 To Source Code:	A STATE OF THE STA

```
def total_choclate(c):
    total_choclate=0
    for jar in c:
        total_choclate+=jar//3
        if jar%3>=1:
            total_choclate+=1
        return total_choclate
    jar=int(input())
    c=list(map(int,input().split()))
    print(total_choclate(c))

RESULT

5/5 Test Cases Passed | 100 %
```