

## Soft. Qty. Eng. (SE3002)

Date: December 18<sup>th</sup> 2024

### Course Instructor(s)

Dr. Ali Afzal Malik (BSE-5A; BSE-5B)

Ms. Javeria Sadiq (BSE-5C)

## Final Exam

**Sections: ALL**

**Total Time: 3 Hours**

**Total Marks: 110**

**Weight: 40%**

**Total Questions: 05**

Student Name

Roll No

Section

Student Signature

**Instructions:** Attempt all questions on the question paper. Neither use nor submit any extra sheet.  
Usage of calculators is allowed.

### ***CLO 3: Understand the use of software quality related metrics in Software Quality Engineering***

**Q1** ..... [10 + 10 + 3 + 3 + 4 = 30]

a. Draw the flow graph of **function1** given below inside the box appearing besides its code.  
Nodes must be annotated clearly on the code. [Note: Line numbers have been added at the start of each line of code for convenience only.]

```
1. int square(int num)
2. {
3.     return (num * num);
4. }
5.
6. int function1 (int a, int b)
7. {
8.     int c = 1;
9.     int d = 1;
10.    int e;
11.    for(int i = 0; i < a; i++)
12.    {
13.        c++;
14.        while(i < b)
15.        {
16.            if((a == b) || (a > 100))
17.            {
18.                d++;
19.                break;
20.            }
21.            else
22.            {
23.                d--;
24.                continue;
25.            }
26.        }
27.        cout<<"Iteration = "<<i<<"\n";
28.    }
29.    e = square(c) + square (d);
30.    return e;
31. }
```

### Flow Graph of **function1**

# National University of Computer and Emerging Sciences

## Lahore Campus

b. Draw the flow graph of **function2** given below inside the box appearing besides its code. Nodes must be annotated clearly on the code. [Note: Line numbers have been added at the start of each line of code for convenience only.]

```
1. int square(int num)
2. {
3.     return (num * num);
4. }
5.
6. int cube(int num)
7. {
8.     return (num * num * num);
9. }
10.
11. int function2 (int a)
12. {
13.     int b;
14.     switch(a)
15.     {
16.         case 1: b = a;
17.             break;
18.         case 2: b = square(a);
19.         case 3: b = cube(a);
20.         default: b = 0;
21.     }
22. }
23. int c;
24. switch(b)
25. {
26.     case 1: c = b;
27.     case 4: c = square(b);
28.     case 8: c = cube(b);
29.         break;
30.     default: c = 0;
31. }
32. }
33. cout<<"b = "<<b<<"\n";
34. cout<<"c = "<<c<<"\n";
35. return (b + c);
36. }
```

Flow Graph of **function2**

# National University of Computer and Emerging Sciences

## Lahore Campus

c. What is the maximum number of linearly independent paths in the flow graph of **function1**? Show your working clearly.

d. What is the maximum number of linearly independent paths in the flow graph of **function2**? Show your working clearly.

e. Which of these two functions (function1 or function2) is likely to have more errors? Why?

Function likely to have more errors:

Reason:

# National University of Computer and Emerging Sciences

## Lahore Campus

### ***CLO 3: Understand the use of software quality related metrics in Software Quality Engineering***

---

#### **Q2 ..... [8 + 2 = 10]**

The developers of FASTTravel – an airline, hotel, and taxi booking web app for frequent travellers – have decided to employ the dual independent testing teams method. They determined their testing termination level to be residual undetected errors of 0.85%.

After 3 weeks of testing, testing team A has detected 390 errors while testing team B has detected 380 errors. Comparison of the detected errors of the two teams revealed that 350 errors had been detected by both testing teams.

a. Using the information given above, estimate each of the following (use **3** decimal places):

- i. Proportion of errors detected by team A
- ii. Proportion of errors detected by team B
- iii. Total number of errors in FASTTravel
- iv. Proportion of errors undetected by both teams

b. Should testing be terminated at this stage? Justify your answer.

Decision:

Justification:

# National University of Computer and Emerging Sciences

## Lahore Campus

### ***CLO 3: Understand the use of software quality related metrics in Software Quality Engineering***

#### **Q3** ..... [2 + 2 + 4 + 4 + 2 + 2 + 2 + 2 = 20]

FASTComplain is a web-based complaint management system developed using 45,000 lines of all new JavaScript code for managing the complaints reported by the community of FAST-NUCES. A team of 10 software engineers each working for 40 hours a week for 3 weeks developed FASTComplain in three phases. In the first phase, the features relevant to faculty were developed. Then, the features relevant to staff were developed. Finally, the features relevant to students were developed. The end of each phase corresponded to a project milestone. Only the first milestone was completed on time. The rest of the milestones were completed after a delay of 10 days and 5 days for milestone 2 and milestone 3, respectively. During the development of FASTComplain only two SQA activities were used to detect errors i.e. design reviews and basis path testing. Design reviews detected 5 design-related errors and basis path testing uncovered 25 code-related errors. No other errors were detected. After performing alpha and beta testing, FASTComplain was released on January 1, 2015. From January 1, 2015 to June 30, 2015 (both dates included), 15 help desk calls were received and 3 failures were detected and reported by the FAST-NUCES community. From July 1, 2015 to December 31, 2015 (both dates included), 20 help desk calls were received and 4 failures were detected and reported by the FAST-NUCES community. The maintenance team spent a total of 43 hours to correct these failures detected and reported by the FAST-NUCES community in 2015. From January 1, 2015 to December 31, 2015 (both dates included), FASTComplain was up and running 24 hours a day on all days except August 14, 2015. On August 14, 2015 the server hosting FASTComplain was switched off the entire day for performing upgrades and archiving data.

Without making any assumptions, use only the information provided above to calculate the following metrics for FASTComplain. Show complete working (including formulas used). Answers (values) must be correct to three decimal places. There is no partial credit.

#	Metric	Value
1	Time Table Observance (TTO)	
2	Average Delay of Milestone Completion (ADMC)	
3	Development Error Removal Effectiveness (DERE)	
4	Development Productivity (DevP)	
5	HD calls Density (HDD)	
6	Software System Failure Density (SSFD)	
7	Corrective Maintenance Effectiveness (CMaiE)	

# National University of Computer and Emerging Sciences

## Lahore Campus

8	Total Unavailability (TUA)	
---	----------------------------	--

### ***CLO 3: Understand the use of software quality related metrics in Software Quality Engineering***

#### **Q4** ..... [4 + 8 + 8 = 20]

The following table shows a partially complete Inspection Session Summary Report. Complete this Report by filling in the missing information. Use **two** decimal places for values of defect detection metrics. Check your answers carefully. There is **no** credit for errors carried forward.

<b>Inspection Session Summary Report</b>							
Session date: <u>February 1, 2020</u>				Project Name: <u>FASTFood</u>			
The inspected document: <u>Software Project Plan (SPP)</u>				Version: <u>3</u>			
The inspected document sections: <u>All</u>				Total Pages: <u>50</u>			
The inspection team: <u>Bo (inspection leader), Fo, Ho, Jo, Mo</u>							
<b>1 Resources invested (hours worked)</b> (Max. Marks = 4)							
#	Team member	Overview meeting	Preparation	Inspection session	Total (hours)	Comments	
1	Bo	2	7	3		Including report preparation	
2	Fo	2	6	2			
3	Ho	2	5	2			
4	Jo	2	4	2			
5	Mo	2	5	2			
<b>Total</b>							
<b>2 Defect summary</b> (Max. Marks = 8)							
Defect severity	Defect nature			Total defects	Severity factor	Total defects (standardized)	Comments
	W	M	E*				
5 – critical	2	2	1		16		
4	5	1			8		
3		4	2		4		
2	5		3		2		
1 – minor	10	5	1		1		
<b>Total</b>							
<b>3 Defect detection metrics</b> (Max. Marks = 8)							
(1) Average defects per page =							
(2) Standardized average defects per page =							
(3) Defects detection efficiency (hours per defect) =							
(4) Standardized defect detection efficiency =							
Prepared by: <u>Bo</u>				Signature: <u>Bo</u>		Date: <u>February 3, 2020</u>	
*W = Wrong; M = Missing; E = Extra							

National University of Computer and Emerging Sciences  
Lahore Campus

**CLO 3: Understand the use of software quality related metrics in Software Quality Engineering**

**Q5** ..... [20 + 8 + 2 = 30]

SatelliteSoft, a local software house which specializes in developing software components for satellites, is considering adopting one of the following two SQA plans (see Table 1 and Table 2) for its SatFast project.

**Table 1: SQA Plan 1**

No.	SQA Activity	Defect Removal Effectiveness	Cost of Removing a Detected Defect (Cost Units)
1	Requirements specification review	60%	1
2	Design review	60%	2.5
3	Code inspection	70%	6.5
4	Integration test	60%	16
5	System test	60%	40
6	Operation phase	100%	110

**Table 2: SQA Plan 2**

No.	SQA Activity	Defect Removal Effectiveness	Cost of Removing a Detected Defect (Cost Units)
1	Requirements specification review	60%	1
2	Design inspection	70%	2.5
3	Unit test - code	50%	6.5
4	Integration test	60%	16
5	System test	60%	40
6	Operation phase	100%	110

**Table 3: Distribution of Software Defect Origins**

No.	Software development phase	Average percentage of defects originating in phase
1	Requirements specification	25%
2	Design	35%
3	Coding (coding 30%, integration 10%)	40%

There is **no** partial credit in this question and there are **no** marks for errors carried forward. Therefore, check your answers carefully. All numerical values should be accurate to **3 decimal places**.

- a. Using the defect origin distributions in Table 3, complete the process-oriented illustrations of SQA Plan 1 and SQA Plan 2 models given below assuming the removal of 100 defects.

# National University of Computer and Emerging Sciences

## Lahore Campus

### SQA Plan 1 model

#### **Req. spec. (review)**

POD =	PD =	%FE =
		RD =
		CDR =
		TRC =

#### **Design (review)**

POD =	PD =	%FE =
		RD =
		CDR =
		TRC =

#### **Coding (inspection)**

POD =	PD =	%FE =
		RD =
		CDR =
		TRC =

#### **Integration test**

POD =	PD =	%FE =
		RD =
		CDR =
		TRC =

#### **System test**

POD =	PD =	%FE =
		RD =
		CDR =
		TRC =


#### **Operation**

POD =	PD =	%FE =
		RD =
		CDR =
		TRC =



# National University of Computer and Emerging Sciences

## Lahore Campus



# National University of Computer and Emerging Sciences

## Lahore Campus

- b. Using the information you have provided in the two models above, complete the following table.

**Table 4: Comparison of SQA Plans**

	<b>SQA Plan 1</b>	<b>SQA Plan 2</b>
Total cost of removing all 100 defects (in cost units)		
Percentage of defects detected during operation		

- c. Indicate which of the two SQA Plans is more suitable for the SatFast project. Justify your answer.

More suitable SQA Plan:

Justification: