

Cucumber Report

Mar 25, 2025, 11:12:53 PM

Start : Mar 25, 11:12:49.128 PM

End : Mar 25, 11:12:52.618 PM

Duration : 3.490 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0

PASSED - 8
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate column names and data in tour_requests table</u>	3.490 s	2	2	0	0	8	8	0	0

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@db_us14_tc01	2	2	0	0	1	1	0	0
@db_us_14	2	2	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validate column names and data in tour_requests table</u>	2	2	0	0	3.490 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate column names and data in tour_requests table</u>	<u>Validate column names in tour_requests table</u>	4	4	0	0	1.971 s
2		<u>Validate data rows exist in tour_requests table</u>	4	4	0	0	1.435 s

Validate column names and data in tour_requests table

PASSED	DURATION - 3.490 s	Scenarios		Steps	
/ 11:12:49.128 PM // 11:12:52.618 PM /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate column names in tour_requests table

<div>PASSED</div> <div>DURATION - 1.971 s</div>		<div></div> <table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table>	Step	Count	1	1	2	1	3	0	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step	Count													
1	1													
2	1													
3	0													
4	0													
/ 11:12:49.142 PM // 11:12:51.113 PM /														
Validate column names and data in tour_requests table														
@db_us14_tc01 @db_us_14														

#	Step / Hook Details	Status	Duration
1	Given Hulya connects to the database	PASSED	1.090 s
2	When Hulya runs the query "SELECT * FROM tour_requests"	PASSED	0.837 s
3	Then Hulya should see the following column headers in the result:	PASSED	0.011 s
	<div> id created_at updated_at status tour_date tour_time advert_id owner_user_id guest_user_id </div>		
4	And Hulya closes the database connection	PASSED	0.000 s

Validate data rows exist in tour_requests table


PASSED

DURATION - 1.435 s

/ 11:12:51.183 PM // 11:12:52.618 PM /

Validate column names and data in tour_requests table

@db_us14_tc01 @db_us_14



Step	Duration (s)
1	0.592
2	0.837
3	0.004
4	0.000


Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Hulya connects to the database	PASSED	0.592 s
2	When Hulya runs the query "SELECT * FROM tour_requests"	PASSED	0.837 s
3	Then Hulya verifies that the result contains at least one row	PASSED	0.004 s
4	And Hulya closes the database connection	PASSED	0.000 s