

Editing Text With Vim

Hassan Shabbir

February 14, 2019

Contents

1	The main text editors	4
1.1	VI	4
1.2	GNU Emacs	4
2	Which Vim version should I use?	5
2.1	VI	5
2.2	Vim	5
2.3	NeoVim	5
3	Installing Vim/NeoVim	6
4	Modal editing with Vim	6
4.1	Normal Mode (Movement; Modification)	6
4.2	Insert Mode (Add Text)	6
4.3	Command Mode (System Commands; Ed commands)	7
4.4	Visual Mode (Select Text)	7
5	Vim editing commands	7
5.1	Entering NeoVim (from bash prompt)	9
5.2	Movement Commands (from Normal Mode)	9
5.2.1	Character Movement	9
5.2.2	Line Movement	9
5.2.3	File Movement	10
5.2.4	Word Movement	10
5.2.5	Find Char Movement	10
5.2.6	Search Term Movement	11
5.3	Insert Commands (from Normal Mode)	11
5.3.1	Beginner	11

5.3.2	Intermediate	11
5.4	Deletion Commands (from Normal Mode)	11
5.4.1	Beginner	12
5.4.2	Intermediate	12
5.5	Deletion Commands (from Visual Mode)	12
5.5.1	Beginner	12
5.6	Change Commands (from Normal Mode)	12
5.6.1	Beginner	12
5.6.2	Intermediate	13
5.7	Yank (Copy) Commands (from Normal Mode)	13
5.7.1	Beginner	13
5.8	Yank (Copy) Commands (from Visual Mode)	13
5.8.1	Beginner	13
5.9	Paste Commands (from Normal Mode)	13
5.9.1	Beginner	13
5.10	Paste Commands (from Visual Mode)	13
5.10.1	Beginner	13
5.11	Undo Command (from Normal Mode)	13
5.11.1	Beginner	13
5.12	Visual Mode Commands (from Normal Mode)	14
5.12.1	Beginner	14
5.12.2	Intermediate	14
5.13	Command Mode (from Normal Mode)	14
5.13.1	Beginner	14
5.13.2	Intermediate	14
5.14	Command Mode (from Visual Mode)	15
5.14.1	Intermediate	15
6	Composability and repeatability	15
6.1	Text Objects	15
6.1.1	Beginner	15
6.2	Dot (.) command	16
6.2.1	Beginner	16
6.3	Number Prefixes	16
6.3.1	Intermediate	16
6.4	Macros	16
6.4.1	Intermediate	16
6.5	Registers	17
6.5.1	Intermediate	17

7	TODO Extending Vim for yourself	18
7.1	Configuration File	18
7.2	Plugins	20
7.2.1	ColorSchemes	20
7.2.2	Vim in other places	21
8	Conclusion	21

1 The main text editors

There are two main (extensible) text editors for Unix and GNU/Linux¹ operating systems. These are the VI and Emacs lines of text editors.

Both of these text editors are highly configurable and therefore are highly recommended by many programmers, so much so that since their inception many programmers have been in a "war", arguing over which text editor is better.²

1.1 VI

VI (pronounced "vee-eye"), and other text editors based off of it are great at creating and editing text. It is (usually) a basic text editor, however, newer versions of it allow a user to customize it and get IDE-like features within it.³ The main feature of VI is the way in which it allows a user to edit text.

1.2 GNU Emacs

GNU⁴ Emacs (pronounced "g'noo ee-maks") is a text editor that is extremely configurable and allows for a lot more IDE-like features. This is due to the fact that Emacs is a text editor written and extensible in the general purpose functional programming language Lisp. Emacs can also emulate VI keybindings using EVIL mode (EVIL stands for Extensible VI Layer). It is also interesting to note that Richard Stallman,⁵ the creator of GNU Emacs, also created the first alternative to Unix, which was GNU, the Free Software Foundation, as well as the GNU General Public Licence.

From here on out we will be talking about the VI line of editors. The curious reader is encouraged to read more about Emacs, if interested.

¹I'd just like to interject for a moment. What you usually refer to as Linux, is in fact, GNU/Linux, or as I've recently taken to calling it, GNU plus Linux. Linux is not an operating system unto itself, but rather another free component of a fully functioning GNU system made useful by the GNU corelibs, shell utilities and vital system components comprising a full OS as defined by POSIX. (See GNU Linux copy pasta.)

²See [The Editor Wars](#).

³This is usually not encouraged, especially at the beginning, since having plugins hinder your ability to understand Vim, and are nice to have and not necessarily mandatory for the functioning of Vim.

⁴GNU stands for "GNU's Not Unix", a recursive acronym.

⁵[Richard Stallman](#).

2 Which Vim version should I use?

NOTE: There is almost no difference between these different text editors (for our purposes) except for the information written below.

NOTE: I will assume that Vim/NeoVim is used for the rest of this file, but will refer to it as Vim, since I am lazy.

There are three different VI versions you should be familiar with.

2.1 VI

VI⁶ is the oldest text editor of the three⁷, which was created in 1976.⁸ VI is short for Visual, differentiating it from line editors. If you plan to work with many servers, you should expect literally expect every server to have it. It is very minimalistic so it won't tell you when you are in insert mode in any way (see below), for example. This makes it harder to understand for beginners, and doesn't have all the features of Vim.

2.2 Vim

Vim⁹ is the newer version of VI, first released in 1991. Due to it being very popular for a long time, and still is (last stable release: 17 May 2018), it has many resources available on the internet for it. It is also recently modern, so it shouldn't be too difficult to use. Therefore, whenever searching for general vim resources use vim in the search terms.

2.3 NeoVim

NeoVim¹⁰ is the newest version of vim, first released in 2015. This has the most interactive features and therefore is the one that I would recommend to new users. For example, when you switch between different modes, the cursor changes, helping you to remember which mode you are in.

⁶VI pronounced "vee-eye", also pronounced "vy" but that is an unofficial pronunciation.

⁷Technically, the "ed" and "ex" editors are even older, but are quite cumbersome to use. For example, they require you to print a range of lines to be able to see them.

⁸This is where the command mode in VI comes from, see below. Also, see [Actually Using Ed](#) for some extreme masochism.

⁹Vim pronounced "vim".

¹⁰NeoVim pronounced "neo-vim".

3 Installing Vim/NeoVim

Packages (programs) can easily be installed in any Linux distribution using the command line. For example, to manage packages on Ubuntu Linux, use the package manager `apt`. The full command to install Vim would then be `sudo apt install vim`, and the command to install NeoVim would be `sudo apt install nvim`.¹¹

4 Modal editing with Vim

The first thing you need to know about Vim is that there are four main modes in which you operate. Each of these modes changes what the keys on your keyboard will do.

In general, when editing text you will mostly be making small changes, and very rarely do you create whole documents without mistakes from start to finish (`cat > foo.txt` anyone?). For this reason, Vim is optimized for modifying text. Understanding modal editing (along with composability, repeatability, and text objects) is the key to understanding Vim.¹²

4.1 Normal Mode (Movement; Modification)

Normal mode allows you to issue commands to Vim, which will then do something, other than putting the key that you pressed into the file. When you first open a file you will be in Normal Mode. Pressing keys such as `j` or `l` will move the cursor rather than adding those letters to the file. You should almost always be in Normal Mode since editing text requires the ability to move around the document, and deleting, replacing, copying text, etc. which are all possible in Normal mode. Thus this mode is called "normal" since it is the default mode when using Vim. To get back into Normal Mode either use the escape key, or the key combination `control` and the left square bracket keys.

4.2 Insert Mode (Add Text)

When opening a document with Vim, you will be in Normal Mode. To get into Insert Mode, for example, you can press keys such as `i` or `a` and then you will be in Insert Mode. If you are using NeoVim, you will see the cursor

¹¹The command to both run and install it is `nvim` NOT `neovim`.

¹²For more on how vim works see this awesome answer on StackOverflow [Your problem with Vim is that you don't grok vi](#).

become thin, and in both Vim and NeoVim, you will see `--INSERT--` at the bottom of the terminal.¹³ You can then use the arrow keys to get to the location and press the keys to add them to the document. To get back to Normal Mode press escape. (This is not recommended but can help you get used to Vim. Movement commands should be done using Normal Mode, not the arrow keys, allowing your hand to stay on home row) You will notice that the cursor will become a block again in NeoVim.

4.3 Command Mode (System Commands; Ed commands)

For now, the most important command mode you need to know will be the commands to exit Vim (which is accessible from Command Mode). This is such a problem for Vim beginners that [this StackOverflow answer](#) has 4,000 upvotes, and over 1 Million views. First enter Normal mode by pressing the escape key, then press `:`. You will now see a colon on the last line of the terminal. If you wish to save your changes type `wq`, and then press enter. This command stands for write (save) the file then quit Vim. If you wish to throw away your changes type `q!` instead and then press enter.

4.4 Visual Mode (Select Text)

Visual Mode is used for performing an operation over all of the characters in the text. This can be useful when you don't know how to run operations using text objects. Text objects allow you to refer to regions of text, such as "in braces", "in tag", "all paragraph", etc. Text objects will replace most simple uses of Visual Mode.

5 Vim editing commands

NOTE: The 'Beginner' subheading will let you know which parts to focus on as a beginner. Only learn the Beginner commands that you want. Then when you get annoyed by inefficiency you can come back to learn more.

NOTE: Pressing the Escape key will return you back to Normal Mode from any mode.

NOTE: Vim uses mnemonic devices (ie. `d` stands for delete) to help you remember what each command does. Use this to remember what each command does. Also, commands that are related, but do something different are capitalized (`D` deletes to the end of the line), and the default action is

¹³In VI you will neither see the cursor change nor the `--INSERT--` at the bottom.




Figure 1: General overview of Vim Modes. Will be covered in depth later.

defined by the repeated letter (such as `dd`¹⁴ for delete with the default action, delete line).

Sections will be in the form: CommandName (from StartingMode)

Commands will be in the form:

- **COMMAND:** (mnemonic device) Description of command

5.1 Entering NeoVim (from bash prompt)

You can enter NeoVim from the command line (not to be confused with Vim's Command Mode) by typing `nvim file.txt`, replacing `file.txt` for the file you want to edit. If the file doesn't exist, it will be created. You will now be in NeoVim.

If you wish to use Vim, replace `nvim` in the command above with `vim`.

5.2 Movement Commands (from Normal Mode)

5.2.1 Character Movement

1. Beginner

- **h:** Move cursor left
- **j:** Move cursor down
- **k:** Move cursor up
- **l:** Move cursor right

The way to remember this is that the **h** key is on the left of the four keys, **l** is on the right, **j** is written with the hook below the line, and **k** has the vertical line above the line.

Character movement can also be prefixed with a number such as `5l`, to go 5 characters right.

5.2.2 Line Movement

1. Beginner

- **^:** (This is from Regexes¹⁵) Go to start of line
- **\$:** (This is from Regexes) Go to end of line

¹⁴When you see characters, one after another, the keys should also be pressed one after another.

¹⁵Regexes, or regular expressions, are a way of doing things like parsing and substituting in a file. The regex `^hi` says to match the line starting with `hi` and the regex `^$` says match the empty line (ie. the line that starts and ends with nothing in between).




Figure 2: A graphical depiction of h, j, k, l

5.2.3 File Movement

1. Beginner
 - **gg**: (Go) Go to start of file
 - **G**: (Go) Go to end of file
2. Intermediate
 - **50gg**: (Go) Go to line 50

5.2.4 Word Movement

1. Intermediate Frankly, I used to just spam **h** and **l** for quite a while, so these commands aren't strictly necessary.
 - **w**: (Word) Go forward by one word
 - **b**: (Back) Go back by one word
 - **e**: (End) Go to the next end-of-word

5.2.5 Find Char Movement

1. Beginner
 - **fx**: (Find Char) Find character 'x' forwards
 - **;**: Run **f** / **F** again
2. Intermediate

- **Fx**: (Find Char) Find character 'x' backwards
- **,**: Run **f** / **F** again in opposite direction
- **tx**: ('Til/Until) Go up until character 'x', forwards
- **Tx**: ('Til/Until) Go up until character 'x', backwards

5.2.6 Search Term Movement

1. Beginner

- **/**: Input search term, then press enter
- **n**: (Next) Go to next location matching search term

2. Intermediate

- **N**: (Previous/Backwards Next) Go to previous location matching search term

5.3 Insert Commands (from Normal Mode)

These commands will change you automatically from Normal Mode to Insert Mode.

5.3.1 Beginner

- **i**: (Insert) Enter Insert Mode before current character
- **I**: (Insert) Enter Insert Mode at the beginning of the line
- **a**: (Append) Enter Insert Mode after current character
- **A**: (Append) Enter Insert Mode at the end of the line

5.3.2 Intermediate

- **o**: (Open) Enter Insert Mode at the end of the line
- **O**: (Open) Enter Insert Mode at the end of the line

5.4 Deletion Commands (from Normal Mode)

NOTE: The composable nature of Vim should be apparent in this section.

5.4.1 Beginner

- **x**: Delete character under cursor
- **dd**: (Delete, Default) Delete current line
- **dw**: (Delete Word) Delete until the end of the word
- **dfc**: (Delete Find 'c') Delete including the first 'c' on the right of the cursor
- **diw**: (Delete In Word) Delete the whole word
- **diW**: (Delete In Word) Delete the whole space delimited word

5.4.2 Intermediate

I can't really be bothered to count how many words I want to delete. I prefer doing things like **dw..** instead, see below.

- **d3w**: (Delete Word) Delete 3 number of words, etc.

5.5 Deletion Commands (from Visual Mode)

5.5.1 Beginner

- **d**: (Delete) Delete current visual selection
- **x**: (Delete) Delete current visual selection

5.6 Change Commands (from Normal Mode)

Change deletes something then puts you in Insert Mode to add text.

5.6.1 Beginner

- **cc**: (Change, Default) Delete line, then go into Insert Mode
- **cw**: (Change Word) Delete until the end of the word, then go into Insert Mode
- **ciw**: (Change In Word) Delete the whole word, then go into Insert Mode
- **ciW**: (Change In Word) Delete the whole space delimited word, then go into Insert Mode

5.6.2 Intermediate

I can't really be bothered to count how many words I want to change. I prefer doing things like `cw..` instead, see below.

- `c3w`: (Change Word) Delete 3 number of words, etc., then go into Insert Mode

5.7 Yank (Copy) Commands (from Normal Mode)

NOTE: To copy text to use in other applications, use the `"+` prefix, which may not work in VI/Vim, also see registers below.

5.7.1 Beginner

- `yy`: (Yank, Default) Yank (copy) the current line, for Vim use only
- `yiw`: (Yank) Yank (copy) the current line, for Vim use only
- `"+yy`: (Yank, Default) Yank (copy) the current line, for any application
- `"+yiw`: (Yank) Yank (copy) the current line, for any application

5.8 Yank (Copy) Commands (from Visual Mode)

5.8.1 Beginner

- `y`: (Yank) Yank (copy) current visual selection

5.9 Paste Commands (from Normal Mode)

5.9.1 Beginner

- `p`: (Paste) Paste the last deletion/yank

5.10 Paste Commands (from Visual Mode)

5.10.1 Beginner

- `p`: (Paste) Paste, replacing current visual selection

5.11 Undo Command (from Normal Mode)

5.11.1 Beginner

- `u`: (Undo) undo last change

5.12 Visual Mode Commands (from Normal Mode)

First, enter Visual Mode using any of the below, then make the selection using the movement commands as you would from Normal Mode. Then run the command on the selection, such as yank, delete, etc.

5.12.1 Beginner

- **v**: (Visual) Enter character-wise Visual Mode
- **V**: (Visual) Enter line-wise Visual Mode

5.12.2 Intermediate

- **ctrl-v**: (Visual) Enter block-wise Visual Mode

NOTE: To comment out lines, use block-wise selection with **ctrl-v**, then press **I**, and type the character comment (**//** for example), and hit escape. It can also be used as a poor man's version of a macro (see below). Another way would be to use the Vim Commentary plugin (see below), with the command **gc**.

5.13 Command Mode (from Normal Mode)

5.13.1 Beginner

All of the below can be simplified to just **:w** and **:q**, since Vim will warn you if you try to quit with unsaved changes.

- **:w**: (Write) Write the file
- **:q**: (Quit) Quit Vim, without having modified the file
- **:q!**: (Quit!) Quit Vim, throwing away modifications
- **:wq**: (Write-Quit) Write the file, then quit Vim
- **:x**: (Exit) Shorthand for **:wq**

5.13.2 Intermediate

- **:! date**: (! is similar to |) Run bash command **date** and show the result without adding to file

- `:r! date:` (Read) Run bash command `date` and read in the result into the file
- `:s/foo/bar/g`¹⁶: (Substitute) Substitute 'foo' with 'bar', globally (ie. each occurrence)

5.14 Command Mode (from Visual Mode)

Visually select text then enter Command Mode using `:.` . NOTE: you will see `: '<, '>`¹⁷ instead. This just tells Vim to run the command over the whole selection.

5.14.1 Intermediate

- `: '<, '>! wc -l:` Run bash command `wc -l` on visually selected text, replacing with the result

6 Composability and repeatability

This section should introduce you to even more advanced concepts.

6.1 Text Objects

NOTE: All text objects can be used with delete, yank, copy, etc. "In" deletes the text inside, while "All" deletes quotes, braces, and a single space (so the spaces around it end up balanced).

6.1.1 Beginner

- `iw:` (In Word)
- `aw:` (All Word)
- `is:` (In Sentence)
- `as:` (All Sentence)
- `ip:` (In Paragraph)

¹⁶The text `foo` can be either a literal string or a regex, such as `^foo`.

¹⁷So the command will run in the range `x,y`, and a `'a` refers to the mark `a`, with the `<` referring to the first and `>` referring to the last selection. So all together it says "run the command from the beginning of the selection to the end of the selection."

- **ap**: (All Paragraph)
- **i"**: (In Quote)
- **a"**: (All Quote)
- **i}**: (In Brace)
- **a}**: (All Brace)
- **it**: (In Tag) Used in HTML
- **at**: (All Tag) Used in HTML

6.2 Dot (.) command

6.2.1 Beginner

The dot command repeats the last complete command that you ran. For example if you changed a word to "Hi" using `ciwHi` and then escape, you can change another word to "Hi" using the dot command.

Expanding on the above, one way¹⁸ to quickly rename variables would be to first search for a variable using `/`, then using `ciw` to change the variable to something else. Finally, repeat this change all throughout the document using `n` to go to the next instance, and `.` to apply the change.

6.3 Number Prefixes

6.3.1 Intermediate

Most commands can be prefixed, meaning you can run commands like `d5w` which will delete the next 5 words.

6.4 Macros

6.4.1 Intermediate

Macros can be used for creating groups of repeatable commands. In other words, start the macro, run general commands (ie. `w` rather than `l1l1l1l1l1`), stop the macro, run the macro previously defined on the text you want. The steps are:

¹⁸The other way would be to run a search and replace, such as `:s/foo/bar/g`, which would replace all occurrences of `foo` with `bar`.

1. `qa`: Record Macro in register `a`, see below
2. `q`: While recording, it will end the macro
3. `@a`: Run Macro in register `a`

Fun fact: you can also define recursive¹⁹ macros, (works in NeoVim). This allows you to create a single macro that runs forever (of course, Vim will stop the macro at the end of the document, for example). An example of this is the following key sequences: `qaV~j@aq@a`²⁰, which switches the case of every character until the end of the document.

6.5 Registers

6.5.1 Intermediate

The most important part about registers is that the `"+`²¹ prefix is used to store the global clipboard, which can be accessed by any program. Frankly, I don't use any register other than the global one.

Other actions, such as yanks and deletions can be prefixed with a register, for later retrieval.

A useful combination is using registers for editing a macro you wrote. To continue from the macros section, you can write an incorrect macro, paste it into the file, modify it, copy it back to the register, and then run that macro. This seems quite difficult, but there can be really long macros that you would rather go through the above to change a character than to remake the macro from the beginning.

¹⁹Here's a quick introduction to recursion. Recursion is defining something in terms of what you are defining. For example, a directory can contain multiple files and multiple directories. A math example would be an equation like $x = 1 + x$, and replacing x on the right with $1 + x$ giving us $x = 1 + 1 + x$, and continuing to infinity would give us $x = 1 + 1 + 1 + 1 + \dots$. A similar expansion can be carried out on the acronym GNU, left as an exercise for the reader.

²⁰Usually the `q` register is used for macros, but this can get confusing when first starting out. The command would then be `qqV~j@qq@q`.

²¹The `"` is used to retrieve registers, with `+` referring to the name of the register to be accessed, (in this case it is the special "global register").

7 TODO Extending Vim for yourself

7.1 Configuration File

To change the default behaviour of Vim, and to keep it even after quitting, you must modify a configuration (also known as a dot file²²) file for Vim. For GNU/Linux and NeoVim users this file is `~/.config/nvim/init.vim`, for Vim users the file is `~/.vimrc`. If you use Windows, the file will be `_vimrc`²³ (in the home directory in Windows).

For example, typing `:colorscheme elflord`²⁴ from Normal Mode, will change the colour scheme to elflord for the current Vim session. Once you close Vim this setting will be gone. To save this setting, save the following lines in the configuration file as:

```
" Set colour scheme to elflord
colorscheme elflord
```

Notice the lack of a colon at the beginning of the line. The `"` indicates a line comment.

Here are some other settings you may wish to add to your Vim configuration file.²⁵ In general, you should always copy the comments along with the actual code. (NOTE: always understand what every command does before adding it to your configuration file.)

The below file is also available as `configuration.vim` at [Hassan-Shabbir/vim-introduction](#).

```
" Enable filetype plugins, such as syntax highlighting for files.
filetype plugin indent on
```

```
" Actually enable syntax highlighting.
syntax enable
```

```
" Set autoread to true. When a file is changed from the outside,
" the file will be reloaded.
set autoread
```

²²Because the file starts with a `.`, I know, so original.

²³[Locate Home in Windows](#).

²⁴To find a colour scheme you like from the preinstalled colour schemes, go to [List installed colorschemes](#).

²⁵This is mostly taken from [Amix's Vimrc](#).

```

" With a map leader it's possible to do extra key combinations
" like '<leader>w' saves the current file. 'mapleader' is
" usually the backslash key ('\'), however, below we set it
" to the ',' key, since it is easier to reach.
let mapleader = ","

" This is how you would define "in normal mode, if I press
" the leader key (see above), followed by the 'w' key,
" map it to be the same as writing the file".
nmap <leader>w :w!<cr>

" Set a space of 3 lines between the cursor and the top/bottom
" of the window, making it easier to get the context of the code.
set so=3

" Turn on a completion menu on the bottom. Used when you try to
" tab-complete something in command mode.
set wildmenu set wildmode=list:longest,full

" Configure backspace so it acts as it should act. Namely,
" allow backspace to delete new lines, delete past the start
" of insert mode, and delete autoindent.
set backspace=eol,start,indent

" Ignore case when searching, so '/hi' will match 'hi' in the
" text, along with 'Hi'.
set ignorecase

" If a case is used, however, search match using case. So
" '/Hi' will only match 'Hi', and not 'hi', (since we
" explicitly told the case).
set smartcase

" Highlight search results.
set hlsearch

" Make search act like search in modern browsers.
set incsearch

" Don't redraw while executing macros (for performance).

```

```

set lazyredraw

" Return to last edit position when opening files
" NOTE: Put this all on one line
au BufReadPost *
  if line("'\"") > 1 && line("'\"") <= line("$")
    | exe "normal! g'\"" | endif

```

7.2 Plugins

These are a few plugins that I would consider quite useful.

- [Vim Plug](#): Vim plugin manager

To be able to use the below plugins you need to install a plugin manager, this is the one I personally use, (no real reason).

- [Vim Sensible](#): set default settings for Vim

This is useful for starting off in Vim. (Not needed for NeoVim.)

- [Numbers Vim](#): add relative line numbers to Vim (great for going n lines up or down)
- [Vim Commentary](#): (un)comment lines of code with a text object
- [Vim Surround](#): surround text objects with text
- [Vim Vinegar](#): simple file browser in Vim
- [Emmet Vim](#): create HTML easily
- [Ctrlp Vim](#): fuzzy find files
- [Targets Vim](#): add more text objects to Vim

More plugins for Vim can be found on <https://vimawesome.com>.

7.2.1 ColorSchemes

- [Space Vim Dark](#)
- [Solarized](#)

7.2.2 Vim in other places

- Bash/Zsh: Both Bash and Zsh have Vim modes that can be enabled in their respective dot-files
- [Athame](#): Full Vim in the terminal, ie. when writing bash commands
- [Vimium](#): Vim in Chrome

There are also other applications that will use Vim-like keybindings by default, such as `man`.

8 Conclusion

Congratulations on finishing this whole document! You should now know enough to be able to use vim, and look up whatever you need on the internet. To become proficient with Vim, you should use it repeatedly, until the Beginner commands come to you without much thought.