

DVCS analysis update for EG6 meeting

Tuning the ^4He track parameters

- After the first and the second round comments, the ^4He track parameters have been tuned by looking at these parameters after the DVCS exclusivity cuts.
- In figure 1, I list the ^4He DVCS track parameters with the updated cuts.
- These cuts were applied to the following two analysis sets, except sdist cut on the old analysis set was [-3:3].




Figure 1: The distributions of the ^4He DVCS track parameters after applying the exclusivity cuts with the final cuts.

Exclusive distributions and reconstructed A_{LU}

After the suggestion from the review committee, I have changed the cut on the missing energy to be from [-0.45, 0.5] instead of a 3σ cut on the distribution and refined all the other exclusive cuts. Figure 2 presents the old and the new distributions for the exclusive variables.

- Note in the following plots, I will label the two analysis sets as "old", 3 sigma cuts on all the variables, and "new", with the new missing energy cut and the corresponding updated 3 sigma cuts on the other variables.




Figure 2:




Figure 3: Coherent A_{LU} as a function of ϕ in Q^2 bins for old (top) and new (bottom) selection sets.




Figure 4: Coherent A_{LU} as a function of ϕ in x_B bins for old (top) and new (bottom) selection sets.




Figure 5: Coherent A_{LU} as a function of ϕ in $-t$ bins for old (top) and new (bottom) selection sets.




Figure 6: Coherent A_{LU} at $\phi = 90^\circ$ for old (top) and new (bottom) selection sets.




Figure 7: H_A CFF from old (top) and new (bottom) selection sets.