

List of Symbols

α	Collision recovery probability
α_2	Second collision recovery coefficient
α_3	Third collision recovery coefficient
α_4	Fourth collision recovery coefficient
η_{TA}	Time-Aware reading efficiency
η_{conv}	Conventional FSA reading efficiency
η_{MCRC}	Multiple collision recovery aware reading efficiency
η_{TAMCRC}	Time and multiple collision recovery aware reading efficiency
η_{TCA}	Time and collision recovery aware reading efficiency
γ	Mean of Poisson random variable
\hat{n}	Estimated number of tags
ε_{conv}	Minimum squared error estimator
φ	Pseudo parallel factor
ζ	Mean reduction in number of slots
ζ_t	Mean reduction in reading time
BLF	Backscatter Link Frequency
C	Number of collided slots
c	Q-slot constant
c_1	Collided slot count selection constant
c_2	Empty slot count selection constant

C_b	Number of collided slots before the collision recovery
c_c	Collided Q-slot constant
c_e	Empty Q-slot constant
C_t	Slot duration constant
C_{exp}	Expected number of collided slots
C_{rate}	Estimated collision rate
DR	Divided Ratio
E	Number of empty slots
E_b	Number of empty slots before the collision recovery
E_{exp}	Expected number of empty slots
f_s	Sampling frequency
L	Frame Slotted ALOHA frame length
L_{MCRC}	Multiple collision recovery aware frame length
L_{opt}	Optimum FSA frame length
L_{TAMCRC}	Time and multiple collision recovery aware frame length
L_{TA}	Time aware frame length
L_{TCA}	Time and collision recovery aware frame length
M	Number of collided tags per slot
n	number of tags in the reading area
n_p	Number of pilot tones
$P(i)$	Probability of i tag rely per slot
$P(R)$	Probability that exactly R tags are active in one slot
P_c	Probability of collided slot
P_e	Probability of empty slot
P_s	Probability of successful slot

$P_{S_l}(R)$	Probability that scenario S_l happens
Q_{ini}	Slot count parameter
R_{sol}	Number of recovered tags
S	Number of successful slots
S_b	Number of successful slots before the collision recovery
S_{exp}	Expected number of successful slots
t_c	Collided slot durations
t_e	Empty slot durations
t_s	Successful slot durations
T_{EPC}	EPC time
T_{QRep}	Query repeat time
T_{RN16}	RN16 time

