

Creating a Bland-Altman and Scatter Plot

Table of Contents

Introduction.....	1
Chapter 1.....	1
Chapter 2 Concepts in Performance Evaluation and Uncertainty Analysis.....	1
Chapter 3 Transducers.....	2
Chapter 4 Electronics.....	2
Chapter 5 Modeling and simulation of biomedical systems.....	3
Chapter 6 Devices based on Oscillometric Signal: Blood Pressure	4
Chapter 7 PPG and Pulse Oximeters.....	5
Chapter 8 Devices based on the ECG Signal.....	5
Chapter 9 Devices based on Time Difference between Signals: Continuous Blood Pressure Measurements.....	6
Chapter 10 Continuous monitoring of breathing	7
Chapter 11.....	8
Chapter 12.....	8

Copyright (C) 2022 Miodrag Bolic

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details <<https://www.gnu.org/licenses/>>.

This code was developed by Miodrag Bolic for the book PERVASIVE CARDIOVASCULAR AND RESPIRATORY MONITORING DEVICES

Introduction

This is the main Matlab Live Editor file. It contain links to all other live editor files used in this book.

Chapter 1

Circuit design using Simscape

Review of digital signal processing

Chapter 2 Concepts in Performance Evaluation and Uncertainty Analysis

This chapter presents steps needed to evaluate performance and quantify uncertainty in biomedical monitoring devices. The performance metrics are considered for cases when true reference values are known. We also consider more common situations in biomedical instrumentation where the true reference values are unknown. In this case, we show how one can calculate the agreement between the results obtained from two devices. Uncertainty quantification is of utmost importance during measurements since the result of any measurement contains the error, and the exact value of the error cannot be computed without having the true reference

value. Uncertainties in measurements are modeled and calculated based on the probability theory. Therefore, we introduce the concept of confidence intervals and uncertainty propagation. Sensitivity analysis allows for selecting parameters whose variations affect the output the most. Even though we present basic mathematical analysis, we focus on computational methods and simulation.

[Central Limit Theorem and confidence intervals](#), Example 2.1, Fig 2.1-2.2

[Sensor model, evaluating accuracy and non_linearities](#), Example 2.2, Fig 2.3-2.6

[Bland Altman plot](#), Example 2.3, Fig. 2.7

Uncertainty propagation

- [Uncertainty propagation of correlated variables and GUM](#), Example 2.4, Example 2.5
- [Uncertainty propagation in a differential amplifier](#), Example 2.6a, Fig. 2.10, 2.11

Sensitivity analysis

- [Sensitivity analysis of a differential amplifier](#), Example 2.6b, Fig. 2.12
- Tutorial on using sensitivity analysis in Simulink

Chapter 3 Transducers

In this chapter we introduce transducers that are commonly used in biomedical devices. The students will learn basic operations of these transducers and how to model them using circuit models. Models that are developed in this chapter will be used in later chapters as one of the components of biomedical devices.

Strain Gauge - Matlab example

[Piezoelectric sensors](#), Fig 3.2 and 3.3

Optical sensors

- [Models of LEDs and photodetectors](#), Fig 3.4-3.7
- [More complex photodetector model](#) (modification is needed), Fig 3.15, Problem 3.15

[Electrodes](#), Fig 3.10-3.14

Chapter 4 Electronics

This chapter describes electronic components used in biomedical devices, including operational amplifiers, filters, analog to digital and digital to analog converters, and others. The goal is for readers to understand how to connect transducers with digital systems using conditioning or interfacing circuits. In addition, we will explain the effect of filtering and aliasing on the signal. We will also simulate different components and understand performance metrics and errors in these components. New developments in the field, including state-of-the-art integrated solutions that include many analog components in a single chip, will also be presented.

[Bridges](#), Fig 4.1a, 4.7

[Op amp model and basic configurations](#): inverting, noninverting amplifiers, differentiator, Fig 4.2, 4.3, 4.29

[Amplifiers](#) Fig 4.4 - 4.15

Filters

- [RC Low pass filter](#), Fig 4.16, 4.17
- [Second order active filter](#), Fig 4.18, 4.19

ADCs

- [Antialiasing](#), Fig 4.20, 4.21, 4.22, Example 4.3, 4.4
- [Analog to digital converters](#) Fig 4.23, 4. 25, 4.26, 4.22 is extracted from ADCTestSim1.slx, Example 4.5, 4.6, Table 4.4

[Generating signals](#)

Chapter 5 Modeling and simulation of biomedical systems

In this chapter, we describe the principles of modeling biomedical systems as well as propagating the uncertainty through the system and performing sensitivity analysis. The objective is to put together components and techniques studied in Chapters 2-4 in the context of modeling a biomedical device. We describe models that allow us to generate data, add noise and interference, include tolerance of the electronic components, and so on. In addition, we consider systems that are modeled using mathematical models as well as using electrical circuits and show how one can propagate uncertainties through both models. We show how one can develop an end-to-end model that includes different sub-models presented before and where processing is done in software or analog hardware. In the end, we briefly discuss the power consumption in the system.

Data collection and databases

- [Databases](#), Fig 5.2

Models for signal generation

- [Example: Windkessel model](#), Fig 5.3-5.5

Modeling noise and assessing signal quality

- [Noise](#), Fig 5.6-5.9
- [Signal quality](#) Fig 5.10 - Fig 5.12, Table 5.3

Uncertainty propagation in systems

- [Example: Charge amplifier](#), Fig 5.13

Modeling software and Real-time signal processing

- [Block processing](#), Fig 5.14
- [Example: stop-breathing detection system](#) Fig 5.15-5.19

Modeling power consumption

- [A/D converter example](#), Fig 5.20

Chapter 6 Devices based on Oscillometric Signal: Blood Pressure

This chapter describes the principles of operations of oscillometric blood pressure devices. Issues in measuring blood pressure and the overview of recommendations and standards related to blood pressure are presented. Oscillometric algorithms and circuits are described and simulated. More advanced topics include a model of the artery and cuff to simulate the generation of the oscillometric signal, a model of the overall blood pressure system, and performance analysis. We also present recent advancements in the field and discuss research problems related to oscillometry. Also, the use of oscillometry in assessing arterial stiffness is briefly discussed.

What is measured using a blood pressure device

- [Plot BP signals](#), Fig 6.1, 6.3, 6.4, 6.17

Features of the signal and the noise

Performance measures and evaluation

Modeling the signal

- [Oscillometric model](#), Fig 6.4, 6.5, 6.6, 6.7, 6.9, 6.13, Table 6.3

Oscillometric algorithm

Sensors and circuits

- [Oscillometric circuit](#), Fig 6.11, Table 6.5

Pressure sensors

Oscillometric device

Simulation of the overall system

Chapter 7 PPG and Pulse Oximeters

In this chapter, we describe operation behind photoplethysmography (PPG) and pulse oximetry devices. These devices are mainly used for estimating heart rate and oxygen saturation level noninvasively. We start with explaining what is measured with PPG and pulse oximetry and what the issues are in the measurements. We present PPG and pulse oximetry systems, sensors, circuits and algorithms. More advanced topics that are covered include: propagation of the light through the skin and modeling the complete system that includes models of tissue and the propagation of light through the skin as well as the sensor and the circuit. In the end of the chapter, we explain how one can use PPG signal to estimate blood pressure as well as to estimate the shape of the jugular vein pulse. New developments in the field including miniaturization of the systems, modeling approaches and advanced algorithms are presented too.

Introduction, Optical properties of tissues

- [Plotting PPG signal and absorption coefficients](#), Fig7.1b, Fig7.4, Fig7.6

Signal properties, noise characterization

Performance measures

[Simulating propagation of light through the tissue](#), Fig 7.3, Fig7.7-Fig7.10

Design of a PPG device

- [LED driving circuit](#), Fig 7.11, 7.12
- [Transimpedance amplifier](#), Fig 7.13, 7.14
- [Algorithms](#), Fig7.17, 7.20, 7.21

Putting it all together

- [Modelling tissue, circuit and analysing pulses](#), Fig7.15, 7.16

Chapter 8 Devices based on the ECG Signal

In this chapter we discuss issues related with acquisition and processing of electrocardiogram (ECG) signal. ECG signal is related to the electrical activity of the heart and therefore it is measured using electrodes. When measuring ECG signal, we first need to know where to place and how to connect the electrodes – this is described in the part of the chapter that talks about the ECG leads. In pervasive computing, mainly two to three electrodes are used representing single lead ECG configuration. We briefly introduce how the ECG signal can be generated using simulators, sources of noise and artifacts and how to measure the quality of the signals. ECG device types and standards are introduced next. To develop electronics for ECG, we need to know what standards/regulations need to be followed as well as what kind of processing will be performed. Therefore, next we will introduce algorithms for heart rate estimation and beat segmentation. The next section is about ECG

electronics followed by the current solutions and research direction. In the end, we discuss how ECG signal can be further processed to extract heart rate variability.

What is measured using ECG

Signal properties, simulators and databases

- How is ECG signal affected by physiological parameters and noise
- Signal quality
- [Simulators](#), Fig8.4
- Databases

Types of devices and standards

Processing ECG signal

- [Heart rate estimation and segmentation of the ECG signal](#), Fig8.7

Implementation of a single lead ECG system

Simulation of a single lead ECG system

- [Simulation, front-end circuits, interference in ECG circuits](#), Fig8.9-8.16

Current trends and research directions

[Heart rate variability](#), Fig 8.18

Chapter 9 Devices based on Time Difference between Signals: Continuous Blood Pressure Measurements

In this chapter, we will show ways of combining different signals by looking mainly at time difference between characteristic points on the pulses from these signals obtained during the same cardiac cycle. It has been shown that time delay between the signals called pulse transit time is proportional to blood pressure and therefore it is a basis for continuous blood pressure devices. This chapter is different from the others in a way that the relationship between the temporal features and the parameter of interest is given through a mathematical model and therefore the most important part when developing the device for continuous blood pressure is the model that relates the parameters and the pressure. Therefore, we will focus more on modeling and less on instrumentation in this chapter. In addition, we will discuss arterial stiffness and oscillometric blood pressure devices based on time differences between signals.

Temporal relationship between physiological signals

PWV, PTT and PAT

[PTT and PAT surrogates](#), Fig9.2, 9.3

Classifying temporal relationships between signals

Modelling the relationship between PTT and blood pressure

[Moens-Korteweg equation](#), [Example 9.1](#)

Computational models

Cuffless blood pressure monitoring

Signal properties, noise characterization

Performance measures

Calibration

[Model-based blood pressure estimation](#) , Fig9.6

Main processing stages

Adjusting and improving the models

Circuits and devices

New developments and directions

Other uses of PTT/PAT

Arterial stiffness

Oscillometric blood pressure with ECG assistance

Chapter 10 Continuous monitoring of breathing

In this chapter, we describe operation of devices for acquiring breathing signal and then estimating breathing rate. We introduce devices that can extract breathing signal from cardiac signals such as ECG and PPG as well as devices that obtain breathing signal based on movements of the chest wall or by measuring temperature or pressure changes during inhalation and exhalation. In addition, we show some developments of wearable devices for tidal volume and airflow measurements as well as systems for classifying breathing patterns.

What is measured?

Breathing rate

[Volume and flow](#) Fig10.1, 10.2, 10.15

Breathing patterns

Applications

Features of the signal and the noise

Features extracted from the tidal volume or flow waveforms

[Signal quality](#) , Fig10.3, 10.4

Databases

Simulators

Breathing rate estimation

[Breathing rate estimation algorithms](#)

[Extracting breathing rate from cardiac signals](#)

Chest wall movement

[Accelerometers](#)

Strain: breathing belts

[Impedance changes](#)

Temperature and pressure measurement

Tidal volume and flow estimation

Breathing pattern classification

Chapter 11

Chapter 12