

# Australia Stocks

## v4.491 (Dec-21-2019)

Not present Present Preferred

Stock	B/Bmsy	Time Series Types			
		U/Umsy	B/Bmgt	U/Umgt	
1. BGRDRNSWWA [Blue grenadier New South Wales to Western Australia]	TB SSB	ER F	TB SSB	ER F	
2. BIGHTREDSE [Bight redfish Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
3. BTSHRIMPNAUST [Brown tiger shrimp Northern Australia]	TB SSB	ER F	TB SSB	ER F	
4. DEEPFLATHEADSE [Deepwater flathead Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
5. GEMFISHSE [Common gemfish Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
6. GTPRAWNNAUST [Grooved tiger prawn Northern Australia]	TB SSB	ER F	TB SSB	ER F	
7. MORWONGESE [Jackass morwong Eastern half of Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
8. MORWONGWSE [Jackass morwong Western half of Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
9. MULLQNSW [Sea mullet Queensland and New South Wales]	TB SSB	ER F	TB SSB	ER F	
10. NZLINGESE [Ling Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
11. NZLINGWSE [Ling Western half of Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
12. OROUGHYCASCADE [Orange roughy Cascade Plateau]	TB SSB	ER F	TB SSB	ER F	
13. OROUGHYSE [Orange roughy Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
14. PTOOTHFISHMI [Patagonian toothfish Macquarie Island]	TB SSB	ER F	TB SSB	ER F	
15. REDFEAUS [Redfish Eastern Australia]	TB SSB	ER F	TB SSB	ER F	
16. RROCKLOBSTERSAUSNZ [Rock lobster South Australia Northern Zone]	TB SSB	ER F	TB SSB	ER F	
17. RROCKLOBSTERSAUSSZ [Rock lobster South Australia Southern Zone]	TB SSB	ER F	TB SSB	ER F	
18. SARDWSE [Sardine Western half of Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
19. SILVERFISHSE [Silverfish Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
20. SNAPS AUSNSG [Snapper Northern Spencer Gulf]	TB SSB	ER F	TB SSB	ER F	
21. SNAPS AUSSGSV [Snapper Southern Gulf St. Vincent]	TB SSB	ER F	TB SSB	ER F	
22. SNAPS AUSSSG [Snapper Southern Spencer Gulf]	TB SSB	ER F	TB SSB	ER F	
23. SWHITSE [School whiting Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
24. TASGIANTCRABTAS [Tasmanian giant crab Tasmania]	TB SSB	ER F	TB SSB	ER F	
25. TIGERFLATSE [Tiger flathead Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
26. WAREHOUSE [Blue warehou Eastern half of Southeast Australia]	TB SSB	ER F	TB SSB	ER F	
27. WAREHOUWSE [Blue warehou Western half of Southeast Australia]	TB SSB	ER F	TB SSB	ER F	

## Blue grenadier New South Wales to Western Australia [BGRDRNSWWA]


Metadata	
<b>Scientific Name</b>	Macruronus novaezelandiae
<b>Current Assess ID</b>	CSIRO-BGRDRNSWWA-1960-2017-MOESENER
<b>Area</b>	New South Wales to Western Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2012, 2017

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2017	14,341
<b>Fmsy</b>	Fmsy-1/yr	2017	0.122
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2017	25,876
<b>Fmgt</b>	Fmgt-1/yr	2017	0.081
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2017	119,123
<b>SSB0</b>	SSB0-MT	2017	53,909
<b>MSY</b>	MSY-MT	2017	5506
<b>M</b>	M-1/yr	2017	0.174
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-MT	2017	10,782
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2017	142,308	-	-
<b>SSB</b>	SSB-MT	2017	44,673	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2017	$1.56 \times 10^{13}$	-	-
<b>F</b>	F-1/yr	2017	0.012	-	-
<b>ER</b>	ER-ratio	2017	0.013	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2017	1692		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2017	3.115		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2017	0.1		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2017	1.726		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2017	0.151		
<b>ER/ERmgt</b>	-	-	-		

# Blue grenadier New South Wales to Western Australia [BGRDRNSWWA]


Kobe MSYpref (1960–2017–MOESENEDER)



Kobe MGTpref (1960–2017–MOESENEDER)



Spawner Recruit (1960–2017–MOESENEDER)




Production (1960–2017–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Blue grenadier New South Wales to Western Australia [BGRDRNSWWA]


TB-MT (1960-2017-MOESENER)




SSB-MT (1960-2017-MOESENER)




TN \*




F-1/yr (1960-2017-MOESENER)



ER-ratio (1960-2017-MOESENER)





R-E00 (1960-2017-MOESENER)




# Blue grenadier New South Wales to Western Australia [BGRDRNSWWA]

TL-MT, TC\*, RecC\* (1960-2017-MOESENER)



TAC\*, Cpair\*, Cadv\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1960-2017-MOESENER)



## Bight redfish Southeast Australia [BIGHTREDSE]


Metadata	
<b>Scientific Name</b>	Centroberyx gerrardi
<b>Current Assess ID</b>	CSIRO-BIGHTREDSE-1960-2014-MOESENER
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007, 2014

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2014	1235
<b>Fmsy</b>	Fmsy-1/yr	2014	0.103
<b>ERmsy</b>	ERmsy-ratio	2007	0.04
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2014	2302
<b>Fmgt</b>	Fmgt-1/yr	2014	0.061
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2014	16,426
<b>SSB0</b>	SSB0-MT	2014	5614
<b>MSY</b>	MSY-MT	2014	625
<b>M</b>	M-1/yr	2014	0.106
<b>TBlim</b>	TBlim-MT	2007	6767
<b>SSBlim</b>	SSBlim-MT	2014	1123
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2014	11,900	-	-
<b>SSB</b>	SSB-MT	2014	3480	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2014	$4.79 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2014	0.02	-	-
<b>ER</b>	ER-ratio	2014	0.02	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2014	238		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2014	2.819		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2014	0.195		
<b>ER/ERmsy</b>	ER-ratio/ERmsy-ratio	2007	1.07		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2014	1.512		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2014	0.329		
<b>ER/ERmgt</b>	-	-	-		

# Bight redfish Southeast Australia [BIGHTREDSE]


Kobe MSYpref (1960–2014–MOESENEDER)




Kobe MGTpref (1960–2014–MOESENEDER)



Spawner Recruit (1960–2014–MOESENEDER)




Production (1960–2014–MOESENEDER)





◆ Start Year ◆ End Year \* No Data

# Bight redfish Southeast Australia [BIGHTREDSE]


TB-MT (1960–2014–MOESENEDER)




SSB-MT (1960–2014–MOESENEDER)





F-1/yr (1960–2014–MOESENEDER)



ER-ratio (1960–2014–MOESENEDER)




R-E00 (1960–2014–MOESENEDER)





# Bight redfish Southeast Australia [BIGHTREDSE]

TL-MT, TC\*, RecC\* (1960-2014-MOESENER)



TAC\*, Cpair\*, Cadv\*




survB\*





CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1960-2014-MOESENER)



## Brown tiger shrimp Northern Australia [BTSHRIMPNAUST]

Metadata	
<b>Scientific Name</b>	Penaeus esculentus
<b>Current Assess ID</b>	CSIRO-BTSHRIMPNAUST-1969-2015-MOESENER
<b>Area</b>	Northern Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2015, 2006

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-E00	2015	13,728,752
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-E00	2015	14,765,577
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	MSY-MT	2015	1186
<b>M</b>	M-1/yr	2015	2.34
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-E00	2015	6,864,376
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	SSB-E00	2015	23,966,420	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2015	347,672,000	-	-
<b>F</b>	F-1/yr	2006	0.135	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	-	-	-	-	-
<b>TL</b>	TL-MT	2015	763	-	-
<b>TB/TBmsy</b>	-	-	-	-	-
<b>SSB/SSBmsy</b>	SSB-E00/SSBmsy-E00	2015	1.746	-	-
<b>F/Fmsy</b>	-	-	-	-	-
<b>ER/ERmsy</b>	-	-	-	-	-
<b>TB/TBmgt</b>	-	-	-	-	-
<b>SSB/SSBmgt</b>	SSB-E00/SSBmgt-E00	2015	1.623	-	-
<b>F/Fmgt</b>	-	-	-	-	-
<b>ER/ERmgt</b>	-	-	-	-	-

Brown tiger shrimp Northern Australia [BTSHRIMPNAUST]


Kobe MSY\*



Kobe MGT\*



Spawner Recruit (1969–2015–MOESENEDER)



Production\*




◆ Start Year ◆ End Year \* No Data

# Brown tiger shrimp Northern Australia [BTSHRIMPNAUST]

TB\*




SSB-E00 (1969-2015-MOESENER)




TN \*





F-1/yr (1970-2006-FULTON)



ER\*




R-E00 (1969-2015-MOESENER)



# Brown tiger shrimp Northern Australia [BTSHRIMPNAUST]

TL-MT, TC\*, RecC\* (1969-2015-MOESENER)



TAC\*, Cpair\*, Cadv\*





CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1969-2015-MOESENER)



## Deepwater flathead Southeast Australia [DEEPFLATHEADSE]


Metadata	
<b>Scientific Name</b>	Platycephalus conatus
<b>Current Assess ID</b>	CSIRO-DEEPFLATHEADSE-1980-2015-MOESENER
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007, 2015

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2015	2963
<b>Fmsy</b>	Fmsy-1/yr	2015	0.168
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2015	4750
<b>Fmgt</b>	Fmgt-1/yr	2015	0.105
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2015	21,058
<b>SSB0</b>	SSB0-MT	2015	11,046
<b>MSY</b>	MSY-MT	2015	1200
<b>M</b>	M-1/yr	2015	0.191
<b>TBlim</b>	TBlim-MT	2007	1369
<b>SSBlim</b>	SSBlim-MT	2015	2209
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2015	10,400	-	-
<b>SSB</b>	SSB-MT	2015	4950	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2015	$6.75 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2015	0.05	-	-
<b>ER</b>	ER-ratio	2015	0.05	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2015	523		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2015	1.67		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2015	0.3		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2015	1.042		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2015	0.479		
<b>ER/ERmgt</b>	-	-	-		

# Deepwater flathead Southeast Australia [DEEPFLATHEADSE]


Kobe MSYpref (1980–2015–MOESENEDER)




Kobe MGTpref (1980–2015–MOESENEDER)



Spawner Recruit (1980–2015–MOESENEDER)




Production (1980–2015–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Deepwater flathead Southeast Australia [DEEPFLATHEADSE]


TB-MT (1980-2015-MOESENER)




SSB-MT (1980-2015-MOESENER)




TN \*




F-1/yr (1980-2015-MOESENER)



ER-ratio (1980-2015-MOESENER)



R-E00 (1980-2015-MOESENER)







# Deepwater flathead Southeast Australia [DEEPFLATHEADSE]

TL-MT, TC\*, RecC\* (1980-2015-MOESENER)

TAC\*, Cpair\*, Cadv\*





CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1980-2015-MOESENER)



## Common gemfish Southeast Australia [GEMFISHSE]

Metadata	
<b>Scientific Name</b>	Rexea solandri
<b>Current Assess ID</b>	CSIRO-GEMFISHSE-1966-2007-FULTON
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2007	5458
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	TBlim-MT	2007	2274
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2007	3770	-	0
<b>SSB</b>	SSB-MT	2007	1360	Females	3
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2007	4,150,000	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	ER-calc-ratio	2007	0.027	-	-
<b>TC</b>	-	-	-	-	-
<b>TL</b>	TL-MT	2007	102	-	-
<b>TB/TBmsy</b>	-	-	-	-	-
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2007	0.249	-	-
<b>F/Fmsy</b>	-	-	-	-	-
<b>ER/ERmsy</b>	-	-	-	-	-
<b>TB/TBmgt</b>	-	-	-	-	-
<b>SSB/SSBmgt</b>	-	-	-	-	-
<b>F/Fmgt</b>	-	-	-	-	-
<b>ER/ERmgt</b>	-	-	-	-	-

Common gemfish Southeast Australia [GEMFISHSE]


Kobe MSY\*




Kobe MGT\*



Spawner Recruit (1966–2007–FULTON)




Production (1966–2007–FULTON)




◆ Start Year ◆ End Year \* No Data

# Common gemfish Southeast Australia [GEMFISHSE]

TB-MT (1966–2007–FULTON)



SSB-MT (1966–2007–FULTON)




TN \*




F\*



ER-calc-ratio (1966–2007–FULTON)






R-E00 (1966–2007–FULTON)



# Common gemfish Southeast Australia [GEMFISHSE]

TL-MT, TC\*, RecC\* (1966-2007-FULTON)

TAC\*, Cpair\*, Cadv\*



## Grooved tiger prawn Northern Australia [GTPRAWNNAUST]

Metadata	
<b>Scientific Name</b>	Penaeus semisulcatus
<b>Current Assess ID</b>	CSIRO-GTPRAWNNAUST-1969-2015-MOESENER
<b>Area</b>	Northern Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2015, 2006

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-E00	2015	19,080,680
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-E00	2015	20,663,682
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	MSY-MT	2015	1605
<b>M</b>	M-1/yr	2015	2.34
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-E00	2015	9,540,340
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	SSB-E00	2015	35,309,530	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2015	528,150,000	-	-
<b>F</b>	F-1/yr	2006	0.493	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	-	-	-	-	-
<b>TL</b>	TL-MT	2015	2399	-	-
<b>TB/TBmsy</b>	-	-	-	-	-
<b>SSB/SSBmsy</b>	SSB-E00/SSBmsy-E00	2015	1.851	-	-
<b>F/Fmsy</b>	-	-	-	-	-
<b>ER/ERmsy</b>	-	-	-	-	-
<b>TB/TBmgt</b>	-	-	-	-	-
<b>SSB/SSBmgt</b>	SSB-E00/SSBmgt-E00	2015	1.709	-	-
<b>F/Fmgt</b>	-	-	-	-	-
<b>ER/ERmgt</b>	-	-	-	-	-


Kobe MSY\*



Kobe MGT\*



Spawner Recruit (1969–2015–MOESENEDER)



Production\*




◆ Start Year ◆ End Year \* No Data

# Grooved tiger prawn Northern Australia [GTPRAWNNAUST]

TB\*




SSB-E00 (1969-2015-MOESENER)




TN \*




F-1/yr (1970-2006-FULTON)



ER\*




R-E00 (1969-2015-MOESENER)





# Grooved tiger prawn Northern Australia [GTPRAWNNAUST]

TL-MT, TC\*, RecC\* (1969-2015-MOESENER)



TAC\*, Cpair\*, Cadv\*





CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1969-2015-MOESENER)



## Jackass morwong Eastern half of Southeast Australia [MORWONGESE]


Metadata	
<b>Scientific Name</b>	Nemadactylus macropterus
<b>Current Assess ID</b>	CSIRO-MORWONGESE-1915-2017-MOESENER
<b>Area</b>	Eastern half of Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2014, 2017

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2017	1994
<b>Fmsy</b>	Fmsy-1/yr	2017	0.133
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2017	3382
<b>Fmgt</b>	Fmgt-1/yr	2017	0.08
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2017	8513
<b>SSB0</b>	SSB0-MT	2017	7047
<b>MSY</b>	MSY-MT	2017	411
<b>M</b>	M-1/yr	2017	0.15
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-MT	2017	1409
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2017	3175	-	-
<b>SSB</b>	SSB-MT	2017	2097	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2017	$2.48 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2017	0.575	-	-
<b>ER</b>	ER-ratio	2017	0.047	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2017	139		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2017	1.051		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2017	4.336		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2017	0.62		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2017	7.161		
<b>ER/ERmgt</b>	-	-	-		

# Jackass morwong Eastern half of Southeast Australia [MORWONGESE]


Kobe MSYpref (1915–2017–MOESENEDER)




Kobe MGTpref (1915–2017–MOESENEDER)



Spawner Recruit (1915–2017–MOESENEDER)



Production (1915–2017–MOESENEDER)







◆ Start Year ◆ End Year \* No Data

# Jackass morwong Eastern half of Southeast Australia [MORWONGESE]




TB-MT (1915-2017-MOESENER)

SSB-MT (1915-2017-MOESENER)



ER-ratio (1915-2017-MOESENER)


R-E00 (1915-2017-MOESENER)



# Jackass morwong Eastern half of Southeast Australia [MORWONGESE]

TL-MT, TC\*, RecC\* (1915-2017-MOESENER)



TAC\*, Cpair\*, Cadv\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1915-2017-MOESENER)



## Jackass morwong Western half of Southeast Australia [MORWONGWSE]


Metadata	
<b>Scientific Name</b>	Nemadactylus macropterus
<b>Current Assess ID</b>	CSIRO-MORWONGWSE-1986-2017-MOESENER
<b>Area</b>	Western half of Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2014, 2017

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2017	775
<b>Fmsy</b>	Fmsy-1/yr	2017	0.149
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2017	1317
<b>Fmgt</b>	Fmgt-1/yr	2017	0.09
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2017	3314
<b>SSB0</b>	SSB0-MT	2017	2743
<b>MSY</b>	MSY-MT	2017	180
<b>M</b>	M-1/yr	2017	0.15
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-MT	2017	549
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2017	2338	-	-
<b>SSB</b>	SSB-MT	2017	1803	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2017	$1.14 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2017	0.04	-	-
<b>ER</b>	ER-ratio	2017	0.039	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2017	87		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2017	2.326		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2017	0.266		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2017	1.37		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2017	0.44		
<b>ER/ERmgt</b>	-	-	-		

# Jackass morwong Western half of Southeast Australia [MORWONGWSE]


Kobe MSYpref (1986–2017–MOESENEDER)




Kobe MGTpref (1986–2017–MOESENEDER)



Spawner Recruit (1986–2017–MOESENEDER)




Production (1986–2017–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Jackass morwong Western half of Southeast Australia [MORWONGWSE]

TB-MT (1986–2017–MOESENEDER)




SSB-MT (1986–2017–MOESENEDER)




TN \*




F-1/yr (1986–2017–MOESENEDER)



ER-ratio (1986–2017–MOESENEDER)



R-E00 (1986–2017–MOESENEDER)








# Jackass morwong Western half of Southeast Australia [MORWONGWSE]

TL-MT, TC\*, RecC\* (1986-2017-MOESENER)


TAC\*, Cpair\*, Cadv\*





CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1986-2017-MOESENER)



## Sea mullet Queensland and New South Wales [MULLQNSW]


Metadata	
<b>Scientific Name</b>	Mugil cephalus
<b>Current Assess ID</b>	DPIF-MULLQNSW-1945-2003-BANOBI
<b>Area</b>	Queensland and New South Wales
<b>Management Authority</b>	Department of Primary Industries and Fisheries
<b>Assessor</b>	Department of Primary Industries and Fisheries
<b>Asmts in RAM</b>	2003

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERMgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2003	0.33
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2003	35,200	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	R-E00	2003	41,800,000	-	-
F	-	-	-	-	-
ER	ER-ratio	2003	0.124	-	-
TC	-	-	-		
TL	TL-MT	2003	4220		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERMgt	-	-	-		

Sea mullet Queensland and New South Wales [MULLQNSW]



Kobe MSY\*



Kobe MGT\*



Spawner Recruit\*





◆ Start Year ◆ End Year \* No Data

# Sea mullet Queensland and New South Wales [MULLQNSW]


TB-MT (1945-2003-BANOBI)

SSB\*





TN \*

F\*



ER-ratio (1945-2003-BANOBI)


R-E00 (1945-2003-BANOBI)



# Sea mullet Queensland and New South Wales [MULLQNSW]

TL-MT, TC\*, RecC\* (1945-2003-BANOBI)

TAC\*, Cpair\*, Cadv\*



CPUE\*

EFFORT\*

CdivMSY\*

■ 1st listed time series    ▲ 3rd listed time series    — MORAT  
● 2nd listed time series    - - - MSY    \* No Data


## Ling Southeast Australia [NZLINGESE]

Metadata	
<b>Scientific Name</b>	Genypterus blacodes
<b>Current Assess ID</b>	CSIRO-NZLINGESE-1968-2007-FULTON
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007


Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2007	3324
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	M-1/yr	2007	0.2
<b>TBlim</b>	TBlim-MT	2007	1385
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2007	4260	-	0
<b>SSB</b>	SSB-MT	2007	1960	Females	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2007	1,930,000	-	0
<b>F</b>	-	-	-	-	-
<b>ER</b>	ER-calc-ratio	2007	0.173	-	-
<b>TC</b>	-	-	-	-	-
<b>TL</b>	TL-MT	2007	736	-	-
<b>TB/TBmsy</b>	-	-	-	-	-
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2007	0.59	-	-
<b>F/Fmsy</b>	-	-	-	-	-
<b>ER/ERmsy</b>	-	-	-	-	-
<b>TB/TBmgt</b>	-	-	-	-	-
<b>SSB/SSBmgt</b>	-	-	-	-	-
<b>F/Fmgt</b>	-	-	-	-	-
<b>ER/ERmgt</b>	-	-	-	-	-


Kobe MSY\*




Kobe MGT\*



Spawner Recruit (1968–2007–FULTON)




Production (1968–2007–FULTON)




◆ Start Year ◆ End Year \* No Data

# Ling Southeast Australia [NZLINGESE]


TB-MT (1968–2007–FULTON)



SSB-MT (1968–2007–FULTON)




TN \*





F\*



ER-calc-ratio (1968–2007–FULTON)




R-E00 (1968–2007–FULTON)





Ling Southeast Australia [NZLINGESE]


TL-MT, TC\*, RecC\* (1968-2007-FULTON)



TAC\*, Cpair\*, Cadv\*




CPUEstand-C/E (1968-2007-FULTON)



EFFORT\*



CdivMSY\*



## Ling Western half of Southeast Australia [NZLINGWSE]


Metadata	
<b>Scientific Name</b>	Genypterus blacodes
<b>Current Assess ID</b>	CSIRO-NZLINGWSE-1968-2007-FULTON
<b>Area</b>	Western half of Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2007	3378
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	ERmsy-ratio	2007	0.16
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	M-1/yr	2007	0.2
<b>TBlim</b>	TBlim-MT	2007	1407
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2007	7760	-	0
<b>SSB</b>	SSB-MT	2007	3660	Females	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2007	2,290,000	-	0
<b>F</b>	-	-	-	-	-
<b>ER</b>	ER-calc-ratio	2007	0.06	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2007	465		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2007	1.084		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	ER-calc-ratio/ERmsy-ratio	2007	0.375		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

# Ling Western half of Southeast Australia [NZLINGWSE]


Kobe MSYpref (1968–2007–FULTON)




Kobe MGTpref (1968–2007–FULTON)



Spawner Recruit (1968–2007–FULTON)




Production (1968–2007–FULTON)




◆ Start Year ◆ End Year \* No Data

# Ling Western half of Southeast Australia [NZLINGWSE]

TB-MT (1968-2007-FULTON)




SSB-MT (1968-2007-FULTON)




TN \*




F\*



ER-calc-ratio (1968-2007-FULTON)






R-E00 (1968-2007-FULTON)



# Ling Western half of Southeast Australia [NZLINGWSE]

TL-MT, TC\*, RecC\* (1968-2007-FULTON)

TAC\*, Cpair\*, Cadv\*



## Orange roughy Cascade Plateau [OROUGHYCASCADE]


Metadata	
<b>Scientific Name</b>	Hoplostethus atlanticus
<b>Current Assess ID</b>	CSIRO-OROUGHYCASCADE-1987-2006-FULTON
<b>Area</b>	Cascade Plateau
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2006

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2006	5716
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2006	74,000	Both	0
SSB	SSB-MT	2006	21,200	Females	-
TN	-	-	-	-	-
R	R-E00	2006	1,030,000	-	-
F	-	-	-	-	-
ER	ER-ratio	2006	0.022	-	-
TC	-	-	-	-	-
TL	TL-MT	2006	800	-	-
TB/TBmsy	-	-	-	-	-
SSB/SSBmsy	-	-	-	-	-
F/Fmsy	-	-	-	-	-
ER/ERmsy	-	-	-	-	-
TB/TBmgt	-	-	-	-	-
SSB/SSBmgt	-	-	-	-	-
F/Fmgt	-	-	-	-	-
ER/ERmgt	-	-	-	-	-

Orange roughy Cascade Plateau [OROUGHYCASCADE]


Kobe MSY\*




Kobe MGT\*



Spawner Recruit (1987–2006–FULTON)




Production (1987–2006–FULTON)






◆ Start Year ◆ End Year \* No Data

# Orange roughy Cascade Plateau [OROUGHYCASCADE]


TB-MT (1987-2006-FULTON)





SSB-MT (1987-2006-FULTON)



ER-ratio (1987-2006-FULTON)



R-E00 (1987-2006-FULTON)








# Orange roughy Cascade Plateau [OROUGHYCASCADE]

TL-MT, TC\*, RecC\* (1987-2006-FULTON)

TAC\*, Cpair\*, Cadv\*



## Orange roughy Southeast Australia [OROUGHYSE]


Metadata	
<b>Scientific Name</b>	Hoplostethus atlanticus
<b>Current Assess ID</b>	CSIRO-OROUGHYSE-1980-2013-MOESENER
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007, 2013

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2013	8143
<b>Fmsy</b>	Fmsy-1/yr	2013	0.03
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2013	18,687
<b>Fmgt</b>	Fmgt-1/yr	2013	0.015
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2013	169,697
<b>SSB0</b>	SSB0-MT	2013	38,931
<b>MSY</b>	MSY-MT	2013	2192
<b>M</b>	M-1/yr	2013	0.04
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-MT	2013	7786
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2013	80,500	-	-
<b>SSB</b>	SSB-MT	2013	8790	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2013	$6.63 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2013	0.002	-	-
<b>ER</b>	ER-ratio	2013	0.002	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2013	150		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2013	1.079		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2013	0.063		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2013	0.47		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2013	0.126		
<b>ER/ERmgt</b>	-	-	-		

# Orange roughy Southeast Australia [OROUGHYSE]


Kobe MSYpref (1980–2013–MOESENEDER)




Kobe MGTpref (1980–2013–MOESENEDER)



Spawner Recruit (1980–2013–MOESENEDER)




Production (1980–2013–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Orange roughy Southeast Australia [OROUGHYSE]


TB-MT (1980-2013-MOESENER)




SSB-MT (1980-2013-MOESENER)





F-1/yr (1980-2013-MOESENER)



ER-ratio (1980-2013-MOESENER)









R-E00 (1980-2013-MOESENER)



# Orange roughy Southeast Australia [OROUGHYSE]

TL-MT, TC\*, RecC\* (1980-2013-MOESENER)

TAC\*, Cpair\*, Cadv\*



## Patagonian toothfish Macquarie Island [PTOOTHFISHMI]


Metadata	
<b>Scientific Name</b>	Dissostichus eleginoides
<b>Current Assess ID</b>	CSIRO-PTOOTHFISHMI-1975-2010-FAY
<b>Area</b>	Macquarie Island
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	TBmsy-calc-MT	2010	1512
<b>SSBmsy</b>	SSBmsy-MT	2010	870
<b>Fmsy</b>	Fmsy-1/yr	2010	0.058
<b>ERmsy</b>	ERmsy-ratio	2010	0.122
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	MSY-MT	2010	184
<b>M</b>	M-1/yr	2010	0.13
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2010	6170	-	1+
<b>SSB</b>	SSB-MT	2010	2000	Females	14
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2010	430,000	-	0
<b>F</b>	F-1/yr	2010	0.011	Both	-
<b>ER</b>	ER-ratio	2010	0.011	-	-
<b>TC</b>	TC-MT	2010	69		
<b>TL</b>	TL-MT	2010	69		
<b>TB/TBmsy</b>	TB-MT/TBmsy-calc-MT	2010	4.08		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2010	2.3		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	0.194		
<b>ER/ERmsy</b>	ER-ratio/ERmsy-ratio	2010	0.093		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

# Patagonian toothfish Macquarie Island [PTOOTHFISHMI]


Kobe MSYpref (1975–2010–FAY)




Kobe MGTpref (1975–2010–FAY)



Spawner Recruit (1975–2010–FAY)




Production (1975–2010–FAY)




◆ Start Year ◆ End Year \* No Data

# Patagonian toothfish Macquarie Island [PTOOTHFISHMI]


TB-MT (1975–2010–FAY)




SSB-MT (1975–2010–FAY)




TN \*




F-1/yr (1975–2010–FAY)



ER-ratio (1975–2010–FAY)




R-E00 (1975–2010–FAY)





# Patagonian toothfish Macquarie Island [PTOOTHFISHMI]

TC-MT, TL-MT, RecC\* (1975-2010-FAY)



TAC\*, Cpair\*, Cadv\*




CPUE\*



EFFORT\*



TC-MT/MSY-MT, CdivMEANC-ratio, (1975-2010-FAY)



■ 1st listed time series ▲ 3rd listed time series — MORAT  
● 2nd listed time series - - - MSY \* No Data

## Redfish Eastern Australia [REDFEAUS]


Metadata	
<b>Scientific Name</b>	Centroberyx affinis
<b>Current Assess ID</b>	CSIRO-REDFEAUS-1975-2016-MOESENER
<b>Area</b>	Eastern Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2013, 2016

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2016	2852
<b>Fmsy</b>	Fmsy-1/yr	2016	0.102
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2016	5336
<b>Fmgt</b>	Fmgt-1/yr	2016	0.053
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2016	26,740
<b>SSB0</b>	SSB0-MT	2016	11,116
<b>MSY</b>	MSY-MT	2016	913
<b>M</b>	M-1/yr	2016	0.1
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-MT	2016	2223
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2016	2250	-	-
<b>SSB</b>	SSB-MT	2016	486	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2016	$5.18 \times 10^{13}$	-	-
<b>F</b>	F-1/yr	2016	0.031	-	-
<b>ER</b>	ER-ratio	2016	0.03	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2016	52		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2016	0.17		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2016	0.302		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2016	0.091		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2016	0.584		
<b>ER/ERmgt</b>	-	-	-		

# Redfish Eastern Australia [REDFEAUS]


Kobe MSYpref (1975–2016–MOESENEDER)




Kobe MGTpref (1975–2016–MOESENEDER)



Spawner Recruit (1975–2016–MOESENEDER)




Production (1975–2016–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Redfish Eastern Australia [REDFEAUS]


TB-MT (1975-2016-MOESENEDER)




SSB-MT (1975-2016-MOESENEDER)





F-1/yr (1975-2016-MOESENEDER)



ER-ratio (1975-2016-MOESENEDER)




R-E00 (1975-2016-MOESENEDER)



# Redfish Eastern Australia [REDFEAUS]

TL-MT, TC\*, RecC\* (1975–2016–MOESENEDER)



TAC\*, Cpair\*, Cadv\*




survB\*




CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1975–2016–MOESENEDER)



- 1st listed time series
- 2nd listed time series
- 3rd listed time series
- MSY
- MORAT
- No Data

## Rock lobster South Australia Northern Zone [RROCKLOBSTERSAUSNZ]

Metadata	
<b>Scientific Name</b>	Jasus edwardsii
<b>Current Assess ID</b>	SARDI-RROCKLOBSTERSAUSNZ-1966-2010-BANOBI
<b>Area</b>	South Australia Northern Zone
<b>Management Authority</b>	South Australian Research and Development Institute
<b>Assessor</b>	South Australian Research and Development Institute
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2010	0.1
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2010	1750	-	-
SSB	SSB-E00eggs	2010	$2.02 \times 10^{11}$	-	-
TN	-	-	-	-	-
R	R-E00	2010	1,180,000	-	-
F	-	-	-	-	-
ER	ER-ratio	2010	0.177	-	-
TC	-	-	-		
TL	TL-MT	2010	312		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


**Kobe MSY\***



**Kobe MGT\***



Spawner Recruit (1966–2010–BANOB)




**Production\***




◆ Start Year ◆ End Year \* No Data

# Rock lobster South Australia Northern Zone [RROCKLOBSTERSAUSNZ]

TB-MT (1966–2010–BANOB1)



SSB-E00eggs (1966–2010–BANOB1)




TN \*




F\*



ER-ratio (1966–2010–BANOB1)



R-E00 (1966–2010–BANOB1)










# Rock lobster South Australia Northern Zone [RROCKLOBSTERSAUSNZ]

TL-MT, TC\*, RecC\* (1966-2010-BANOBI)

TAC\*, Cpair\*, Cadv\*



## Rock lobster South Australia Southern Zone [RROCKLOBSTERSAUSSZ]

Metadata	
Scientific Name	Jasus edwardsii
Current Assess ID	SARDI-RROCKLOBSTERSAUSSZ-1965-2010-BANOBI
Area	South Australia Southern Zone
Management Authority	South Australian Research and Development Institute
Assessor	South Australian Research and Development Institute
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2010	0.1
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2010	1790	-	-
SSB	SSB-E00eggs	2010	$2.73 \times 10^{11}$	-	-
TN	-	-	-	-	-
R	R-E00	2010	1,600,000	-	-
F	-	-	-	-	-
ER	ER-ratio	2010	0.696	-	-
TC	-	-	-		
TL	TL-MT	2010	1240		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


Kobe MSY\*



Kobe MGT\*



Spawner Recruit (1965–2010–BANOB)




Production\*



◆ Start Year ◆ End Year \* No Data

# Rock lobster South Australia Southern Zone [RROCKLOBSTERSAUSSZ]


TB-MT (1965–2010–BANOB)



TN \*




SSB-E00eggs (1965–2010–BANOB)





F\*



ER-ratio (1965–2010–BANOB)




R-E00 (1965–2010–BANOB)



# Rock lobster South Australia Southern Zone [RROCKLOBSTERSAUSSZ]


TL-MT, TC\*, RecC\* (1965–2010–BANOB)

TAC\*, Cpair\*, Cadv\*



EFFORT\*

CdivMSY\*



## Sardine Western half of Southeast Australia [SARDWSE]


Metadata	
<b>Scientific Name</b>	Sardinops sagax
<b>Current Assess ID</b>	SARDI-SARDWSE-1992-2017-MOESENER
<b>Area</b>	Western half of Southeast Australia
<b>Management Authority</b>	South Australian Research and Development Institute
<b>Assessor</b>	South Australian Research and Development Institute
<b>Asmts in RAM</b>	2017

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2017	15,293
<b>Fmsy</b>	Fmsy-1/yr	2017	0.405
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2017	42,960
<b>Fmgt</b>	Fmgt-1/yr	2017	0.23
<b>ERMgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2017	400,434
<b>SSB0</b>	SSB0-MT	2017	107,400
<b>MSY</b>	MSY-MT	2017	85,726
<b>M</b>	M-1/yr	2017	0.6
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	SSBlim-MT	2017	21,480
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2017	430,348	-	-
<b>SSB</b>	SSB-MT	2017	127,437	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2017	$1.13 \times 10^{16}$	-	-
<b>F</b>	F-1/yr	2017	0.099	-	-
<b>ER</b>	ER-ratio	2017	0.099	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2017	42,750		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2017	8.333		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2017	0.245		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2017	2.966		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2017	0.431		
<b>ER/ERMgt</b>	-	-	-		

Sardine Western half of Southeast Australia [SARDWSE]


Kobe MSYpref (1992–2017–MOESENEDER)




Kobe MGTpref (1992–2017–MOESENEDER)




Spawner Recruit (1992–2017–MOESENEDER)



Production (1992–2017–MOESENEDER)



◆ Start Year ◆ End Year \* No Data



**Sardine Western half of Southeast Australia [SARDWSE]**




# Sardine Western half of Southeast Australia [SARDWSE]

TL-MT, TC\*, RecC\* (1992-2017-MOESENER)

TAC\*, Cpair\*, Cadv\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1992-2017-MOESENER)



- 1st listed time series (blue square)
- 2nd listed time series (red circle)
- 3rd listed time series (green triangle)
- MSY (purple dashed line)
- MORAT (grey line)
- No Data (\*)





## Silverfish Southeast Australia [SILVERFISHSE]

Metadata	
<b>Scientific Name</b>	Seriolella punctata
<b>Current Assess ID</b>	CSIRO-SILVERFISHSE-1980-2017-MOESENER
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2006, 2014, 2017

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2017	5102
<b>Fmsy</b>	Fmsy-1/yr	2017	0.215
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2017	9096
<b>Fmgt</b>	Fmgt-1/yr	2017	0.124
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2017	25,224
<b>SSB0</b>	SSB0-MT	2017	18,949
<b>MSY</b>	MSY-MT	2017	2064
<b>M</b>	M-1/yr	2017	0.3
<b>TBlim</b>	TBlim-MT	2006	4136
<b>SSBlim</b>	SSBlim-MT	2017	3790
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2017	7866	-	-
<b>SSB</b>	SSB-MT	2017	4273	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2017	$9.2 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2017	0.043	-	-
<b>ER</b>	ER-ratio	2017	0.049	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2017	348		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2017	0.837		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2017	0.2		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2017	0.47		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2017	0.346		
<b>ER/ERmgt</b>	-	-	-		


## Silverfish Southeast Australia [SILVERFISHSE]




◆ Start Year    ◆ End Year    \* No Data

# Silverfish Southeast Australia [SILVERFISHSE]

TB-MT (1980-2017-MOESENER)




SSB-MT (1980-2017-MOESENER)




TN \*




F-1/yr (1980-2017-MOESENER)



ER-ratio (1980-2017-MOESENER)






R-E00 (1980-2017-MOESENER)





# Silverfish Southeast Australia [SILVERFISHSE]

TL-MT, TC\*, RecC\* (1980-2017-MOESENER)

TAC\*, Cpair\*, Cadv\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1980-2017-MOESENER)






## Snapper Northern Spencer Gulf [SNAPSAUSNSG]

Metadata	
<b>Scientific Name</b>	Chrysophrys auratus
<b>Current Assess ID</b>	SARDI-SNAPSAUSNSG-1983-2010-BANOBI
<b>Area</b>	Northern Spencer Gulf
<b>Management Authority</b>	South Australian Research and Development Institute
<b>Assessor</b>	South Australian Research and Development Institute
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2010	0.05
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2010	6920	-	-
SSB	SSB-relative	2010	0.246	-	-
TN	-	-	-	-	-
R	R-E00	2010	52,200	-	-
F	-	-	-	-	-
ER	ER-ratio	2010	0.047	-	-
TC	-	-	-		
TL	TL-MT	2010	183		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		




◆ Start Year ◆ End Year \* No Data

# Snapper Northern Spencer Gulf [SNAPSAUSNSG]


TB-MT (1983–2010–BANOB1)





SSB-relative (1983–2010–BANOB1)



ER-ratio (1983–2010–BANOB1)



R-E00 (1983–2010–BANOB1)









# Snapper Northern Spencer Gulf [SNAPSAUSNSG]

TL-MT, TC\*, RecC\* (1983-2010-BANOBI)

TAC\*, Cpair\*, Cadv\*



## Snapper Southern Gulf St. Vincent [SNAPSAUSSGSV]

Metadata	
<b>Scientific Name</b>	Chrysophrys auratus
<b>Current Assess ID</b>	SARDI-SNAPSAUSSGSV-1983-2010-BANOBI
<b>Area</b>	Southern Gulf St. Vincent
<b>Management Authority</b>	South Australian Research and Development Institute
<b>Assessor</b>	South Australian Research and Development Institute
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2010	0.05
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2010	2920	-	-
SSB	SSB-relative	2010	0.287	-	-
TN	-	-	-	-	-
R	R-E00	2010	39,700	-	-
F	-	-	-	-	-
ER	ER-ratio	2010	0.098	-	-
TC	-	-	-		
TL	TL-MT	2010	419		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


Kobe MSY\*



Kobe MGT\*



Spawner Recruit (1983–2010–BANOB)




Production\*





◆ Start Year ◆ End Year \* No Data

# Snapper Southern Gulf St. Vincent [SNAPSAUSSGSV]


TB-MT (1983–2010–BANOB)





SSB-relative (1983–2010–BANOB)



ER-ratio (1983–2010–BANOB)






R-E00 (1983–2010–BANOB)



# Snapper Southern Gulf St. Vincent [SNAPSAUSSGSV]

TL-MT, TC\*, RecC\* (1983-2010-BANOBI)

TAC\*, Cpair\*, Cadv\*






## Snapper Southern Spencer Gulf [SNAPSAUSSSG]

Metadata	
<b>Scientific Name</b>	Chrysophrys auratus
<b>Current Assess ID</b>	SARDI-SNAPSAUSSSG-1984-2010-BANOBI
<b>Area</b>	Southern Spencer Gulf
<b>Management Authority</b>	South Australian Research and Development Institute
<b>Assessor</b>	South Australian Research and Development Institute
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2010	0.05
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2010	3580	-	-
SSB	SSB-relative	2010	0.205	-	-
TN	-	-	-	-	-
R	R-E00	2010	5070	-	-
F	-	-	-	-	-
ER	ER-ratio	2010	0.1	-	-
TC	-	-	-		
TL	TL-MT	2010	61		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		





◆ Start Year ◆ End Year \* No Data

Snapper Southern Spencer Gulf [SNAPSAUSSSG]


TB-MT (1984-2010-BANOBI)





SSB-relative (1984-2010-BANOBI)



ER-ratio (1984-2010-BANOBI)




R-E00 (1984-2010-BANOBI)





Snapper Southern Spencer Gulf [SNAPSAUSSSG]

TL-MT, TC\*, RecC\* (1984-2010-BANOBI)



TAC\*, Cpair\*, Cadv\*




CPUE\*



EFFORT\*



CdivMSY\*



## School whiting Southeast Australia [SWHITSE]


Metadata	
<b>Scientific Name</b>	Sillago flindersi
<b>Current Assess ID</b>	CSIRO-SWHITSE-1947-2016-MOESENER
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2007, 2008, 2016

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2016	1660
<b>Fmsy</b>	Fmsy-1/yr	2016	0.339
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2016	3622
<b>Fmgt</b>	Fmgt-1/yr	2016	0.199
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2016	13,702
<b>SSB0</b>	SSB0-MT	2016	7547
<b>MSY</b>	MSY-MT	2016	2070
<b>M</b>	M-1/yr	2016	0.593
<b>TBlim</b>	TBlim-MT	2007	1556
<b>SSBlim</b>	SSBlim-MT	2016	1509
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2016	8610	-	-
<b>SSB</b>	SSB-MT	2016	3270	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2016	$2.46 \times 10^{14}$	-	-
<b>F</b>	F-1/yr	2016	0.182	-	-
<b>ER</b>	ER-ratio	2016	0.181	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2016	1440		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2016	1.97		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2016	0.536		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2016	0.903		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2016	0.914		
<b>ER/ERmgt</b>	-	-	-		

# School whiting Southeast Australia [SWHITSE]


Kobe MSYpref (1947–2016–MOESENEDER)




Kobe MGTpref (1947–2016–MOESENEDER)



Spawner Recruit (1947–2016–MOESENEDER)




Production (1947–2016–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# School whiting Southeast Australia [SWHITSE]

TB-MT (1947-2016-MOESENER)




SSB-MT (1947-2016-MOESENER)




TN \*





F-1/yr (1947-2016-MOESENER)



ER-ratio (1947-2016-MOESENER)




R-E00 (1947-2016-MOESENER)



# School whiting Southeast Australia [SWHITSE]

TL-MT, TC\*, RecC\* (1947-2016-MOESENER)



TAC\*, Cpair\*, Cadv\*




CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1947-2016-MOESENER)



■ 1st listed time series    ▲ 3rd listed time series    — MORAT  
 ● 2nd listed time series    - - - MSY    \* No Data

## Tasmanian giant crab Tasmania [TASGIANTCRABTAS]


Metadata	
<b>Scientific Name</b>	Pseudocarcinus gigas
<b>Current Assess ID</b>	TAFI-TASGIANTCRABTAS-1990-2007-JENSEN
<b>Area</b>	Tasmania
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Tasmanian Aquaculture and Fisheries Institute
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2007	762	-	-
SSB	SSB-E00eggs	2007	143,000	-	-
TN	-	-	-	-	-
R	R-E00	2007	180,000	-	-
F	-	-	-	-	-
ER	ER-ratio	2007	0.18	-	-
TC	TC-MT	2007	57		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Tasmanian giant crab Tasmania [TASGIANTCRABTAS]


Kobe MSY\*




Kobe MGT\*



Spawner Recruit (1990–2007–JENSEN)




Production (1990–2007–JENSEN)






◆ Start Year ◆ End Year \* No Data

# Tasmanian giant crab Tasmania [TASGIANTCRABTAS]


TB-MT (1990-2007-JENSEN)





SSB-E00eggs (1990-2007-JENSEN)



ER-ratio (1990-2007-JENSEN)



R-E00 (1990-2007-JENSEN)









# Tasmanian giant crab Tasmania [TASGIANTCRABTAS]

TC-MT, TL\*, RecC\* (1990-2007-JENSEN)

TAC\*, Cpair\*, Cadv\*



## Tiger flathead Southeast Australia [TIGERFLATSE]


Metadata	
<b>Scientific Name</b>	Neoplatycephalus richardsoni
<b>Current Assess ID</b>	CSIRO-TIGERFLATSE-1915-2015-MOESENER
<b>Area</b>	Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2006, 2015

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2015	7181
<b>Fmsy</b>	Fmsy-1/yr	2015	0.163
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2015	9240
<b>Fmgt</b>	Fmgt-1/yr	2015	0.754
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2015	45,431
<b>SSB0</b>	SSB0-MT	2015	23,100
<b>MSY</b>	MSY-MT	2015	2854
<b>M</b>	M-1/yr	2015	0.27
<b>TBlim</b>	TBlim-MT	2006	2546
<b>SSBlim</b>	SSBlim-MT	2015	4620
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2015	23,400	-	-
<b>SSB</b>	SSB-MT	2015	9820	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2015	$1.72 \times 10^{13}$	-	-
<b>F</b>	F-1/yr	2015	0.853	-	-
<b>ER</b>	ER-ratio	2015	0.14	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2015	3070		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2015	1.368		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2015	5.238		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2015	1.063		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2015	1.131		
<b>ER/ERmgt</b>	-	-	-		

# Tiger flathead Southeast Australia [TIGERFLATSE]


Kobe MSYpref (1915–2015–MOESENEDER)




Kobe MGTpref (1915–2015–MOESENEDER)



Spawner Recruit (1915–2015–MOESENEDER)




Production (1915–2015–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Tiger flathead Southeast Australia [TIGERFLATSE]


TB-MT (1915-2015-MOESENER)




SSB-MT (1915-2015-MOESENER)




TN \*





F-1/yr (1915-2015-MOESENER)



ER-ratio (1915-2015-MOESENER)




R-E00 (1915-2015-MOESENER)



# Tiger flathead Southeast Australia [TIGERFLATSE]

TL-MT, TC\*, RecC\* (1915-2015-MOESENER)



TAC\*, Cpair\*, Cadv\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1915-2015-MOESENER)



## Blue warehou Eastern half of Southeast Australia [WAREHOU]ESE]


Metadata	
<b>Scientific Name</b>	Seriotelella brama
<b>Current Assess ID</b>	CSIRO-WAREHOU]ESE-1986-2008-MOESSENER
<b>Area</b>	Eastern half of Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2006, 2008

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2008	640
<b>Fmsy</b>	Fmsy-1/yr	2008	0.502
<b>ERmsy</b>	ERmsy-ratio	2006	0.17
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2008	2135
<b>Fmgt</b>	Fmgt-1/yr	2008	0.206
<b>ERmgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2008	6058
<b>SSB0</b>	SSB0-MT	2008	4447
<b>MSY</b>	MSY-MT	2008	967
<b>M</b>	M-1/yr	2008	0.45
<b>TBlim</b>	TBlim-MT	2006	653
<b>SSBlim</b>	SSBlim-MT	2008	889
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2008	1680	-	-
<b>SSB</b>	SSB-MT	2008	673	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2008	$5.11 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2008	0.043	-	-
<b>ER</b>	ER-ratio	2008	0.036	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2008	59		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2008	1.051		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2008	0.085		
<b>ER/ERmsy</b>	ER-calc-ratio/ERmsy-ratio	2006	0.653		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2008	0.315		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2008	0.209		
<b>ER/ERmgt</b>	-	-	-		

# Blue warehou Eastern half of Southeast Australia [WAREHOUSESE]


Kobe MSYpref (1986–2008–MOESENEDER)




Kobe MGTpref (1986–2008–MOESENEDER)



Spawner Recruit (1986–2008–MOESENEDER)




Production (1986–2008–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Blue warehou Eastern half of Southeast Australia [WAREHOUSE]


TB-MT (1986-2008-MOESENER)




SSB-MT (1986-2008-MOESENER)




TN \*




F-1/yr (1986-2008-MOESENER)



ER-ratio (1986-2008-MOESENER)



R-E00 (1986-2008-MOESENER)









# Blue warehou Eastern half of Southeast Australia [WAREHOUSESE]

TL-MT, TC\*, RecC\* (1986-2008-MOESENER)

TAC\*, Cpair\*, Cadv\*



## Blue warehou Western half of Southeast Australia [WAREHOUWSE]


Metadata	
<b>Scientific Name</b>	Seriotelella brama
<b>Current Assess ID</b>	CSIRO-WAREHOUWSE-1986-2008-MOESSENER
<b>Area</b>	Western half of Southeast Australia
<b>Management Authority</b>	Australian Fisheries Management Authority, Australia national management
<b>Assessor</b>	Commonwealth Scientific and Industrial Research Organization
<b>Asmts in RAM</b>	2006, 2008

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	SSBmsy-MT	2008	233
<b>Fmsy</b>	Fmsy-1/yr	2008	0.642
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	SSBmgt-MT	2008	1423
<b>Fmgt</b>	Fmgt-1/yr	2008	0.197
<b>ERMgt</b>	-	-	-
<b>TB0</b>	TB0-MT	2008	4423
<b>SSB0</b>	SSB0-MT	2008	2964
<b>MSY</b>	MSY-MT	2008	867
<b>M</b>	M-1/yr	2008	0.45
<b>TBlim</b>	TBlim-MT	2006	653
<b>SSBlim</b>	SSBlim-MT	2008	593
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-MT	2008	1430	-	-
<b>SSB</b>	SSB-MT	2008	525	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	R-E00	2008	$4.15 \times 10^{12}$	-	-
<b>F</b>	F-1/yr	2008	0.312	-	-
<b>ER</b>	ER-ratio	2008	0.265	-	-
<b>TC</b>	-	-	-		
<b>TL</b>	TL-MT	2008	379		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	SSB-MT/SSBmsy-MT	2008	2.25		
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2008	0.486		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	SSB-MT/SSBmgt-MT	2008	0.369		
<b>F/Fmgt</b>	F-1/yr/Fmgt-1/yr	2008	1.585		
<b>ER/ERMgt</b>	-	-	-		

# Blue warehou Western half of Southeast Australia [WAREHOUWSE]


Kobe MSYpref (1986–2008–MOESENEDER)




Kobe MGTpref (1986–2008–MOESENEDER)



Spawner Recruit (1986–2008–MOESENEDER)




Production (1986–2008–MOESENEDER)




◆ Start Year ◆ End Year \* No Data

# Blue warehou Western half of Southeast Australia [WAREHOUWSE]

TB-MT (1986-2008-MOESENER)




SSB-MT (1986-2008-MOESENER)




TN \*





F-1/yr (1986-2008-MOESENER)



ER-ratio (1986-2008-MOESENER)





R-E00 (1986-2008-MOESENER)



# Blue warehou Western half of Southeast Australia [WAREHOUWSE]

TL-MT, TC\*, RecC\* (1986-2008-MOESENER)


TAC\*, Cpair\*, Cadv\*



CPUE\*



EFFORT\*



TL-MT/MSY-MT, CdivMEANC-ratio, (1986-2008-MOESENER)

