

### Table 6

Effects of the Seasonal Intensification of Fumigations on Maternal Characteristics: Main Estimation Approach

	OLS with FE				Logit with FE		
	Model 1: No. of Labors	Model 2: No. of Children	Model 3: No. of Babies from Labor	Model 4: No. of Prenatal Visits	Model 5: I(Education)	Model 6: I(Private Hospital)	Model 7: I(Natural Labor)
<b>bx</b>	-0.032 (0.02)	0.035 (0.03)	<b>-0.019* (0.01)</b>	0.256 (0.25)	<b>0.806* (0.09)</b>	0.81 (0.22)	0.827 (0.24)
	[-0.07, 0.01]	[-0.02, 0.09]	[-0.04, 0]	[-0.23, 0.74]	[0.64, 0.98]	[0.38, 1.24]	[0.35, 1.3]
<b>pxp</b>	-0.007 (0.01)	0.006 (0.01)	-0.005 (0)	0.013 (0.07)	1.094 (0.07)	<b>0.857* (0.05)</b>	1.034 (0.04)
	[-0.02, 0.01]	[-0.01, 0.03]	[-0.01, 0]	[-0.12, 0.15]	[0.96, 1.22]	[0.75, 0.96]	[0.96, 1.11]
<b>bx_pxp</b>	-0.003 (0.01)	0.003 (0.01)	0.001 (0.01)	-0.222 (0.13)	0.916 (0.1)	1.195 (0.34)	0.871 (0.13)
	[-0.02, 0.02]	[-0.03, 0.03]	[-0.02, 0.02]	[-0.48, 0.03]	[0.73, 1.1]	[0.53, 1.86]	[0.62, 1.12]
<i>bx</i> = I(Banana Exposure)							
<i>pxp</i> = I(Intensive Fumigation)							
<i>bx_pxp</i> = I(Banana Exposure) x I(Intensive Fumigation)							
Robust Standard Errors in Parentheses; *p < 0.05							