

<u>Aim:</u> Write a program to create, concatenate and print a string and accessing substring from a given string.

#### **IDE:**

Slicing and indexing are two fundamental concepts in Python. They help us access specific elements in a sequence, such as a string or (list and tuple).

### **Indexing in Python**

Indexing is the process of accessing an element in a sequence using its position in the sequence (its index). In Python, indexing starts from 0, which means the first element in a sequence is at position 0, the second element is at position 1, and so on. To access an element in a sequence, you can use square brackets [] with the index of the element you want to access.

### Let's consider the following example:

# create a string using double quotes
string1 = "ICT Department"
print(string1)
# create a string using single quotes
string1 = 'ICT Department'
print(string1)
Output



# Faculty of Engineering & Technology

# **Department of Information and Communication Technology**

Subject: Programming With Python (01CT1309)

**Aim:** Write a program to create, concatenate and print a string and accessing substring from a given string.

**Enrollment No:92400133037** 

```
lab3 > 🐡 string.py > ...
       st1="ICT Department"
       print(st1)
       st1='ICT Department'
       print(st1)
       st2='3EK1'
       #print(st2[4])--IndexError
  8
       print(st2[1])
       st3='ICT Department'
       print(st3[-4])
       #slicing
       st4='ICT Department'
       print(st4[1:4])
       print(st4[:2])
       print(st4[2:])
PROBLEMS
           OUTPUT
                    DEBUG CONSOLE
                                   TERMINAL
TERMINAL
PS G:\sem-3\python_lab> python -u "g:\sem-3\python_lab\lab3\string.
ICT Department
ICT Department
```

Access String Characters in Python string2 = '3EK1' # access 1st index element print(string2 [1]) Output:



# Faculty of Engineering & Technology

# **Department of Information and Communication Technology**

Subject: Programming With Python (01CT1309)

**Aim:** Write a program to create, concatenate and print a string and accessing substring from a given string.

**Experiment No: 03 Date:21/07/2025** 

**Enrollment No:92400133037** 

```
lab3 > 🐡 string.py > ...
       st1="ICT Department"
       print(st1)
       st1='ICT Department'
       print(st1)
       st2='3EK1'
       #print(st2[4])--IndexError
  8
       print(st2[1])
       st3='ICT Department'
       print(st3[-4])
       #slicing
       st4='ICT Department'
       print(st4[1:4])
       print(st4[:2])
       print(st4[2:])
PROBLEMS
           OUTPUT
                    DEBUG CONSOLE
                                    TERMINAL
TERMINAL
PS G:\sem-3\python_lab> python -u "g:\sem-3\python_lab\lab3\string.
ICT Department
ICT Department
```

## **Negative Indexing:**

```
Python allows negative indexing for its strings. For example, string3 = 'ICT Department' # access 4th last element print(string3 [-4]) output:
```



# Faculty of Engineering & Technology

# **Department of Information and Communication Technology**

Subject: Programming With Python (01CT1309)

**Aim:** Write a program to create, concatenate and print a string and accessing substring from a given string.

**Experiment No: 03 Date:21/07/2025** 

**Enrollment No:92400133037** 


```
lab3 > 🐡 string.py > ...
       st1="ICT Department"
       print(st1)
       st1='ICT Department'
       print(st1)
       st2='3EK1'
       #print(st2[4])--IndexError
  8
       print(st2[1])
       st3='ICT Department'
       print(st3[-4])
       #slicing
       st4='ICT Department'
       print(st4[1:4])
       print(st4[:2])
       print(st4[2:])
PROBLEMS
           OUTPUT
                    DEBUG CONSOLE
                                    TERMINAL
TERMINAL
PS G:\sem-3\python lab> python -u "g:\sem-3\python lab\lab3\string.
ICT Department
ICT Department
```

## **Slicing in Python**

Slicing is the process of accessing a sub-sequence of a sequence by specifying a starting and ending index. In Python, you perform slicing using the colon: operator. The syntax for slicing is as follows:

### Example:

sequence[start index:end index]



where start\_index is the index of the first element in the sub-sequence and end\_index is the index of the last element in the sub-sequence (excluding the element at the end\_index). To slice a sequence, you can use square brackets [] with the start and end indices separated by a colon.

For example, string4 = 'ICT Department' # access character from 1st index to 3rd index print(string4[1:4]) Output:

```
14  #slicing
15  st4='ICT Department'
16  print(st4[1:4])
17  print(st4[:2])
18  print(st4[2:])
19
```


```
CT
IC
T Department
```

You can also omit either the start\_index or the end\_index in a slice to get all the elements from the beginning or end of the sequence. For example:

print(string4[:2])
print(string4[2:])
output:

```
14  #slicing
15  st4='ICT Department'
16  print(st4[1:4])
17  print(st4[:2])
18  print(st4[2:])
19
```

```
CT
IC
T Department
```



In the first line of the above code, we have used slicing to get all the elements from the beginning of string4 up to (but not including) the element at index 2. In the second line, we have used slicing to get all the elements from index 2 to the end of string4.

### **Python Strings are Immutable**

In Python, strings are immutable. That means the characters of a string cannot be changed. For example, message = 'ICT Department' message[0] = 'H' print(message)

Output:

```
19
20 #strings are immutable
21 #mes='ict department'
22 #mes[0]='h'
23 #print(mes)--type error--does not support assignment
```

However, we can assign the variable name to a new string. For example, message = 'ICT'
# assign new string to message variable
message = 'ICT Department'
print(message)


### **Python Multiline String**

We can also create a multiline string in Python. For this, we use triple double quotes """ or triple single quotes "". For example,

"". For example,
# multiline string
message = """
ICT
Department
3EK1
"""
print(message)

print(incssage

Output:



```
25 #multiline string

26 mess="""
27 ICT
28 Department
29 3ek1
30 """
31 print(mess)

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

V TERMINAL

ICT Department
3ek1
```

## **Python String Operations**

Many operations can be performed with strings, which makes it one of the most used data types in Python.

## 1. Compare Two Strings

```
For example,

str1 = "ICT"

str2 = "Department"

str3 = "3EK1"

# compare str1 and str2

print(str1 == str2)

# compare str1 and str3

print(str1 == str3)
```

Output:



# Faculty of Engineering & Technology

## **Department of Information and Communication Technology**

Subject: Programming With Python (01CT1309)

**Aim:** Write a program to create, concatenate and print a string and accessing substring from a given string.

**Experiment No: 03** 

Date:21/07/2025

**Enrollment No:92400133037** 

```
False
```

### 2. Join Two or More Strings

In Python, we can join (concatenate) two or more strings using the + operator.

greet = "ICT"

False

name = "Department"

# using + operator

result = greet + name


print(result)

Output:

```
9 | #concatenate
11 greet='ICT'
12 name="Department"
13 print(greet+name)
14 | ICTDepartment
```

## **Python String Length**

```
In Python, we use the len() method to find the length of a string. For example, greet = 'ICT'
# count length of greet string
print(len(greet))
Output:
```



```
15 #length
16 print(len(greet))
```

## **String Membership Test**

We can test if a substring exists within a string or not, using the keyword in. print('a' in 'program') print('at' not in 'battle')

Output:

```
#membership
print('a'in'program')#true
print('at'not in'battle')#false

True
False
```

## **Methods of Python String**

#### Python String upper()

The upper() method converts all lowercase characters in a string into uppercase characters and returns it. message = 'python is fun'

# convert message to uppercase
print(message.upper())


Output:

```
20 print(name.upper())
DEPARTMENT
```

## Python String lower()

The lower() method converts all uppercase characters in a string into lowercase characters and returns it. message = 'PYTHON IS FUN' # convert message to lowercase print(message.lower())

Output:



```
21 print(name.lower())
  department
```

## **Python String replace()**

The replace() method replaces each matching occurrence of a substring with another string.

text = 'CE Department'

replaced text = text.replace('CE', 'ICT')

print(replaced\_text)

Output:

```
#replace()
text='CE Department'
replaced_text=text.replace('CE','ICT')
#replaced_text=text.replace('ce','ict')--error will not
print(replaced_text)
ICT Department
```

### Python String find()

The find() method returns the index of first occurrence of the substring (if found). If not found, it returns -1. message = 'Python is a fun programming language'

# check the index of 'fun'

print(message.find('fun'))


Output:

```
#find()
mess='Python is a fun programming language fun'
print(mess.find('fun'))
.
```

### **Python String rstrip()**

The rstrip() method returns a copy of the string with trailing characters removed (based on the string argument passed).

```
title = 'Python Programming '
result = title.rstrip()
```



## print(result)

## Output:

```
14
15 #rstrip()
16 title='Python Programming g'
17 print(title.rstrip('g'))
18

Python Programming
```

## Python String split()

The split() method breaks down a string into a list of substrings using a chosen separator. text = 'Python is fun'

# split the text from space
print(text.split())

```
19 #split
20 text='Python is fun'
21 print(text.split)
22
Python', 'is', 'fun']
```

## **Python String startswith()**

The startswith() method returns True if a string starts with the specified prefix(string). If not, it returns False. message = 'Python is fun'


# check if the message starts with Python print(message.startswith('Python'))

#### Output:

```
#startswith()
24 mess='Python is fun'
25 print(mess.startswith('python'))
26 print(mess.startswith('Python'))
77
False
True
```

## **Python String isnumeric()**

The isnumeric() method checks if all the characters in the string are numeric.



```
pin = "523"
# checks if every character of pin is numeric
print(pin.isnumeric())
Output:
```

```
#isnumeric()
pin="523"
print("\n",pin.isnumeric())
True
```

## Python String index()

The index() method returns the index of a substring inside the string (if found). If the substring is not found, it raises an exception.

```
text = 'Python is fun'
# find the index of is
result = text.index('is')
print(result)
```

Output:

```
#index()


text='Python is fun'

print(text.index('is'))

#print(text.index('IS'))--value Error-substring not foun
```

## **Python String Formatting (f-Strings)**

```
Python f-Strings makes it easy to print values and variables. For example, name = 'Cathy' country = 'UK' print(f'{name} is from {country}')
Output:
```



```
37  #f-strings
38  name='Cathy'
39  country='UK'
40  print(f'\n{name} is from {country}')
41

Cathy is from UK
```

## **Python Raw String**

Python strings become raw strings when they are prefixed with r or R, such as r'...' and R'...'. Raw strings treat backslashes () as literal characters. Raw strings are useful for strings with a lot of backslashes, like regular expressions or directory paths.

```
str = "This is a \n normal string example"
print(str)
raw_str = r"This is a \n raw string example"
print(raw_str)
Output
```

```
#raw string

#3 str="This is a \n normal string example"

#4 print(str)

#5 print(r"This is a \n raw string example")

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL ... [

**TERMINAL**

This is a normal string example

This is a \n raw string example

This is a \n raw string example
```

#### Post Lab Exercise:

- a. Write a Python program to reverse a string.
- b. Write a Python program to check if a string is a palindrome.



# Faculty of Engineering & Technology

## **Department of Information and Communication Technology**

Subject: Programming With Python (01CT1309)

**Aim:** Write a program to create, concatenate and print a string and accessing substring from a given string.

Experiment No: 03

Date:21/07/2025

**Enrollment No:92400133037** 

- c. Write a Python program to check if a string contains only digits.
- d. Write a Python program to find the longest word in a sentence.
- e. Write a Python program to find the length of the last word in a sentence.

```
lab3 > 💠 postLab.py > ...
      #reverse
      st="python"
      print("Reverse:",st[::-1])
      #palindrome
      st1="aba"
      print(st1==st1[::-1])
      print(st==st[::-1],"\n")
      #only digits
      st2="98766"
      print(st2.isdigit())
      print(st1.isdigit())
      #longest word in a sentence
      st4="python programming is fun"
      words=st4.split()
      print(max(words,key=len))
      #last word
      words=st4.strip().split()
 22
      print(len(words[-1])if words else 0)
```

```
PS G:\sem-3\python_lab> python -u "g:\sem-3\python_lab\lab3\postL.py"
Reverse: nohtyp
True
True
False

True
False
programming
3
```

Marwadi U n i v e r s i t y  Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
<b>Subject: Programming With</b>	Aim: Write a program to create, concatenate and print a string and accessing	
Python (01CT1309)	substring from a given string.	
Experiment No: 03	Date:21/07/2025	Enrollment No:92400133037

# **GITHUB LINK**

https://github.com/Heer972005/Python\_Lab