 <b>Marwadi University</b> Marwadi Chandarana Group	NAAC A+	<b>Marwadi University</b> <b>Faculty of Engineering &amp; Technology</b> <b>Department of Information and Communication Technology</b>	
<b>Subject: Programming With Python (01CT1309)</b>	<b>Aim:</b> To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)		
<b>Experiment No: 26</b>	<b>Date:</b>	<b>Enrollment No: 92400133037</b>	

**Aim:** To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)

**IDE:** Spyder & Arduino IDE

Installation

pip install PySerial

Hardware

Circuit Diagram:


LED Anode (+) → Arduino Pin 13

LED Cathode (-) → 220Ω Resistor → GND

Arduino Code:

```
void setup() {
    pinMode(13, OUTPUT); // Set LED pin as output
    Serial.begin(9600); // Start Serial communication
}

void loop() {
    if (Serial.available()) { // Check if data is received
        char command = Serial.read(); // Read the received command
        if (command == '1') {
            digitalWrite(13, HIGH); // Turn ON LED
        } else if (command == '0') {
            digitalWrite(13, LOW); // Turn OFF LED
        }
    }
}
```

 <b>Marwadi University</b> Marwadi Chandarana Group	NAAC <b>A+</b>	<b>Marwadi University</b> <b>Faculty of Engineering &amp; Technology</b> <b>Department of Information and Communication Technology</b>	
<b>Subject: Programming With Python (01CT1309)</b>		<b>Aim:</b> To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)	
<b>Experiment No: 26</b>	<b>Date:</b>	<b>Enrollment No: 92400133037</b>	

}

}

Python Code

```
import serial
```

```
import time
```

```
# Initialize Serial Communication (Replace 'COM3' with the correct port)
```

```
arduino = serial.Serial(port='COM3', baudrate=9600, timeout=1)
```

```
time.sleep(2) # Allow time for Arduino to reset
```

```
def send_command(command):
```

```
    arduino.write(command.encode()) # Send command as bytes
```

```
    print(f"Sent: {command}")
```

```
while True:
```

```
    user_input = input("Enter '1' to turn ON LED, '0' to turn OFF, 'q' to quit: ")
```

```
    if user_input in ['1', '0']:
```

```
        send_command(user_input)
```

```
    elif user_input == 'q':
```

```
        print("Exiting...")
```

```
        break
```

```
    else:
```

```
        print("Invalid input! Enter '1', '0', or 'q'.")
```



Test the LED Control:


<b>Subject: Programming With Python (01CT1309)</b>	<b>Aim:</b> To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)	
<b>Experiment No: 26</b>	<b>Date:</b>	<b>Enrollment No: 92400133037</b>


Type 1  $\rightarrow$  LED should turn ON.

Type 0  $\rightarrow$  LED should turn OFF.

Type  $q \rightarrow$  Script exits.



 <b>Marwadi University</b> Marwadi Chandarana Group	<b>Marwadi University</b> <b>Faculty of Engineering &amp; Technology</b> <b>Department of Information and Communication Technology</b>	
<b>Subject: Programming With Python (01CT1309)</b>	<b>Aim:</b> To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)	
<b>Experiment No: 26</b>	<b>Date:</b>	<b>Enrollment No: 92400133037</b>



## Post Lab

Write python script to continuously send commands ('ON' or 'OFF') to control an LED on Arduino.


### **Python Code**

```
import serial
import time

ser = serial.Serial('COM3', 9600, timeout=1) # Update COM port
time.sleep(2) # Allow time for connection setup

while True:
    command = input("Enter command (ON/OFF): ").strip()
    if command in ["ON", "OFF"]:
        ser.write((command + '\n').encode()) # Send command
        print(f'Sent: {command}')
    else:
        print("Invalid command. Enter ON or OFF.")

ser.close()
```

 <b>Marwadi University</b> Marwadi Chandarana Group	<b>Marwadi University</b> <b>Faculty of Engineering &amp; Technology</b> <b>Department of Information and Communication Technology</b>	
<b>Subject: Programming With Python (01CT1309)</b>	<b>Aim:</b> To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)	
<b>Experiment No: 26</b>	<b>Date:</b>	<b>Enrollment No: 92400133037</b>


## Arduino Uno Code

```
#define LED_PIN 13

void setup() {
  Serial.begin(9600);
  pinMode(LED_PIN, OUTPUT);
}

void loop() {
  if (Serial.available() > 0) {
    String command = Serial.readStringUntil('\n');
    command.trim();

    if (command == "ON") {
      digitalWrite(LED_PIN, HIGH);
      Serial.println("LED Turned ON");
    } else if (command == "OFF") {
      digitalWrite(LED_PIN, LOW);
      Serial.println("LED Turned OFF");
    }
  }
}
```







**Subject: Programming With Python (01CT1309)**


**Aim:** To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)


**Experiment No: 26**

**Date:**

**Enrollment No: 92400133037**



 <b>Marwadi University</b> Marwadi Chandarana Group	<b>Marwadi University</b> <b>Faculty of Engineering &amp; Technology</b> <b>Department of Information and Communication Technology</b>	
<b>Subject: Programming With Python (01CT1309)</b>	<b>Aim:</b> To control an LED connected to an Arduino Uno using Python via serial communication (PySerial)	
<b>Experiment No: 26</b>	<b>Date:</b>	<b>Enrollment No: 92400133037</b>



**GITHUB LINK:**

[https://github.com/Heer972005/Python\\_Lab](https://github.com/Heer972005/Python_Lab)