									•	¹⁰ 5p ⁶ 6s ² 4f ¹⁴ 5d		•						
i	$R_{gas-law} = 0.0823$	$1 \frac{L \cdot atm}{mol \cdot K} = 62.4^{-1}$	$\frac{L \cdot mmHg}{mol \cdot K} = 8.33$	$14 \frac{L \cdot kPa \vee J}{mol \cdot K}$	P	eria	hibe	~ T	ahl	e o	f F	lem	en	ts				
4		$\frac{\text{cm}}{\text{cm}} = \frac{0.946 \text{ L}}{1} =$	=	=	J = kg m ⁻	s_*, N = kg m	ıs [†] ,		lon	Soluble with	Precipita							
	1 lb	•	mol	mol	[Pa] = N m	$^{-2} = \text{kg (ms)}^{-1}$	<u> </u>		NO ₃ Nitrate	Most cations	No commo							
-	$\frac{1 \text{ g}_{\text{water}}}{1 \text{ max}} = \frac{1}{100}$	$\frac{P_{\text{sea}}}{1325 \text{ Pa}} = \frac{1 \text{ a}}{760 \text{ r}}$	$\frac{\text{atm}}{\text{atm}} = \frac{1 \text{ atm}}{14.7 \text{ m}}$	$\frac{1}{2} = \frac{1 \text{ kcal}}{4.194 \text{ kg}}$	PV = nRT and	· · ·	1 1	$=Ae^{-\frac{E_a}{RT}}$	CIO ₄	Most cations	No commo							
				l l	$PV \propto 1$ and VT	$\propto 1$ (Boyle and	i Cilariej.	$\begin{vmatrix} Ae & RT \\ t = [A]_0 - kt \end{vmatrix}$	CIO ₃	Most cations	No commo							
C	${}^{\circ}C = \frac{5}{9} ({}^{\circ}F - 32)$) and ${}^{\circ}F = \frac{9}{5}{}^{\circ}C$	$+32 \text{ and } 1V = \frac{1}{6}$	<u>c</u>	$M = \frac{\text{moles solu}}{\text{L solution}}$	$\frac{1}{1}$ and $m = \frac{110}{16}$	r colvent [A	$ _{t} = [A]_{0}e^{-kt}$	C ₂ H ₃ O ₂ F	Most cations Most cations	Ag ⁺ ,							
1	$h = 6.626 \times 10^{-1}$	$^{-34}Js\lorkgm^2s^{-1}$	and $c=3.00 imes$		$X_{\rm mol\ fraction} = \frac{\rm mod}{2}$	ol component mol total	[A]	$t = \frac{1}{kt + \frac{1}{[A]_0}}$	CI ⁻	Most cations	(Ag, TI) ⁺ , Pl	$p^{2+,4+},Hg_2^{2+}$						
_			1						Br ⁻	Most cations	(Ag, TI) ⁺ , Pl	$p^{2+,4+},Hg_2^{2+}$						
	1 IA	$\triangle H_{\text{vap}} = 40.6$	$7 \text{kJ mol}^{-1} \frac{r_1}{r_1} - \frac{r_2}{r_1}$	M_2 $K_a =$	$= \frac{[H_3O^+][A^-]}{[HA]} \text{ and }$				I ⁻	Most cations	(Ag, TI) ⁺ , Pl	$p^{2+,4+}, Hg_2^{2+}$						18 VIIIA
	1 2.20	$\Delta H_{\text{vap}} = 40.6^{\circ}$ $\Delta H_{\text{fus}} = 6.01 \text{k}$ $C_{\text{ice}} = 2.11 \text{J (g}$	$_{\rm gK}^{-1}$ $_{r_2}^{-1}$	$\sqrt{M_1}$ p	$H = -\log_{10}[H^{+}]$	[], pOH = $-lo$	$g_{10}[OH^-]$, pK _a	$= -\log_{10}[K_{a}]$	SO^{2-}_4	Most cations	Ag ⁺ , Ba Pb ^{2+,4+} , C	$S_{\mathbf{a}^{2+}}$, $S_{\mathbf{r}^{2+}}$						2
1	H_2	$C_{\text{ice}} = 2.113$ (g $C_{\text{water}} = 4.184$ $C_{\text{steam}} = 1.865$	$J\left(gK\right)^{-1}v_{rms}=$	$=\sqrt{\frac{3RT}{M}}$	+ pOH $=$ 14, and	. ,		/ \	CrO ₄ ²⁻	Most cations	Ba ²⁺ , Sr ²⁺	$+, Pb^{2+,4+},$	Li ⁺ . K ⁺ . Ba ²	²⁺ . Ca ²⁺ . Na ⁺ . I	Mg ²⁺ . Al ³⁺ . Mn	+2, Zn ²⁺ , Cr ^{3+,2-}	+. Fe ^{3+,2+} .	He
Τ	Hydrogen	$C_{\sf steam} = 1.865$	J (gK) ⁻¹	V M K _a	$_{\text{a-acetic}} = 1.8 \times 10^{-1}$	0^{-9} , and in but	$fer pH = pK_a +$	$\log_{10}\left(\frac{PA}{[HA]}\right)$.				Hg_2^{2+}	Co ²⁺ , Ni ⁺ , S	Sn ²⁺ , Pb ²⁺ , 2H ⁺	, Cu ^{2+,+} , Ag ⁺ ,	Hg^{2+}, Pt^{2+}, Au^3	;+,+	Helium
	1.01	2 IIA	T 1.6	hc 1) h					S ²⁻	$Na^+, K^+, NH_4^+,$	Most other	er cations	13 IIIA	14 IVA	15 VA	16 VIA	17 VIIA	4.00
	2		$E_{\text{photon}} = nf = 0$ $E_n = -\frac{R_H}{n^2}$	$=rac{hc}{\lambda}$ and $\lambda=rac{h}{mv}$	$\triangle E = q$	$+w = q - P\triangle V$	V and $\triangle H = \triangle H$	$E + P \triangle V$	OH- N	$\frac{Li^+,Sr^{2+}}{Na^+,K^+,NH_4^+,Li}$	+, Most other	or cations						10
	3 0.98 ■ •	4 1.57	$R_{H_{\text{Rydberg}}} = 2.18$	$8 \times 10^{-18} \text{ J}$	1 1	1	or $S = k \ln W$ (n	nicro-state)		Sr^{2+} , Ba $^{2+}$, Ca $^{2+}$		er cations	5 2.04	6 2.55	7 3.14	8 3.44	9 3.98	10 N
2	Li Lithium	Be Beryllium	$\triangle E = R_H \left(\frac{1}{n_i^2}\right)$			$\times 10^{-23} \mathrm{JK}^{-1}$			CO ₃ ²⁻	$(Na, K, NH_4, Li)^+$		er cations	B	Carbon	N ₂ Nitrogen	O_2	F ₂ Fluorine	Ne Neon
	6.94	9.01			$\triangle S = k \ln s$	$\ln\left(rac{W_{final}}{W_{initial}} ight)$ and $oldsymbol{1}$	$\Delta S_{\text{surr.}} = -\frac{\Delta H^{\circ}}{T}$		PO ₄ ³⁻	Na^+, K^+, NH_4^+	Most other		Boron 10.81	12.01	14.01	Oxygen 16.00	19.00	20.18
			i = Van't Hoff	5.512, 1.86)°C/m	$-T\triangle S_{\text{universe}} = \triangle H_{\text{system}} - T\triangle S_{\text{system}}$				0^{2-} (Na,K,NH ₄) ⁺	No _{common} cations Most Anions					J			
	11 0.93	12 1.31		and $\triangle T_b = K_b r_b$	$\Delta bmi \mid \Delta G := -T\Delta S_{universe} = \Delta H - T\Delta S$				Bi ³⁺	Nothing	(NH ₄) ₂ C ₂ O ₄ Most anions		13 1.61	14 1.90	15 2.19	16 2.38	17 3.16	18
3	Na	Mg	$\Pi=iMRT$ and	$\operatorname{nd} S_g = kP_g$	$\triangle G = \triangle$	$G^{\circ} + RT \ln(Q),$	so at eq., K_{eq} =	$=e^{-\triangle G^{\circ}/RT}$	As ³⁺	l_	Most		Al	Si	Р	S	Cl_2	Ar
	Sodium 22.99	Magnesium							Sb ³⁺	CI ⁻	Most a		Aluminium	Silicon	Phosphorus	Sulphur	Chlorine 35.45	Argon 39.95
	22.99	24.31	3 IIIA	4 IVB	5 VB	6 VIB	7 VIIB	8 VIIIB	9 VIIIB	10 VIIIB	11 IB	12 IIB	26.98	28.09	30.97	32.10	35.45	39.95
	19 0.82	20 1.00	21 1.36	22 1.54	23 1.63	24 1.66	25 1.55	26 1.83	27 1.88	28 1.91	29 1.90	30 1.65	31 1.81	32 2.01	33 2.18	34 2.55	35 2.96	36 3.0
4	K	Ca	Sc	Ti	V	Cr*	Mn	Fe	Co	Ni	Cu★	Zn	Ga	Ge	As	Se	Br_2	Kr
4	Potassium	Calcium	Scandium	Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc ⁽²⁺⁾	Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton
	39.10	40.08	44.96	47.87	50.94	52.00	54.94	55.85	58.93	58.69	63.55	65.38	69.72	72.63	74.92	78.97	79.90	83.80
	37 0.82	38 0.95	39 1.22	40 1.33	41 1.6	42 2.16	43 1.9	44 2.2	45 2.28	46 2.20	47 1.93	48 1.69	49 1.78	50 1.96	51 2.05	52 2.1	53 2.86	54 2.6
_	D.	Sr	V	Zr			Tc			Pd**	_	Cd			Sb	Te		Xe
5	Rubidium	Strontium	■ Yttrium	Zirconium	Nb ★ Niobium	Mo ★ Molybdenum	Technetium	Ru ★ Ruthenium	Rh ★ Rhodium	Palladium	Ag Silver ⁽¹⁺⁾	Cadmium	In Indium	Sn* _{Tin}	Antimony	Tellurium	lodine	Xenon
	85.47	87.62	88.91	91.22	92.91	95.95	(98)	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.60	126.90	131.29
	55 0.79	56 0.89	57-71	72 1.3	73 1.5	74 2.36	75 1.9	76 2.2	77 2.20	78 2.28	79 2.54	80 2.00	81 1.62	82 1.87	83 2.02	84 2.0	85 2.2	86 2.
6	Cs	Ba	La-Lu	Hf	_ Ta	_ W	Re	Os	lr	Pt	Au★	Hg	_TI	Pb	Bi	Po	At	Rn
	Caesium 132.91	Barium 137.33	Lanthanide	Hafnium 178.49	Tantalum 180.95	Tungsten 183.84	Rhenium 186.21	Osmium 190.23	Iridium 192.22	Platinum 195.08	Gold	Mercury 200.59	Thallium 204.38	Lead 207.2	Bismuth 208.98	Polonium (209)	Astatine (210)	Radon (222)
	132.91	157.55		170.49	100.93	105.04	100.21	190.23	192.22	193.00	196.97	200.59	204.50	201.2	200.90	(200)	(210)	(222)
	87 0.7	88 0.9	89-103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
7	Fr	Ra	Ac-Lr	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	FI	Mc	Lv		Og
'	Francium	Radium	Actinide .	Rutherfordium		Seaborgium	Bohrium	Hassium	Meitnerium	Darmstadtium	Roentgenium	Copernicium	Nihonium	Flerovium	Moscovium	Livermorium	Tennessine	Ogannesso
	(223)	(226)		(267)	(268)	(269)	(270)	(277)	(278)	(281)	(282)	(285)	(286)	(289)	(290)	(293)	(294)	(294)
	Super ⁷	Alkali Metal	Z E.N.	57 1.1	58 1.12	59 1.13	60 1.14	61 1.13	62 1.17	63 1.2	64 1.2	65 1.1	66 1.22	67 1.23	68 1.24	69 1.25	70 1.1	71 1.2
	Gas HI	Alkaline-Earth Metal	Sym	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
	O HBr	Metalloid	Name :	Lanthanum	Cerium	Praseodymiun		Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium	Thulium	Ytterbium	Lutetium
	CO ₂ HCl CH ₄ HNO ₃	Non-metal Halogen	mass :	138.91	140.12	140.91	144.24	(145)	150.36	151.96	157.25	158.93	162.50	164.93	167.26	168.93	173.05	174.97
(C_2H_6 H_2SO_4	Noble Gas		1.											400	101	400	405
	HCIO ₃ HCIO ₄ E	Lanthanide/A		89 1.1	90 1.3	91 1.5	92 1.38	93 1.36	94 1.28	95 1.13	96 1.28	97 1.3	98 1.3	99 1.3	100 1.3	101 1.3	102 1.3	103 1.3
N	√NO NO₂	EN, IE, EA, & \mathbb{Z}_{ϵ}		Ac	Th	Pa	U	Nontraine	Pu	Am	Cm	Bk	Colifornium	Es	Fm	Md	No	Lr
N	N ₂ O NH ₃	Radius & Metall	ic increase $\leftarrow\downarrow$	Actinium (227)	Thorium 232.04	Protactinium 231.04	Uranium 238.03	Neptunium (237)	Plutonium (244)	Americium (243)	Curium (247)	Berkelium (247)	Californium (251)	Einsteinium (252)	Fermium (257)	Mendelevium (258)	Nobelium (259)	Lawrencium (266)
	SO ₃ SO ₂			(==')	202.01	201.04	230.03	(=0.7)	(=)	(= 10)	(=)	(=)	(===)	(===)	(=0.1)	(=00)	(=00)	(=30)
F	H ₂ S HCl																	